



# TOGETHER

**A randomised controlled trial evaluating  
the effectiveness and cost effectiveness  
of 'Strengthening Families,  
Strengthening Communities': a  
community led parenting programme**

RESEARCH PROTOCOL

Version 1, Date 28<sup>th</sup> Feb 2019

Funder: NIHR16/122/35

NIHR Portfolio no

ISRCTN: 15194500

Authorised by: Professor Richard Watt



The TOGETHER Trial is funded by the National Institute for Health Research  
Public Health Research (NIHR-PHR)

The view and opinions expressed herein are those of the authors and do not  
necessarily reflect those of the NIHR PHR Programme, NIHR, NHS or the  
Department of Health and Social Care

## Contents page

Abbreviations

General Information

Study Summary

1. Study Summaries- Scientific and Lay.....	7
2. Background .....	9
3. Aims and Objectives.....	11
4. Trial Design .....	11
5. Study Gannt chart and Milestones.....	16
6. Selection, recruitment and withdrawal of participants.....	18
7. Randomisation .....	19
8. Internal pilot .....	19
9. Sample size.....	20
10. Intervention .....	20
11. Assessment and follow up procedures .....	23
12. Process evaluation .....	25
13. Statistical and economic analysis .....	26
14. Patient and public involvement (PPI) .....	29
15. Trial supervision.....	29
16. Data handling and record keeping .....	30
17. Publication policy .....	30
18. Finance.....	30
19. Ethics-approval procedures.....	30
20. References.....	31
Appendix 1: TSC, TMG, TMG and DMEC .....	

## **Abbreviations**

CCA	Cost consequences analysis
CUA	Cost utility analysis
DMEC	Data monitoring and ethics committee
EAP	Economic analysis plan
ICC	Intra cluster correlation
MCS	Millennium Cohort Study
MRC	Medical Research Council
NIHR	National Institute for Health Research
PPI	Patient and public involvement
QALYs	Quality adjusted life years
RCT	Randomised controlled trial
REF	Race Equality Foundation
SAP	Statistical analysis plan
SDQ	Strengths and Difficulties Questionnaire
SFSC	Strengthening families, strengthening communities
TMG	Trial management group
TSC	Trial steering committee
WEMWBS	Warwick and Edinburgh Mental Well Being Scale

## General information

### Study Sponsor

Dr Nick McNally  
University College London  
Gower Street  
London  
WC1E 6BT  
Email: [n.mcnally@ucl.ac.uk](mailto:n.mcnally@ucl.ac.uk)  
Telephone: 020 3108 7907

### Chief Investigator (and person authorised to sign the protocol and amendments)

Professor Richard Watt  
Epidemiology and Public Health  
University College London  
1-19 Torrington Place  
London  
WC1E 6BT  
Email: [r.watt@ucl.ac.uk](mailto:r.watt@ucl.ac.uk)  
Telephone: 020 76791699

Co:Applicant	Organisation	Address
Professor Yvonne Kelly	University College London	Epidemiology and Public Health 1-19 Torrington Place London WC1E 6BT
Professor Stephen Morris	University College London	Epidemiology and Public Health 1-19 Torrington Place London WC1E 6BT
Professor Mike Crawford	Imperial College of Science, Technology and Medicine	Centre for Psychiatry 7N11bCommonwealth Building Hammersmith Campus Hammersmith Hospital Du Cane Road London W12 0NN
Professor Paul Ramchandani	University of Cambridge	Faculty of Education 184 Hills Road, Cambridge CB2 8PQ,
Dr Saffron Karlsen	University of Bristol	Centre for the Study of Ethnicity and Citizenship 1.10, 3 Priory Road, 11 Priory Road, Clifton, Bristol BS8 1TU
Dr Anja Heilmann	University College London	Epidemiology and Public Health

		1-19 Torrington Place London WC1E 6BT
Mr Jabeer Butt	Race Equality Foundation	Unit 17 & 22 Deane House Studios 27 Greenwood Place London NW5 1LB
Dr Zoe Hoare	Bangor University	NWORTH CTU North Wales Organisation for Randomised Trials in Health Y Wern, Normal Site Holyhead Road Bangor University Bangor Gwynedd, LL57 2PZ
Ms Karlet Manning	PPI	

Trial Managers: Appointment pending

Trial Statistician: Dr Andrew Brand, NWORTH CTU

### **Trial Committees**

TSC – to be confirmed

DMEC – to be confirmed

Trial Management Group (TMG)

Ms Leandra Box

Mr Jabeer Butt

Professor Mike Crawford

Dr Anja Heilmann

Dr Zoe Hoare

Dr Saffron Karlsen

Professor Yvonne Kelly

Ms Karlet Manning

Dr Anita Mehay

Professor Stephen Morris

Professor Paul Ramchandani

Mr Renato Venturelli

Professor Richard Watt

## Protocol amendments

Version number	Date	Reason for amendment	Sections affected

## 1. Study summaries – scientific and lay

### Scientific Abstract

**Background** Between 10-20% of UK children experience socio-emotional difficulties which can have serious implications for themselves, their families and society. Stark socioeconomic and ethnic inequalities in children's well-being exist. Giving every child the best start in life is a key strategy to reduce inequalities. Supporting parents to develop effective parenting skills is an important preventive strategy. A range of group-based parenting programs have been delivered in the UK and evidence from recent reviews showed these can be effective. However most parenting interventions have focused on early childhood (0-5 years) and have failed to engage with families from ethnic minority groups and those living in poverty. A parenting programme for families with children aged up to 18 years (*Strengthening Families, Strengthening Communities - SFSC*) has been designed by the Race Equality Foundation, a charitable community organisation focused on promoting race equality, and has been delivered across the UK for over 10 years. Small pre-post studies have produced encouraging results but no RCTs have been undertaken so far. This study aims to address this knowledge gap.

**Aim:** To assess the effectiveness and cost-effectiveness of the *SFSC* parenting programme in enhancing parental mental well-being and children's social and emotional well-being at 6-months follow-up.

**Design:** This multi-centre waiting list control RCT will evaluate the *SFSC* programme. The study will be conducted in 2 stages. Participants will be randomly allocated to intervention or control arms. Stage 1 will comprise of a 6-month internal pilot to determine the feasibility of the trial. Should progression criteria be met, stage 2 will comprise the main trial. A nested process evaluation will also assess the fidelity and acceptability of the intervention.

**Setting:** The study will be conducted across 7 urban English areas with ethnically and socially diverse populations where the programme is currently being delivered. Participants (n=676) will be parents of children aged 3-18 years who either self-refer or are referred by health/social care professionals to attend the programme.

**Intervention:** Based on social learning theory, the 13-week programme aims to develop parents' confidence, competence and skills through interactive group based activities. Local authorities in the 7 areas will supply staff, community venues, resources and other costs associated with delivering the intervention through existing contracts. Participants randomised to the control arm will be offered the intervention after approximately a 10-month wait.

**Outcomes:** The primary outcome will be parental mental well-being (assessed by the Warwick-Edinburgh Mental Well-Being Scale). Secondary outcomes will include child socio-emotional well-being, parenting practices, family relationships, parenting stress, quality of life, and community engagement. Outcomes will be assessed at baseline, post intervention and 6 months follow-up.

**Potential impact:** If this trial demonstrates beneficial effects on both parental and child outcomes, then the potential impact, both immediate and longer term, is potentially significant. As the intervention focuses in particular on supporting families living in

poverty and those from minority ethnic communities, the intervention should also ultimately have a beneficial impact on reducing health inequalities.

## **Lay summary**

**Aim:** We aim to assess whether parents who are offered a 13-week group-based parenting programme will feel better in themselves, feel less stressed and generally more able to cope with looking after their families. We will also assess if the programme has any effect on children's behaviour.

**Background:** Childhood is an important stage of life which has long lasting effects into adulthood. Unfortunately many children in modern society experience emotional and behavioural problems which can lead to problems within their family, school and local communities. If these are not dealt with early on, they can get much worse and cause major difficulties for all those involved. Several parenting programmes have been developed and been shown to be helpful to parents and children. However most of these have focused on families with pre-school children, and children with very severe behaviour problems, and have not included many families from Black and ethnic minority groups, and those living in poverty. For over 10 years the Race Equality Foundation, a charity working to promote race equality in the UK, has been organising group-based parenting programmes for families with older children, particularly from minority ethnic communities and those living in poverty. This programme called *Strengthening Families, Strengthening Communities* has had major success in engaging with these communities across many parts of the country. Although very popular with the families involved, the programme has not yet been fully assessed to show if it is effective in achieving its goals. The Race Equality Foundation are very keen to address this gap in knowledge and have therefore initiated this study.

**Design:** Across 7 urban areas of England where ethnically and socially mixed communities live, the parenting programme will be offered to families who either decide themselves that they need help or families referred by professionals for help. 676 parents agreeing to take part in the study will be randomly allocated (like flipping a coin) to either immediately starting the programme or having to wait for a 10- month period before starting it. All the parents agreeing to take part in the study will be interviewed by phone at the start, after the programme has been completed and then 6 months later. A smaller number of parents and staff involved in delivering the programme will be interviewed about their views and experiences of it.

**Public involvement:** Parenting is a potentially sensitive and stressful issue. It is therefore vitally important that the public are fully involved in a study which aims to assess the potential value of a parenting programme. A parent and former participant in the programme has agreed to be a co-applicant to assist the team in planning and conducting the study, to ensure parents' concerns and needs are considered. In addition, 3 parent forums comprising 8-12 parents will be established to provide additional input into all aspects of the study and 2 adolescent and young peoples' forum will also be set up to involve and explore the wider impact of the intervention.

**Dissemination:** Given the current high level of research, policy and media interest into the best ways of providing parenting support to families in need, the findings of this study are likely to get a high level of attention. The team will therefore take great care in



ensuring that all interested parties including the families involved in the study and their local communities are given information about the results. The PPI co-applicant and parent forums will assist with the dissemination.

## **2. Background**

Between 10-20% of UK children and adolescents experience socio-emotional difficulties (Green et al, 2005) which have serious implications for the individuals affected, their families and wider society. Parents are a fundamental influence on their child's development and well-being, and parental mental health has a profound effect on family life, relationships and parenting practices. Data from the UK Millennium Cohort Study show that approximately a third of mothers (33%) and fathers (30%) reported depressive symptoms (Hansen et al, 2007). Stark socio-economic and ethnic inequalities exist for both socio-emotional difficulties in childhood and mental health problems in parents (Marmot, 2010; Kelly et al, 2001; Zilanawala et al, 2015; Rougeaux et al, 2017). Consequently, giving every child the best start in life has been identified as a key public health strategy to combat health inequalities (Marmot, 2010). An important element of this strategy is supporting parents to develop effective parenting practices and skills. Four Cochrane reviews of universal and targeted group-based parenting programmes have demonstrated a variety of positive effects on both child and parental outcomes (Barlow et al, 2014; Furlong et al, 2012; Barlow et al, 2006; Barlow et al, 2016). These reviews however highlighted the need for larger scale and well-designed trials that target older children and families from ethnic and socially disadvantaged backgrounds, and also include comprehensive economic evaluations.

*Strengthening Families, Strengthening Communities* (SFSC) is a group based parenting intervention designed to support parents with children aged 0-18 years from socially and ethnically diverse communities. SFSC has been delivered by community organisations across the country since 2000 with the support of the Race Equality Foundation. Several uncontrolled studies have evaluated the programme and demonstrated encouraging positive outcomes for both children and parents (Wilding and Barton, 2007; Wilding and Barton, 2009; Karlsen, 2013; Karlsen, 2013; Matthew et al, 2005). However to date no RCTs of the programme have been conducted, hence the need for this study. A trial evaluating SFSC will directly address the knowledge gaps identified in the Cochrane reviews of parenting interventions (Barlow et al, 2014; Furlong et al, 2012; Barlow et al, 2016; Barlow et al, 2016) - as a universal programme, it will focus on families with older children, specifically targeting families from ethnically and socially diverse communities.

### *Risks and benefits*

There is a small risk that participation in the SFSC programme with open and frank discussion with other parents on family life, may potentially lead to feelings of inadequacy or guilt, cause a degree of stress and anxiety, and result in participants questioning their parenting skills and abilities. However the SFSC programme is delivered by highly trained and experienced practitioners supported by a well-developed quality assurance system that ensures participants are fully supported in the programme. Indeed the aim of the SFSC programme is to develop parents' self-esteem and their confidence and competence in parenting through empowerment and participation in interactive group methods and skills development techniques. These

methods help to improve child-parent communication and relationships, and also improve access to local community groups and organisations that support families.

#### *Rationale for current study*

Although a range of parenting programmes including Triple P, Mellow Bumps, Family Nurse Partnership and Incredible Years are currently included in the NIHR research portfolio, all these programmes concentrate on early childhood and do not directly focus on meeting the needs of families from ethnically diverse communities. One NIHR funded trial to evaluate a parenting intervention for toddlers is currently underway, the E-SEE trial (Bywater et al., 2016). This trial is evaluating the Incredible Years Infant and Toddler (0-2 years) Parenting Programme focusing exclusively on the 0-2 year age range. Another trial currently underway, the Strengthening Families Programme 10-14 UK (SFP 10-14 UK) is a Welsh study which aims to assess the effectiveness of a 7-week programme on preventing alcohol and drug misuse in young people (Sergrott et al, 2014). This very specific intervention targets both parents and young people and is completely different in nature, methodology and focus from the SFSC programme, and there is no organisational connection between them.

Giving every child the best start in life is a key policy recommendation to reduce health and social inequalities (Marmot, 2010). Stark and persistent socio-economic and ethnic inequalities exist in the UK in both children's and parents' health and well-being. Supporting parents to develop effective parenting practices is an important core strategy to tackle inequalities in childhood and adolescence (Charlesworth et al, 2013) but major gaps remain in the evidence base for universal parenting programmes, especially for older children and families from disadvantaged and diverse ethnic backgrounds. This proposal to evaluate the SFSC programme therefore directly addresses ethnic and socio-economic inequalities.

#### *Socio-economic position and health inequalities*

A range of measures will be taken to ensure that the study conduct and intervention delivery take account of the socio-economic and ethnic background of participants. The study will be conducted in seven urban areas across England where the SFSC programme has successfully engaged with parents from disadvantaged socio-economic and very diverse ethnic backgrounds. Our pilot data has demonstrated the disadvantaged and ethnically diverse nature of parents recruited to the SFSC programme and the encouraging ways in which the programme is designed to empower parents through the development of a range of parenting skills and practices, and ways to access community resources and local support (Karlsen, 2013; Kelly, 2017). Our research team will be trained to ensure that they are fully equipped to communicate in an appropriate and accommodating manner when interacting with participants. Based upon experience of delivering the SFSC programmes over the last 10 years, although approximately 50% of parents recruited into the study will be from a minority ethnic group, the majority (approximately 90%) of SFSC programmes will be delivered in English to parents from a diverse range of ethnic backgrounds but who are able and comfortable speaking in English. Approximately 10% of participants will require language support as they will not be able to complete interviews in English. Somali, Sylheti, Bengali and Arabic are the most commonly spoken languages after English in our research sites. Building on the experience of one of the co-applicants (Butt) of conducting structured interviews in community languages in an ESRC funded study of ageing (Moriarty and Butt, 2004) we will use experienced community language interviewers to conduct these interviews with training in the use of translated versions of the research instruments.

Depending on the exact socio-demographic nature and diversity of the sample once the recruitment stage is completed, exploratory sub-group analysis will investigate different aspects of inequalities in the effectiveness of the intervention across the study population.

### **3. Aims and objectives**

#### *Study aim*

To assess the effectiveness and cost-effectiveness of the SFSC programme in enhancing parental mental well-being and children's social and emotional well-being at 6-months follow up across 7 English urban areas.

#### *Stage 1 objectives (internal pilot)*

1. To establish that the engagement and recruitment plans are effective across 10 pilot clusters
2. To determine that the intervention uptake is satisfactory in terms of the proportion of participants attending the majority of the SFSC programme sessions
3. To assess the fidelity of the SFSC programme through facilitator self-assessments and independent quality assessment.
4. To establish the acceptability of the outcome measures

(See later section for a detailed description of the progression criteria to stage 2)

#### *Stage 2 objectives (main trial)*

1. To assess the effectiveness of the SFSC programme in enhancing parental mental well-being and children's social and emotional well-being compared to waiting list controls at 6-months follow-up
2. To examine the cost effectiveness of the SFSC programme
3. To assess in a nested process evaluation the SFSC programme fidelity and acceptability, and determine implementation barriers/facilitators


#### *Research question (PICO)*

In an ethnically diverse population of families with children aged 3-18 years living in socially disadvantaged areas across England (P), does the offer of the SFSC parenting programme (I) compared to waiting list controls (C) significantly enhance parental well-being and child social and emotional well-being (O), as measured by Warwick-Edinburgh Mental Well-Being Scale and Strengths and Difficulties Questionnaire?

### **4. Trial design**

This study is a multi-centre, waiting list control, randomised trial designed to assess the effectiveness and cost effectiveness of SFSC programmes delivered across 7 urban areas in England. The study will be conducted in 2 stages. Stage 1 will comprise a 6-month internal pilot to determine the feasibility of the trial. Should progression criteria be met, stage 2 will comprise the main trial conducted over a 34-month period. A nested process evaluation will also assess the fidelity and acceptability of the intervention. See figure 1 for study flow chart.

Figure 1. Study flow chart



## *Study population*

### *Study setting*

The study will take place in community settings in up to 7 urban areas with ethnically diverse populations and high levels of deprivation. The areas have been selected as they are the locations where the SFSC intervention is currently commissioned and delivered.

The seven urban areas and Local Authorities include:

- Greater Manchester (Manchester City)
- Yorkshire/Humberside (Calderdale; Hull; Kirklees)
- South London (Lewisham; Lambeth; Southwark; Wandsworth)
- North London (Islington; Brent; Enfield; Barnet)
- West London (Hammersmith and Fulham; Kensington and Chelsea; Ealing; Westminster)
- East London (Tower Hamlets; Waltham Forest; Hackney; Barking and Dagenham)
- Home counties (Luton; Hertfordshire)

Two additional areas (Bristol and Stockton) have been identified as potential reserves should recruitment problems arise in the above seven areas.

### *Study participants*

The SFSC programme is designed to reach a wide range of parents with children aged up to 18 years, including both mothers and fathers, lone parents, families living in deprived neighbourhoods and parents from Black and minority ethnic communities. Parents attending the programme include self-referrals and those referred by social work, health, family support or criminal justice professionals.

Recent data (2014-2017) collected by the Race Equality Foundation provide a profile of the diversity of participants attending SFSC programmes:

- Nearly 60% of programmes included both mothers and fathers
- Over 40% of participants were lone parents
- Around half (48%) of participants were from Black and minority ethnic communities
- Nearly 70% of participants' highest qualification was from secondary school.

### *Inclusion/exclusion criteria*

An important feature of the SFSC programme is its universal and inclusive nature.

Inclusion criteria include:

- Parents<sup>1</sup> with children aged 3-18 years

Exclusion criteria include:

- Parents with children under 3 years and over the age of 18 years
- Parents do not live in catchment area where programme is delivered
- Unable or unwilling to provide written informed consent to participate
- Already participating in another research study

---

<sup>1</sup> Parents are defined as a person with parenting responsibilities for the index child including biological parents, step parents, foster parents and legal guardians. When more than one parent are attending the intervention programme they will be asked to agree the nominated parent for the study.

### *Methods used to protect against bias*

#### *Blinding procedures*

Due to the nature of the intervention it is clearly not possible to undertake a double blind trial. However the researchers involved in conducting the research interviews will be blinded – all participants will be politely asked not to disclose their allocation to the data collectors at the start of all research interviews. The researchers will also complete a perception questionnaire once all the data has been collected to determine their perception of group allocation for each participant. The trial statisticians will remain blind while the study is in progress and while conducting the data analysis. The researchers involved in collecting the process evaluation data after the six months follow-up will not be blinded. Further details of the blinding procedures are outlined in table 1 below.

Table 1 – Overview of blinding procedures

<b>Trial role</b>	<b>Blinding status</b>	<b>Explanatory notes</b>
Chief investigator and co-applicants	Blinded	
Referral sources	Blinded	
Participants	Not blinded	
SFSC facilitators	Not blinded	
Researchers – outcome interviews	Blinded	
Researchers – process evaluation	Not blinded	
Trial manager	Blinded	
Data entry	Blinded	
Data managers	Blinded	In certain circumstances (adherence and attendance at programmes) data maybe unblinded but this would be kept in separate section of database
Statisticians	Blinded during study and for main analysis	Not blinded for subsequent analysis as defined in the SAP
NWORTH IT developers	Not blinded	Will only have limited access to the unblinding codes and will require authorisation to access
DMEC	Blinded	DMEC will be presented with partially blinded reports and can ask for unblinding if required for safety concerns.
TSC	Blinded	TSC will not have access to the same level of data as DMEC but can request unblinding if concerns are

		raised.
--	--	---------

### *Attrition bias*

The experienced research team will use every effort to encourage participants to remain in the trial to reduce attrition bias and loss to follow-up. Having multiple mobile phone contact numbers for participants and their family members/close friends, use of their social media and ensuring researchers adopt a flexible and accommodating approach when agreeing appointments all have helped to minimise attrition in previous community studies. The sample size has accounted for 20% attrition.

### *Outcome measures*

#### *Primary outcome*

Parental mental well-being: This is an important outcome in itself, as well as being a key determinant of child developmental outcomes. (Barlow et al, 2014)

#### *Secondary outcomes*

##### *Key secondary outcome*

Child socio-emotional well-being: This is an important contemporary marker of healthy development in childhood, while also being closely related to later life health and well-being. (Marmot, 2010)


##### *Other secondary outcomes*

- Parenting practices (positive & negative, including use of harsh punishment)
- Parental stress
- Family relationships including family conflict
- Social support as perceived by the parent
- Parental quality of life
- Community engagement and use of local services
- Use of NHS, social care, criminal justice system and mainstream/special education services.

## 5. Study Gantt chart and milestones

The trial will comprise four phases delivered across a total of 48 months as outlined in the Gantt chart (see figure 2 below).

Figure 2. Study Gantt chart





## Milestones

Specific project milestones are outlined in table 2 (see below).

Table 2 – study milestones

Month	Milestones
<b>Phase 1</b>	<b>Set up and preparation (months 1-4)</b>
0-2	Finalise ethics and CRN portfolio adoption
0-2	Develop detailed study protocol
0-2	Appointment research staff – UCL, Bangor and REF
2-4	Train research staff in study procedures
0-2	Trial registration
0-4	Establish PPI parent forums
0-4	Finalise questionnaire for outcome assessments
2-4	Pre-pilot questionnaire for outcome assessments
0-4	Establish TSC/TMG/DMEC
2-4	Finalise study protocol
0-2	Start recruitment of SFSC programmes for internal pilot
2-4	Finalise recruitment of SFSC programmes for internal pilot
<b>Phase 2</b>	<b>Internal pilot (months 5-12)</b>
5-6	Recruit participants
5-6	Collect baseline outcome data
7-9	Deliver SFSC programmes across 5 pilot areas
9-10	Collect post intervention outcome data
9-10	Initial engagement of SFSC programmes for main trial
11-12	Collect 3 month follow-up outcome data
12	Analysis of pilot data
12	TSC/DMEC meetings and recommendation on progression to main trial
<b>Phase 3</b>	<b>Main trial recruitment, delivery and measurement (months 13-34)</b>
13	Finalise recruitment of SFSC programmes for main trial
13-24	Recruit participants
13-24	Collect baseline outcome data
13-27	Deliver SFSC programmes across 7 areas
16	Collect 6 month follow-up outcome data for pilot
16-28	Collect post intervention outcome data
22-32	Collect 6 month follow-up outcome data
17-32	Collect process evaluation data
<b>Phase 4</b>	<b>Data management, analysis and reporting (months 9-48)</b>
14-36	Data entry and cleaning
14-38	Initial data analysis
35-42	Analysis of process evaluation data
39-42	Undertake final data analysis
43-48	Preparation of final report
46-48	Preparation of scientific papers
47-48	Plan dissemination activities

## 6. Selection, recruitment and withdrawal of participants

Participants (parents) enrolling on the SFSC programmes (n=52 clusters in total) across the 7 areas will be approached to participate in the study, consent sought and agreed, baseline outcome data collected and then individually randomised to intervention or waiting list controls. Those randomised to the wait list control arm will be offered a place in the programme once the 6-month follow-up data have been collected. Further details are now given on each step in the recruitment and consenting process.

### *Step 1 – Referral to SFSC programme*

Parents attending the SFSC programme either self-refer or are referred by social work, family support or criminal justice professionals. In the SFSC programmes involved in the study, programme staff will initially give general information about the study, discuss what the study involves, provide a summary of the project, and for those individuals interested, gain their verbal consent for their contact details to be passed onto the research team. A researcher will then contact the parent to verify their interest, to check their eligibility, and to book a face-to-face meeting either in their own home or where the SFSC programme is delivered.

### *Step 2 - Research team visit*

During the face-to-face meeting the researcher will explain more details of the study, confirm eligibility, provide information sheet and obtain written informed consent. If a parent requires time to think about or discuss participation with friends/family, a period of 7 days will be proposed, after which the parent will receive another visit to establish if they wish to participate. Once consent has been gained, the baseline questionnaire interview will be completed and the participant will then be randomised.

### *Step 3 – Commencement on SFSC programme*

Those participants randomised to the programme will then immediately enrol on next programme available. Those randomised to the control arm will then be placed on 10-month wait list.

In recognition of the importance of establishing rapport and trust with the participants at the initial approach and consenting stage of the recruitment process, in the internal pilot we will assess the feasibility and acceptability of these initial steps being carried out by either the programme facilitators and researchers as outlined above, or solely by the programme facilitators. The programme facilitators will be trained in the consenting process. As part of the process evaluation individual interviews will be conducted with a sample of participants and programme facilitators to assess their views of the consenting process and other elements of the trial (See section 12 – process evaluation for further details).

### *Support for those whom English is not first language*

The Race Equality Foundation estimates that approximately 10% of participants (n=70) will require language support to complete the recruitment, consenting and data collection procedures. Based upon previous experience in other studies undertaken with SFSC participants, community language interviewers fluent in either Somali, Sylheti, Bengali and Arabic (the most commonly spoken languages after English) will be employed to

assist where language support is needed. The community language interviewers will receive training in the study procedures.

#### *Incentives for participants and SFSC programmes*

As a gesture of thanks, participants will receive a £10 gift voucher for each completed interview. Participants involved in any process evaluation interviews will also receive a £10 voucher. SFSC programmes involved in the study will receive a £250 voucher as a gesture of thanks. In addition the study team intend to apply for excess treatment costs from NIHR which will then be allocated to the programmes involved in the study.

#### *Participant withdrawal*

Participants can withdraw from the study at any point without needing to give any reason or explanation. If participants decide to withdraw from the study, this will not affect their ability to access and complete the SFSC programme. The study information sheets explain these details so that participants are fully aware of their right to withdraw should they desire to do so.

### **7. Randomisation**

Randomisation will be via a secure online system using a sequentially randomised dynamic adaptive algorithm (Russell et al., 2011), stratified by site, gender and referral source. Once consent and baseline questionnaires have been completed then a member of the research team will log onto the online system provided by NORTON and enter the required details. Upon confirmation of those details the participant will be randomised results can be provided on screen or via confirmation/notification emails as defined in the randomisation specification. This will be done with regard to the blinded status of the individuals.

### **8. Internal pilot (Stage 1)**

Over a 6-month period the feasibility of the trial will be tested across 5 of the 7 areas (n=10 clusters) in which the SFSC programmes are delivered. The internal pilot will assess engagement, recruitment and randomisation procedures, retention rates at 3 months follow-up, intervention fidelity and acceptability of outcomes.

#### *Progression criteria to stage 2*

The internal pilot will be conducted in 10 cluster sites (across 5 of the 7 areas) over 6 months. Criteria for progression to the main trial will be based on sufficient randomisations, attrition, adherence, completion of data and intervention fidelity. We propose to use a traffic light system of progression where green indicates direct progression, amber will require review of the situation with both the funder and the independent advisory groups (Trial Steering Committee and Data Management and Ethics Committee), and red will indicate termination of the study (Charlesworth et al, 2013).

The following traffic light criteria will need to be met for progression to the main trial:

- Recruitment of 130 participants over the first 6 months. We will consider performance EITHER (a) across all 10 sites OR (b) if one or two sites significantly underperforms, across the best 8 sites. GREEN: there are 104 (a) or 84 (b) randomisations (80% of the target). AMBER: If there are 52 (a) or 42 (b)

randomisations (between 40% and 80% of that expected). RED: If there are <52 (a) or <42 (b) randomisations (less than 40% recruitment)

- GREEN: 85% retention at 3 months follow-up (6 months from start). AMBER: Retention is between 50% and 85%. RED: If retention is less than 50% at 3 months follow up
- GREEN: 70% of participants attended at least 9 out of the 13 programme sessions. AMBER: between 50% and 70% attended at least 9 out of the 13 programme sessions. RED: if less than 50% attended 9 out of the 13 programme sessions
- Less than 20% missing data on outcome measures at baseline and post intervention will indicate the acceptability of the measure to be continued into the full study
- Intervention fidelity demonstrated through facilitator self-assessments and quality assessment

ACCEPT criteria will be used to determine whether pilot data can be included in the main trial (Charlesworth et al, 2013). These criteria will encompass areas such as the eligibility criteria, trial design, intervention fidelity, data quality and be in line with the RAG criteria outlined above. If significant protocol modifications are required, resulting in uncertainty, we will review recruitment targets on transition to full trial.

## 9. Sample size

A sample of 676 participants will be required across 52 clusters (13 participants per cluster) to detect an effect size of 0.3 with 90% power at a 5% significance level and assuming an intraclass correlation coefficient (ICC) of 0.05. An effect size of 0.3 on the WEMWBS is indicative of a change of 3 on the scale stated as clinically relevant by the scale manual (Putz, 2012) and assuming a standard deviation of 10 seen in a similar population. (Lindsay et al, 2011). The assumption of the ICC is indicated by Kidger and colleagues (Kidger et al, 2016). Although the cluster effect only applies to the intervention arm, due to concerns over differential dropout in the waiting list controls, recruitment to the control arm will be 'inflated'. The ICC assumption will be checked at the internal pilot stage and impact on the sample size considered.

For the total SDQ score for the key secondary outcome, a minimal clinically significant change indicated by Ford and colleagues (Ford et al, 2012) is 2, together with a SD of 6 taken from normative data held by youthinmind (Taggart et al, 2013) on the SDQ, this indicates an effect size of 0.33. If the ICC is assumed equivalent to that of the parental outcome then a sample of 676 indicates 87% power; with a reduced ICC of 0.025 this power increases to 92%. This sample includes an attrition rate of 20% indicating we expect 10 parents to complete per cluster from the 13 recruited.

## 10. Intervention

### *Intervention overview*

SFSC is a group based universal parenting programme designed to support parents with children aged up to 18 years to improve their well-being, confidence and competence in parenting; develop better relationships with their children; explore strategies to put appropriate boundaries in place; support their children to minimise risky behaviours; and


help children transition through childhood to adulthood. In addition, it aims to empower parents to play a more active role in their local communities.

Originally developed in the US, the Race Equality Foundation (an independent charitable community organisation committed to race equality) has adapted the programme for the UK. Since 2000 it has been delivered by family and social care organisations across England. Based upon social learning theory (Bandura, 1977), it uses interactive methods to encourage parents to share their experiences and undertake practical activities to develop their skills, confidence and self-esteem. The 13-week programme is structured into 5 themes:

- Rites of passage
- Cultural/spiritual influences on beliefs and behaviours
- Enhancing parent-child relationships
- Community involvement
- Process of discipline

A logic model has been developed to describe the intervention inputs, outputs and evaluation outcomes (short-term, intermediate and longer term) – see figure 3.

Figure 3. Study logic model



### *Intervention delivery*

The programme is run in a wide variety of community settings and is delivered by trained practitioners. It is manualised to ensure implementation fidelity, is supported by an extensive quality assurance process and has received the CANparent Quality Mark (CANparent, 2017). It has been successful in engaging with a diverse range of parents such as ethnic minority communities and those living in poverty, many of whom have felt marginalised or stigmatised by mainstream services. Evaluation has highlighted very positive feedback and high levels of user satisfaction. Retention rates at the end of programmes are typically very high at around 85%, and 93% attended the majority of the 13-weekly sessions.

### *Control group*

The control arm of this trial will comprise a waiting list control – the participants randomised to the control arm will be offered the programme after approximately 10 months to enable follow-up data to be collected. Waiting-list controls are a suitable option for the evaluation of group-based community interventions. Indeed in the Cochrane Review of group-based parenting programmes for children with early-onset conduct problems, all 13 trials that were deemed to be of sufficient quality had adopted this design (Furlong et al, 2012). All study participants in both trial arms will continue to have access to a full range of locally available health and social care services including referral to Child and Adolescent Mental Health Services (CAMHS). Details of local services will be given to participants when they have been randomised to the control arm.

## **11. Assessment and follow-up procedures**

All outcome data will be collected at baseline (time point 0), end of programme (time point 3 months) and then 6 months later (time point 9-10 months). The baseline data will be collected through face-to-face interviews and the subsequent interviews will either be conducted through face-to-face or telephone interviews depending upon the participants' preference. All selected measures are either validated instruments or items that have been widely used in national cohort studies such as the Millennium Cohort Study or the Avon Longitudinal Study of Parents and Children.

### *Primary outcome*

- Parental mental well-being will be measured using the Warwick-Edinburgh Mental Well-Being Scale (WEMWBS). (Tennant et al, 2006) The WEMWBS covers both hedonic and eudaimonic aspects of mental health including positive affect, life satisfaction, satisfying interpersonal relationships and positive functioning. The WEMWBS has been widely used in the evaluation of parenting programmes including SFSC (Lindsay et al, 2011). The psychometric properties of the WEMWBS have been demonstrated including good content validity, high levels of construct validity and good test-retest reliability (Tennant et al, 2007). The scale has also been shown to be a suitable instrument for detecting change in well-being status (Maheswaran et al, 2012). In a mixed methods study the

instrument has undergone a comprehensive cross cultural evaluation and has been demonstrated to be a robust, reliable and acceptable measure of mental well-being in an ethnically diverse community sample (Taggart et al, 2013). The WEMWBS has been translated (including full back-translation) into a number of languages.

### *Secondary outcomes*

#### *Key secondary outcome*

- Child socio-emotional well-being will be measured by the Strengths and Difficulties Questionnaire (SDQ) – parent report (SDQ, 2019). The Total Difficulties score will be used which includes 4 scales measuring: emotional symptoms; conduct problems; hyperactivity; and peer problems. There is also a pro-social scale to measure positive behaviours and an impact scale measuring the extent of impact of the child's difficulties on family, school and community. The SDQ has been extensively used in the evaluation of parenting interventions (Furlong, 2012; Maheswaran et al, 2012). Psychometric testing of the SDQ has shown it to be a robust and valid instrument of children's socio-emotional well-being and behaviour (Stone et al, 2010). In our pilot work evaluating the SFSC programme we have shown that the SDQ is a sensitive measure able to detect change in various child outcomes in a socially and ethnically diverse community sample of families (Kelly, 2017). The SDQ has also been extensively translated (including full back-translation) for use in a very wide range of languages.

#### *Other secondary outcomes*

- Parenting practices: measured via a) Parenting Scale (Arnold et al, 1993) – a parent report of dysfunctional parenting practices; b) Parental Sense of Competence Scale (Ohan et al, 2000; Gilmore et al, 2008) – measuring parenting competencies, efficacy and satisfaction in parenting.
- Child-parent relationship and parental stress - measured by Child-Parent Relationship Scale (short version) (Pianta, 1992).
- Family relationships and conflict – measured using the Quality of Marriage Index (Norton, 1983).
- Social support – measured by selected items used in the Millennium Cohort Study and the Avon Longitudinal Study of Parents and Children. (Johnson 2015).
- Parental quality of life: – measured by the EQ-5D-5L (Group et al, 1990).
- Community engagement and use of local services – measured by items from the Citizenship Survey (UK Data Service, 2010) and Buckner Social Cohesion Scale (Bucker, 1988).
- Use of NHS, social care, criminal justice system and mainstream/special education services measured using retrospective questionnaires, adapted



from previous measures on the Database of Instruments for Resource Use Measurement (<http://www.dirum.org/>)

The length and general acceptability of the questionnaire will be assessed in a pre-pilot with a group of parents in phase 1 of the study. Should the questionnaire be considered too long, then revisions will be made to ensure that it is an acceptable length.

## **12. Process evaluation**

In line with MRC guidelines (Craig et al, 2008; Moore et al, 2015), a nested mixed methods process evaluation will be undertaken. Specifically we propose:

- (a) To describe implementation of the intervention assessing intervention fidelity to programme aims, methods, materials and ethos.
- (b) Within the internal pilot we will support the effective implementation of the trial through the collection of quantitative programme activity data and a qualitative investigation of recruitment and randomisation processes and outcome assessment methods.
- (c) Finally, within the context of the full trial we will develop and extend the procedures described above to focus the process evaluation on whether, and how, intervention delivery and outcome generation are influenced, either positively or negatively, by contextual factors.

### *Data collection*

The process evaluation will have a mixed methods design. Quantitative components will run continuously through both the internal pilot and full trial phases. Notably we will collect the following data throughout:

- Routine data on programme recruitment, registration, referrals, attendance, retention and staffing. Client engagement – participation, reach, dose received (number of sessions attended), and retention rate (overall rates and in particular with reference to disadvantaged and ethnic diversity of sample) will also be recorded.
- Fidelity measure to be completed by staff delivering the programme at the end of each session and completion of programme
- Researcher observation of programme sessions (independent assessment of fidelity) in random sample of programmes delivered across the seven areas where programme is delivered

During the *Internal Pilot* (undertaken in 5 sites) we will conduct individual semi-structured qualitative interviews with staff and participants.

- Interviews (n=10) will also be conducted with participants (parents) who attended the SFSC programme across the five pilot areas to explore their perceptions and views of study procedures including recruitment, consenting, data collection and randomisation. The response of experimental and control group participants to their randomisation will be a key focus. We will also explore views on the SFSC programme delivery and content.
- Interviews (n=10) will be conducted with staff involved in delivering the programme across the five pilot areas to explore staff's perceptions and

views of study procedures including recruitment, consenting, data collection and randomisation.

During the *Full Trial* qualitative data collection will be extended to include:

- Individual semi-structured key informant interviews will be held with lead commissioners (n=7) and SFSC programme coordinators (n=7) across each area.

During the full trial we will also continue to complete individual semi-structured interview staff and participants:

- Interviews (n=21) will be conducted with staff involved in delivering the programme across the seven areas.
- Interviews (n=20) will also be conducted with participants (parents). A purposive sample will be selected to ensure the participants represent range and diversity in terms of study centre, age of index child, ethnicity and other demographic characteristics. In addition parental comments from open questions contained within intervention evaluation forms will be assessed and summarised.

### *Analysis*

Quantitative data on fidelity, engagement (attendance and retention) and service activity will be subject to descriptive analyses using SPSS. All the qualitative interviews will be audio recorded, professionally verbatim transcribed and subjected to a thematic analysis (Mason, 2017). This will be supported by use of Nvivo and involve initial data organisation through coding, category development and then testing. Analysis will focus in particular on exploring the range of views on the relevance, appropriateness and acceptability of the programme, perceived barriers and facilitators to change in parenting approaches and how the programme helped or hindered this in the family environment.

In this way the process evaluation design will be informed by the a priori logic model (see figure) and will generate empirical data which will enable mechanisms of action to be described and the underlying theory of change to be evaluated. The work undertaken in parallel with the trial will support interpretation of trial outcome data, thereby increasing the explanatory potential of the study while also potentially informing strategies for downstream implementation of the intervention.

## **13. Statistical and economic analysis**

### *Phase 1 – internal pilot*

As the intention of the internal pilot is to identify continuation into full trial the analysis of the data at this point will be based around the criteria for progression. At this stage we would also assess the current ICC evident in the data to ensure that this is in line with what was predicted. An assessment of the impact of this on the required sample size will be completed at this stage.

If termination of the trial is indicated, then exploratory analysis of the data collected so far will be completed to provide as much information as possible from the work conducted. A plan will be drafted for this if required.

#### *Phase 2 – main trial*

A fully documented Statistical Analysis Plan (SAP) will be written and agreed by the co-applicants and the Data Monitoring and Ethics Committee (DMEC) before data collection has been completed.

Analysis will be conducted on an intention to treat basis, blind to treatment allocation. Baseline data will be presented descriptively by allocated group and overall. The main analysis for primary and secondary outcomes at 3 and 6 months will be mixed effects models adjusted for baseline score, allocation group, and stratification variables. Site will be included as a random effect. The aim is to minimise missing data; however, predictors of missingness will be investigated using regression models and any predictors found will be considered for inclusion in the models. Multiple imputation will be employed to address missing scores where appropriate. Analysis of complete case data will be completed as a sensitivity analysis to establish the sensitivity of the treatment effect estimates to the missing data. All treatment effect estimates will be presented with 95% confidence intervals.

Additional regression analyses will explore factors associated with effectiveness. Exploratory analysis will initially look at including a measure of adherence within the models to assess the levels of effectiveness.

#### *Economic evaluation*

A fully documented Economic Analysis Plan (EAP) will be written and agreed by the co-applicants before data collection has been completed.

A prospective economic evaluation will be integrated into the trial. The economic evaluation will adhere to the recommendations of the NICE Public Health Reference Case (NICE, 2012). The main analysis will take a public sector perspective; in sensitivity analyses we will also take a societal perspective. We will estimate cost and cost-effectiveness for the 'within-trial' period, evaluating cost-effectiveness using a cost-utility analysis (CUA) and cost-consequences analysis (CCA).

We will undertake a detailed cost analysis to estimate the costs of the delivering the SFSC programme, including: development and training of accredited providers; the cost of delivering the group sessions; participant monitoring activities; and; any, follow-up/management. Broader resource utilization over and above the costs of the SFSC programme will be captured via parent/carer questionnaires administered at baseline (time point 0), end of programme (time point 3 months) and then 6 months later (time point 9-10 months). Resource use data will be collected on NHS, social care, criminal justice system, and education contacts. To facilitate analyses taking a societal perspective we will also collect direct costs to trial participants and families (e.g., travel costs to attend group sessions), informal care provided by family and friends, and productivity losses.

Unit costs for public sector resources will largely be derived from local and national sources and estimated in line with best practice. Primary research using established accounting methods may also be required to estimate unit costs. Costs will be standardised to constant prices.

Outcomes for the economic evaluation will include WEMWBS (the primary outcome in the trial), the full range of secondary outcomes, and parent quality-adjusted life years (QALYs); all of these will be included in the CCA; the last of these will be used to undertake a CUA. For this, parent health-related quality of life, measured at baseline, end of programme and then 6 months later using the EuroQol EQ-5D-5L will be converted into health utilities using established utility algorithms to estimate QALYs. (Devlin et al, 2016) Parent-specific utility profiles will be constructed assuming a straight line relation between each of the participant's EQ-5D scores at each follow-up point. The QALYs experienced from baseline to final follow-up days will be calculated as the area underneath this profile. We will calculate QALYs for all parents/carers involved in the study; we acknowledge that some families in the study will be single-parent families, but the proportion of single-parent families will be similar in both trial arms. We will not include child QALYs given that some children in the trial may be as young as three years of age and there are no validated health-related quality of life measures in young children.

Multiple imputation by chained equations will be used to deal with missing resource use and EQ-5D-5L values. Subsequent analyses of imputed data will include variance correction factors to account for additional variability introduced into parameter values as a result of the imputation process.

Cost-effectiveness in the CUA will be calculated as the mean cost difference between the SFSC programme versus control divided by the mean difference in QALYs to give the incremental cost-effectiveness ratio (ICER). We will undertake extensive sensitivity analyses. Non-parametric bootstrap estimation will be used to derive 95% confidence intervals for mean cost differences between the trial groups and to calculate 95% confidence intervals for incremental cost effectiveness ratios (Briggs et al, 1997). The bootstrap replications will also be used to construct a cost-effectiveness acceptability curve, which will show the probability the SFSC programme is cost-effective for different values of the public sector's willingness to pay for an additional QALY. A series of deterministic sensitivity analyses will explore the implications of uncertainty on the incremental cost-effectiveness ratios and will consider the broader issue of the generalisability of the results. One such analysis will adopt a societal perspective incorporating direct costs to trial participants and families, informal care provided by family and friends, and productivity losses.

## **14. Patient and Public Involvement (PPI)**

Public involvement is essential in all stages of public health research. It is particularly important in the evaluation of complex interventions that seek to support and empower families living in challenging circumstances and from marginalised communities to further develop their parenting skills and abilities. Karlet Manning as a co-applicant has assisted the team in developing and refining this application based upon her experience as a parent and previous participant in the SFSC programme. In particular Karlet has provided very useful input and feedback on the practicalities of engaging and recruiting families into the proposed study and the accessibility and clarity of the study description in this application.

### *PPI plans*

The PPI element of this study has 3 main strands. A PPI co-applicant (Karlet Manning) will join the trial management group (TMG) and provide input into all decisions taken by the research team across the full duration of the study. In addition, 3 PPI parent forums comprising of 8-12 previous users of the SFSC programme will be established in 3 of the study locations (Leeds, North London & Manchester). They will meet 3 times a year, facilitated by experienced members of the study team. One of the difficulties with working with PPI in deprived areas is that recruits may initially lack confidence and find it hard to contribute effectively. Each group will have an introductory training session designed to demonstrate how their input can ensure that the research is relevant, practical and to build their confidence in expressing their views. The PPI parent forums will provide invaluable input into all aspects of the study but in particular provide insights on:

- best ways of engaging with potential participants,
- recruitment strategies,
- formatting and design of outcome measures, and
- reporting and dissemination of study results.

In addition to the PPI parent forum, it is important to also involve and understand the views and perspectives of young people in the study. To address this important issue, two PPI adolescent and young peoples forums will be established in London and Manchester. These groups will comprise of adolescents and young people aged 14-18 years whose parent(s) previously attended a SFSC programme. The adolescent and young people's forums will particularly explore their views and perspectives of the SFSC programme and its perceived impact on their parent(s), family dynamics and their own behaviour and feelings.

## **15. Trial supervision**

UCL will act as sponsor for the trial. Three committees will be established to oversee the supervision and governance of this trial: the Trial Steering Committee (TSC), the Data Monitoring and Ethics Committee (DMEC) and the Trial Management Group (TMG). These committees will function in accordance

with the Bangor CTU standard operating procedures. The TSC and DMEC will meet on a 6-monthly basis and the TMG quarterly.

#### **16. Data handling and record keeping**

A data management plan will be developed to document the process of data from source to statistician at which point the statistical analysis plan will describe details of the analysis.

#### **17. Publication policy**

The chief investigator and all co-applicants will prepare and agree a publication policy to agree on authorship of future papers and other outputs from the study.

#### **18. Finance**

The study is funded by the National Institute of Health Research (NIHR) Public Health Research (16/122/35) and a contract has been agreed between UCL and NIHR. Sub-contracts have also been agreed between UCL and the other partners including the Race Equality Foundation and Imperial College London, Bristol University, University of Bangor, Middlesex University and the University of Cambridge.

#### **19. Ethics – approval procedures**

Ethical approval for the study was given by the UCL Research Ethics Committee (reference 1538/002) on the 27<sup>th</sup> February 2019.

## References

Arnold, DS. et al. The Parenting Scale: A measure of dysfunctional parenting in discipline situations. *Psychol Assess.* 1993;5(2):137–44.

Benefits of the CANparent Quality Mark: CANparent Quality Mark Briefing Document. 2014. [Internet]. [cited 2017 Apr]. Available from: <http://www.parentinguk.org/canparent/quality-mark/>

Bandura A. *Social Learning Theory*. New York : General Learning Press. 1977.

Barlow J et al. Individual and group-based parenting programmes for the treatment of physical child abuse and neglect. *Cochrane Database of Systematic Rev.* 2006 (3):CD005463.

Barlow J, et al. Group-based parent training programmes for improving parental psychosocial health. *Cochrane Database Syst Rev.* 2014 (5):CD002020.

Barlow J. et al. Group-based parent training programmes for improving emotional and behavioural adjustment in young children. *Cochrane Database Syst Rev.* 2016 (8):CD003680

Briggs AH, et al. Pulling cost-effectiveness analysis up by its bootstraps: a non-parametric approach to confidence interval estimation. *Health Economics* 1997; 6: 327-40.

Bucker J. The development of an Instrument to measure Neighborhood Cohesion. *J Community Psychol.* 1988;16(6):771–91.

Bywater T. Enhancing Social-Emotional Health and Wellbeing in the Early Years: A Community-based Randomised Controlled Trial and Economic Evaluation of the Incredible Years Infant and Toddler (0-2) Parenting Programmes. Research Protocol. NIHR Portfolio no. 173946. University of Sheffield and University of York. 2016.

Charlesworth G et al. Acceptance checklist for clinical effectiveness pilot trials: a systematic approach. *BMC Med Res Methodol.* 2013;13(1):78.

Craig P et al. Developing and evaluating complex interventions: the new Medical Research Council guidance. *BMJ.* 2008; 337:a1655.

Department for Communities and Local Government, Ipsos Mori. Citizenship Survey, 2010-2011. (Data Collection). UK Data Service. 2010. SN:7111.

Devlin N et al., Valuing Health-Related Quality of Life: An EQ-5D-5L Value Set for England. OHE Research Paper 2016.

Ford T. et al. Supporting teachers and children in schools: the effectiveness and cost-effectiveness of the incredible years teacher classroom management

programme in primary school children: a cluster randomised controlled trial, with parallel economic and process evaluations. *BMC Public Health*. 2012;12(1):719.

Furlong M et al. Behavioural and cognitive-behavioural group-based parenting programmes for early-onset conduct problems in children aged 3 to 12 years. *Cochrane Database Syst Rev*. 2012 (2):CD008225.

Gilmore LA, Cuskelly M. Factor structure of the parenting sense of competence scale using a normative sample. *Child Care Health Dev*. 2008;38(1):48–55.

Green H et al. *Mental Health of Children and Young People in Great Britain, 2004*. Office for National Statistics. 2005.

Group TE. EuroQol-a new facility for the measurement of health-related quality of life. *Health Policy, New York*. 1990;16(3):199–208.

Hansen K, Joshi H. *Millennium Cohort Study Second Survey: A User's Guide to Initial Findings*. London: Centre for Longitudinal Studies, University of London. 2007.

Johnson J et al. *Millennium Cohort Study: Psychological, Developmental and Health Inventories. User guide to the data (Third Edition)*. London: Centre for Longitudinal Studies, Institute of Education. 2015.

Karlsen S. *Evaluation of the Strengthening Families, Strengthening Communities programme. 2007-2009*. Race Equality Foundation. 2013.

Karlsen S. *Evaluation of the Strengthening Families, Strengthening Communities programme 2009-2010*. Race Equality Foundation. 2013

Kelly Y. et al. What role for the home learning environment and parenting in reducing the socio-economic gradient in child development? Findings from the Millennium Cohort Study. *Archives of Disease in Childhood*. 2001;96(9), 832-837.

Kelly Y. *Evaluation of the Strengthening Families, Strengthening Communities programme 2014-2017*. UCL, 2017.

Kidger J, et al. Protocol for a cluster randomised controlled trial of an intervention to improve the mental health support and training available to secondary school teachers – the WISE (Wellbeing in Secondary Education) study. *BMC Public Health*. 2016;16(1):1089.

Lindsay G. et al. *Parenting Early Intervention Programme Evaluation*. Department of Education. 2011.

Maheswaran H et al., Evaluating the responsiveness of the Warwick Edinburgh Mental Well-being Scale (WEMWBS): group and individual level analysis. *Health and Quality of Life Outcomes* 2012;10:156.



Marmot M. Fair Society, Healthy Lives. Strategic review of health inequalities in England post-2010. The Marmot Review. London: UCL. 2010.

Mason, J. Qualitative Researching London:Sage, 2017.

Matthew RF. et al. Test of efficacy of model family strengthening programs. *Am J Health Stud.* 2005;20(3-4):164-70.

Moffitt TE. et al. Generalized anxiety disorder & depression: childhood risk factors in a birth cohort followed to age 32. *Psychological Medicine* 2007;37(03), 441-452.

Moore G et al. Process evaluation of complex interventions:Medical Research Council Guidance. *BMJ* 2015;350:h1258.

Moriarty J., Butt J. Social support and older people from different ethnic groups. In Walker A and Hennessey C (eds) *Growing Older, Quality of Life in Old Age* ( 2004) Open University Press.

Morrison J et al. Systematic review of parenting interventions in European countries aiming to reduce social inequalities in children's health and development. *BMC Public Health* 2014;14:1040.

National Institute for Health and Care Excellence (NICE). *Methods for the development of NICE public health guidance (third edition)*. London: NICE; 2012.

Norton, R. Measuring marital quality: A critical look at the dependent variable. *Journal of Marriage and the Family* 1983;45:141-151

Ohan JL et al. The Parenting Sense of Competence scale: Evidence of a stable factor structure and validity. *Can J Behav Sci.* 2000;32(4):251-61.

Pianta RC: *Child-parent relationship scale*. Charlottesville, VA: University of Virginia; 1992.

Putz R. et al. Using WEMWBS to measure the impact of your work on mental wellbeing: A practice-based user guide. 2012.

Reef J. et al. Child to adult continuities of psychopathology: a 24-year follow-up. *Acta Psychiatrica Scandinavica.* 2009;120(3), 230-238.

Rougeaux E. et al. Have health inequalities changed during childhood in the New Labour generation? Findings from the UK Millennium Cohort Study. *BMJ Open*, 2017;7(1), e012868.

Russell D, Hoare ZSJ, Whitaker Rh, Whitaker CJ, Russell IT. (2011). Generalised method for adaptive randomisation in clinical trials. *Statistics in Medicine* 30(9) 922-934.

SDQ Information for researchers and professionals about the Strengths & Difficulties Questionnaires [Internet]. Available from: <http://sdqinfo.org/> (2019)

Sergrott J et al. Preventing substance misuse: study protocol for a randomised controlled trial of the Strengthening Families Programme 10-14 UK (SFP 10-14 UK). *BMC Public Health* 2014;14:49

Stone L. et al. Psychometric properties of the parent and teacher versions of the strengths and difficulties questionnaire for 4- to 12- year olds: a review. *Clin Child Fam Psychol Rev* 2010;13:254-274.

Taggart F. et al. Cross cultural evaluation of the Warwick Edinburgh mental well-being scale (WEMWBS) - a mixed methods study. *Health and Quality of Life Outcomes* 2013;11:27.

Tennant R et al., The Warwick-Edinburgh Mental Well-being Scale (WEMBS): development and UK validation. *Health and Quality of Life* 2007;5:63.

Tennant R. et al. Monitoring Positive Mental Health in Scotland: Validating the Affectometer 2 Scale and Developing the WEMWBS for the UK Edinburgh: NHS Health Scotland. 2006.

Wilding J, Barton M. Evaluation of the Strengthening Families, Strengthening Communities Programme 2004/5 Full Report. 2007.

Wilding J, Barton M. Evaluation of the Strengthening Families, Strengthening Communities Programme 2005/6 and 2006/7 Full Report. 2009.

Zilanawala A. et al. Ethnic differences in children's socio-emotional difficulties: Findings from the MCS. *Social Science & Medicine*. 2015;134, 95-106.

## **Appendices**

Trial Steering Committee – details to be added

Data Management Committee – details to be added

Trial Management Group (TMG)

Leandra Box

Mr Jabeer Butt

Professor Mike Crawford

Dr Anja Heilmann

Dr Zoe Hoare

Dr Saffron Karlsen

Professor Yvonne Kelly

MS Karlet Manning

Dr Anita Mehay

Professor Stephen Morris

Professor Paul Ramchandani

Renato Venturelli