

Supplementary file 1. Papers excluded at full paper review

UK studies

1.	Addicott R: Challenges of commissioning and contracting for integrated care in the National Health Service (NHS) in England. <i>Australian Journal of Primary Health</i> 2016, 22(1):50-54.	Describes features of five case study sites but provides no other data.
2.	Adinolfi P: Barriers to reforming healthcare: the Italian case. <i>Health care analysis : HCA : journal of health philosophy and policy</i> 2014, 22(1):36-58.	General description of reform in Italian healthcare rather than a literature review
3.	Adomaviciute S, Watt H, Soljak M, Car J, Majeed A: Impact of the Integrated Care Pilot on HbA1c, cholesterol and systolic blood pressure levels in patients with diabetes. <i>Diabetic Medicine</i> 2014, 31:1	Conference abstract
4.	Alderwick H, Ham, C; Buck, D.: <i>Population health systems: Going beyond integrated care</i> . London: Kings Fund; 2015.	Provides an overview of the issues, and describes initiatives in other countries.
5.	Ali S, O'Callaghan V, Middleton JD, Little R: A prospective mini health impact assessment of the 'Towards 2010' programme in Sandwell and West Birmingham in the West Midlands. <i>Public Health</i> 2007, 121(6):469-481.	Describes a desktop exercise to explore projected health impacts (health impact assessment)
6.	Anderson KJ: A review of health care reform in the United States and in Alaska. <i>International journal of circumpolar health</i> 2010, 69(5):424-436.	General description of US health service reform rather than a review
7.	Andrews T, Read J: The importance of collaborative theory in older people's services. <i>Journal of Integrated Care</i> 2009, 17(2):35-40.	Describes development of a mental health resource. Outcomes descriptive apart from mention of a high satisfaction rating from service users, that the projected secured funding, the team responds to all referrals within 48 hours.
8.	Annus C, Kelly C: Evaluation of nurse-led service innovations designing models of integrated care for patients with cardiovascular disease. <i>European Journal of Cardiovascular Nursing</i> 2014, 13:S85-S86.	Conference abstract
9.	Archie, S. Integrated care improves one year outcomes in first episode psychosis. <i>Evidence-based mental health</i> 2006; 9 (6) 46	Brief (half a page) summary of non-UK study.
10.	Back A, Park E, Greer J, Jackson V, Jacobsen J, Gallagher E, Temel J: Clinician roles in early integrated	Describes clinician role in care provision for

	palliative care for patients with advanced cancer: a qualitative study. <i>Journal of palliative medicine</i> 2014, 17(11):1244-1248.	patients rather than integrated care
11.	Balatsoukas P, Williams R, Davies C, Ainsworth J, Buchan I. User Interface Requirements for Web-Based Integrated Care Pathways: Evidence from the Evaluation of an Online Care Pathway Investigation Tool. <i>Journal of Medical Systems</i> . 2015;39 (11) (no pagination)(183).	Technical rather than service delivery focus
12.	Bali A, Hargreaves DS, Cowman J, Lakhanpaul M, Dunkley C, Power M, Cross JH: Integrated care for childhood epilepsy: ongoing challenges and lessons for other long-term conditions. <i>Archives of Disease in Childhood</i> 2016, 24:24.	Discussion/overview of literature in the area
13.	Bamford D, Rothwell K, Tyrrell P, Boaden R: Improving care for people after stroke: how change was actively facilitated. <i>Journal of health organization and management</i> 2013, 27(5):548-560.	Describes the process of developing a new care approach rather than the approach
14.	Banham SJ: Using a patient-focused approach to improve services in a nurse-led general practice. <i>Nursing times</i> 2009, 105(22):17-19.	Commentary
15.	Barr PJ, McElnay JC, Hughes CM: Connected health care: the future of health care and the role of the pharmacist. <i>Journal of evaluation in clinical practice</i> 2012, 18(1):56-62.	Describes current and future developments
16.	Barrett RV: An integrated community team works with the London ambulance service: Perspectives on the emerging role of physiotherapists in pre-hospital care. <i>Physiotherapy (United Kingdom)</i> 2015, 101:eS121.	Conference abstract
17.	Barton D, Mashlan W: An advanced nurse practitioner-led service - consequences of service redesign for managers and organizational infrastructure. <i>Journal of nursing management</i> 2011, 19(7):943-949.	Describes themes arising from evaluation of the service but provides no data to support the description
18.	Beech R, Henderson C, Ashby S, Dickinson A, Sheaff R, Windle K, Wistow G, Knapp M: Does integrated governance lead to integrated patient care? Findings from the innovation forum. <i>Health & social care in the community</i> 2013, 21(6):598-605.	Describes patient pathways in existing service delivery rather than a new model
19.	Bell C, Hashemi N, Wieland F, Lowrey C, Kaur V: ACE impact: evaluation of an integrated geriatric service... <i>Acute Care of the Elderly. Age & Ageing</i> 2014, 43(suppl_2):ii7-ii7.	Conference abstract
20.	Bell K, Kinder T, Huby G: What comes around goes around: on the language and practice of 'integration' in health and social care in Scotland. <i>Journal of Integrated Care</i> 2008, 16(4):40-48.	Descriptive overview
21.	Belton J, Sears C: Nurse-led general practice: a new care model. <i>Nursing Times</i> 2015, 111(47):12-13.	Descriptive evaluation of the model only with no data

22.	Bender M, Williams M, Su W, Hites L: Refining and validating a conceptual model of Clinical Nurse Leader integrated care delivery. <i>Journal of Advanced Nursing</i> 2016, 24:24.	Describes the development of a model of clinical nurse leadership rather than exploring integrated care delivery
23.	Bernard S, Aspinall F, Gridley K, Parker G: Integrated policy making in England for adults with long-term neurological conditions (LTNCs): some preliminary findings from a scoping study. <i>International Journal of Integrated Care</i> 2008, 8:e60.	Describes the implementation of the national service framework and reports data regarding the perception of impact of policy on patients
24.	Bion J, Evans T: The influence of health care reform on intensive care: a UK perspective. <i>American journal of respiratory and critical care medicine</i> 2011, 184(10):1093-1094.	Editorial discussion
25.	Birrell D, Heenan D. Implementing the Transforming Your Care agenda in Northern Ireland within integrated structures. <i>Journal of Integrated Care</i> . 2012;20(6):359-66.	Descriptive overview
26.	Bladin C, Fullerton S, Chapman M, Ryan C. Introduction of the Liverpool care pathway for the dying patient improved the care of dying patients and their families in an acute stroke unit. <i>International Journal of Stroke</i> . 2009;4:23.	Conference abstract
27.	Bourke SJ, Doe SJ, Gascoigne AD, Heslop K, Fields M, Reynolds D, Mannix K: An integrated model of provision of palliative care to patients with cystic fibrosis. <i>Palliative medicine</i> 2009, 23(6):512-517.	Describes clinical care of patients, no data relating to delivery of the service
28.	Bridges J, Meyer J: Policy on new workforce roles: a discussion paper. <i>International journal of nursing studies</i> 2007, 44(4):635-644.	Descriptive overview
29.	Brownsell S, Aldred H, Young T, Hawley M. Reforming health care through information and communication technologies. <i>Journal of Care Service Management</i> . 2008;2(3):286-300.	Relates to clinical use of ICT rather than a new model of care
30.	Burden ACF: Diabetes service redesign: Useful lessons. <i>Practical Diabetes International</i> 2009, 26, 11	Commentary
31.	Burton CR, Payne S: Integrating palliative care within acute stroke services: developing a programme theory of patient and family needs, preferences and staff perspectives. <i>Bmc Palliative Care</i> 2012, 11.	Relates to integrating palliative and stroke care rather than integrating services
32.	Busse R, Stahl J: Integrated care experiences and outcomes in Germany, the Netherlands, and England. <i>Health Affairs</i> 2014, 33(9):1549-1558.	Describes the programmes and provides an overview of evidence. Useful background but not a primary study or a systematic review.

33.	Campbell SM, Kontopantelis E, Reeves D, Valderas JM, Gaehtl E, Small N, Roland MO: Changes in patient experiences of primary care during health service reforms in England between 2003 and 2007. <i>Annals of family medicine</i> 2010, 8(6):499-506.	Relates to general NHS reforms rather than new models of care
34.	Candy B, Taylor SJC, Ramsay J, Esmond G, Griffiths CJ, Bryar RM: Service implications from a comparison of the evidence on the effectiveness and a survey of provision in England and Wales of COPD specialist nurse services in the community. <i>International journal of nursing studies</i> 2007, 44(4):601-610.	Describes a survey of current practice in service provision for COPD
35.	Chalkley M, McVicar D: Choice of contracts in the British National Health Service: an empirical study. <i>Journal of health economics</i> 2008, 27(5):1155-1167.	Descriptive overview of literature
36.	Challis D, Stewart K, Donnelly M, Weiner K, Hughes J: Care management for older people: does integration make a difference? <i>Journal of Interprofessional Care</i> 2006, 20(4):335-348.	Describes and compares the extent of integrated care in Northern Ireland and England.
37.	Checkland K, Harrison S, Marshall M: Is the metaphor of 'barriers to change' useful in understanding implementation? Evidence from general medical practice. <i>Journal of health services research & policy</i> 2007, 12(2):95-100.	Relates to implementation of quality standards/checklist rather than new model of care
38.	Chestnutt IG, Thomas DR, Patel R, Treasure ET: Perceptions and attitudes to a fundamental reform of general dental services in Wales. <i>Primary dental care : journal of the Faculty of General Dental Practitioners (UK)</i> 2007, 14(1):13-18.	Provides little data of relevance, reports a survey of views of working arrangements
39.	Cohen MAH, McCarthy P, Khan Y: Integrated care results in fewer elderly people dying in hospital. <i>BMJ (Clinical research ed)</i> 2012, 345:e4731.	Comment only
40.	Collins CG, Leahy AL: Integrated care pathways in surgery. <i>The surgeon: journal of the Royal Colleges of Surgeons of Edinburgh and Ireland</i> 2008, 6(2):69-70.	Descriptive article with no data
41.	Connor M, Kissen G: Tackling whole-systems change: the Trafford framework for integrated services. <i>Journal of Integrated Care</i> 2010, 18(3):4-14.	Provides a descriptive overview of the Trafford integrated service work but provides no data.
42.	Coventry P, Lovell K, Dickens C, Bower P, Chew-Graham C, McElvenny D, Hann M, Cherrington A, Garrett C, Gibbons CJ et al: Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. <i>BMJ (Clinical research ed)</i> 2015, 350:h638.	Intervention comprises integrating psychological therapy with other routine GP care rather than a new model of service. Describes clinical outcomes.

43.	Craig TKJ, Johnson S, McCrone P, Afuwape S, Hughes E, Gournay K, White I, Wanigaratne S, Leese M, Thornicroft G: Integrated care for co-occurring disorders: psychiatric symptoms, social functioning, and service costs at 18 months. <i>Psychiatric services (Washington, DC)</i> 2008, 59(3):276-282.	Describes a training programme for care managers to improve care provided
44.	Cresswell KM, Worth A, Sheikh A: Integration of a nationally procured electronic health record system into user work practices. <i>Bmc Medical Informatics and Decision Making</i> 2012, 12.	Describes challenges in implementing electronic record systems generally rather than focusing on integrating systems.
45.	Crilly T, Plant M. Reforming emergency care: Primary Care Trust power in action research. <i>Health services management research : an official journal of the Association of University Programs in Health Administration / HSMC, AUPHA.</i> 2007;20(1):37-47.	Models the flow of patients rather than providing outcomes
46.	Currie G, Finn R, Martin G. Accounting for the 'dark side' of new organizational forms: the case of healthcare professionals. <i>Human Relations</i> 2008 n61 (4) 539e - 564	Focus on employment relations within networks.
47.	Dalley C, Basarir H, Wright JG, Fernando M, Pearson D, Ward SE, Thokula P, Krishnankutty A, Wilson G, Dalton A et al: Specialist integrated haematological malignancy diagnostic services: an Activity Based Cost (ABC) analysis of a networked laboratory service model. <i>Journal of clinical pathology</i> 2015, 68(4):292-300.	Describes use of an economic model for evaluating laboratory services, refers to different models but the emphasis is on the methodology rather than cost effectiveness of the models.
48.	Davies C: The promise of 21st century professionalism: regulatory reform and integrated care. <i>Journal of interprofessional care</i> 2007, 21(3):233-239.	Editorial
49.	de Silva D, Haririan S: Service redesign: Joint benefits of streamlined care. <i>The Health service journal</i> 2012, 122(6290):20-22.	Commentary
50.	Doherty, C. A qualitative study of health service reform on nurses' working lives: learning from the UK National Health Service (NHS). <i>International journal of nursing studies</i> 2009: 46 (8) 1134-42	About general change rather than new models of care.
51.	Duarte A, Walker J, Walker S, Richardson G, Hansen CH, Martin P, Murray G, Sculpher M, Sharpe M: Cost-effectiveness of integrated collaborative care for comorbid major depression in patients with cancer. <i>Journal of Psychosomatic Research</i> 2015, 79(6):465-470.	The intervention is a multi-component treatment programme rather than a new model of care
52.	Eason K, Waterson P: The implications of e-health system delivery strategies for integrated healthcare: lessons from England. <i>International journal of medical informatics</i> 2013, 82(5):e96-e106.	General description only with no data
53.	Eaton M: Embedding change in the healthcare sector. <i>Perspectives in public health</i> 2014, 134(1):12-13.	General overview of change processes

54.	Egbunike JN, Shaw C, Porter A, Button LA, Kinnersley P, Hood K, Bowden S, Bale S, Snooks H, Edwards A: Streamline triage and manage user expectations: lessons from a qualitative study of GP out-of-hours services. The British journal of general practice : the journal of the Royal College of General Practitioners 2010, 60(572):e83-97.	Evaluates GP service only rather than integration across services
55.	Elwell R: Developing a nurse-led integrated 'red legs' service. British journal of community nursing 2014, 19(1):12-19.	New clinical service rather than new model of care
56.	Ewing CI, Cropper SA, Horsburgh TB: Developing, implementing and evaluating integrated care models for infants, children, young people and their families. Archives of Disease in Childhood 2016, 101(9):781-782.	Discusses questions which should be asked when evaluating integrated care
57.	Fayers K, Price H: Successful recommissioning of community diabetes services in West Hampshire. British Journal of Diabetes and Vascular Disease 2015, 15(3):127-130.	Describes the development of the service but provides no data
58.	Featherstone I, Keen J: Do integrated record systems lead to integrated services? An observational study of a multi-professional system in a diabetes service. International journal of medical informatics 2012, 81(1):45-52.	Little data provided, predominantly related to different professionals' use of the records rather than integrating care
59.	Fiandeiro C, Gibson N, Giannitopoulos G, Zoumprouli A. Management of patients with spinal cord injury: An integrated care pathway. Journal of Neurosurgical Anesthesiology. 2015;27 (4):379-80.	Conference abstract
60.	Fifield L, Blake S: The early intervention safeguarding nurse pilot: an integrated model of working. Community practitioner: the journal of the Community Practitioners' & Health Visitors' Association 2011, 84(11):27-31.	Describes the development of a team which includes a health visitor and nurse in addition to social services staff.
61.	Finn R, Learmonth M, Reedy P: Some unintended effects of teamwork in healthcare. Social Science & Medicine 2010, 70(8):1148-1154.	Ethnographic study of teamworking, focus on exploration of teamworking and identity.
62.	Fletcher A, Worthington D: What is a 'generic' hospital model?--a comparison of 'generic' and 'specific' hospital models of emergency patient flows. Health care management science 2009, 12(4):374-391.	Describes literature around different economic models that can be used for modelling emergency services
63.	Fox A. A new model for care and support: sharing lives and taking charge. Working with Older People: Community Care Policy & Practice 2011; 15 (2) 58-63	Description; no methods or data
64.	Gage H, Dickinson A, Victor C, Williams P, Cheynel J, Davies SL, Iliffe S, Froggatt K, Martin W, Goodman C:	Reports a survey of existing practice

	Integrated working between residential care homes and primary care: a survey of care homes in England. BMC geriatrics 2012, 12:71.	
65.	Goodwin N: Are networks the answer to achieving integrated care? Journal of health services research & policy 2008, 13(2):58-60.	Editorial
66.	Graham O, Jayadeva P, Guthrie K: The use of an integrated care pathway for evidence-based practice and clinical governance in abortion care. Journal of obstetrics and gynaecology : the journal of the Institute of Obstetrics and Gynaecology 2010, 30(4):397-403.	Reports clinical outcomes only
67.	Graves H, Pollard LC, Lempp H, Kingsley GH, Scott DL: Perceived barriers to integrated care in rheumatoid arthritis (RA): Views of providers and recipients of primary and secondary care services. Rheumatology 2009, 48:i107.	Conference abstract
68.	Greaves, F. Pappas, Y. Bardsley, M. Harris, M Curry, N. et al. Evaluation of complex integrated care programmes: the approach in North West London. International Journal of Integrated Care 2013 e006	Study protocol
69.	Gregory M: Developing a Patient Care Co-ordination Centre in Trafford, England: lessons from the International Foundation for Integrated Care (IFIC)/Advancing Quality Alliance integrated care fellowship experience. International Journal of Integrated Care 2015, 15:e009.	Describes plans for development of the new centre based on discussion of models in other countries
70.	Griffiths C, Miles K, Penny N, George B, Stephenson J, Power R, Twist P, Brough G, Edwards SG: A formative evaluation of the potential role of nurse practitioners in a central London HIV outpatient clinic. AIDS Care 2006, 18(1):22-26.	Focus of the paper is on views regarding the need for potential role change, mentions the need for training however, nothing else of relevance
71.	Guleri A, More R, Roberts D, Zacharias J, Tang A, Waddington N, et al. Integrated care pathway for management of infective endocarditis - An innovative multidisciplinary approach: clinical outcomes and experience from the Lancashire cardiac centre, UK. Clinical Microbiology and Infection. 2011;17:S353-S4.	Conference abstract
72.	Guyen-Uslu P: Uncertainty and commitment in commissioning of health services. Public Money & Management 2012, 32(5):349-356.	Describes challenges in PCT funding processes, mentions that these difficulties will impact on service integration but focus is not on new models
73.	Hall I, Parkes C, Samuels S, Hassiotis A: Working across boundaries: clinical outcomes for an integrated mental health service for people with intellectual disabilities.	Exclusively clinical measures

	Journal of intellectual disability research : JIDR 2006, 50(Pt 8):598-607.	
74.	Hall JL, van Teijlingen ER: A qualitative study of an integrated maternity, drugs and social care service for drug-using women. BMC Pregnancy & Childbirth 2006, 6:19.	Focus on perceptions of care rather than new ways of service delivery
75.	Hamilton S, Manthorpe J, Szymczynska P, Clewett N, Larsen J, Pinfold V, Tew J: Implementing personalisation in integrated mental health teams in England. Journal of Interprofessional Care 2015, 29(5):488-493.	Focus of the paper is on how professional role issues impact on providing personalised budgets for service users, rather than integration of services
76.	Harden PN, Walsh G, Bandler N, Bradley S, Lonsdale D, Taylor J, Marks SD: Bridging the gap: an integrated paediatric to adult clinical service for young adults with kidney failure. BMJ (Clinical research ed) 2012, 344:e3718.	Reports only clinical outcomes from a new clinic for young people
77.	Harris M, Greaves F Patterson S, Jones J, Pappas Y, Majeed A, Car J. The North West London Integrated Care Pilot: innovative strategies to improve care coordination for older adults and people with diabetes. The Journal of ambulatory care management 2012; 35 (3), 216-225	Description; no methods or data
78.	Hatfield B, Sharma I, Ryan T. Changing the Focus of Community Mental Health Teams: A Study in one English Locality. Journal of Integrated Care. 2007;15(3):17-28.	Data relate to characteristics of service users rather than service delivery
79.	Hawkes N: GP networks could be answer to integrated care, report says. BMJ (Clinical research ed) 2014, 348:g1652.	Commentary
80.	Hawkes N: Hospitals need encouragement to become part of integrated care, report says. BMJ (Clinical research ed) 2013, 346:f2445.	Commentary
81.	Hawkes N: Only 12 of 211 commissioning groups are acting on integrated care, conference hears. BMJ (Clinical research ed) 2014, 348:g2475.	Commentary
82.	Heaps K, Marks-Maran D: Integrated end-of-life care services - the Greenwich Care Partnership. European Journal of Palliative Care 2015, 22(2):84-89.	Describes the components of the service. Provides extremely limited data apart from three quotes from patient relatives describing general positive comments and a figure showing place of death.
83.	Heenan D, Birrell D: Organisational integration in health and social care: some reflections on the Northern Ireland experience. Journal of Integrated Care 2009, 17(5):3-12.	General discussion

84.	Heightman M, Restrict L, Stern M: Developing the first UK integrated respiratory registrar role in an inner city integrated care organisation. <i>Clinical Medicine</i> 2015, 15 Suppl 3:s29.	Describes the funding of a new type of post
85.	Henderson EJ, Rubin GP: Development of a community-based model for respiratory care services. <i>BMC health services research</i> 2012, 12:193.	Describes use of a Delphi to develop service standards
86.	Hewett N, Bax A, Halligan A: Integrated care for homeless people in hospital: an acid test for the NHS? <i>British journal of hospital medicine (London, England : 2005)</i> 2013, 74(9):484-485.	Editorial
87.	Hunter B, Segrott J: Are clinical pathways 'a good thing'? Reviewing the evidence. <i>MIDIRS Midwifery Digest</i> 2009, 19(4):515-517.	Descriptive overview of the literature
88.	Hunter B, Segrott J: Using a Clinical Pathway to Support Normal Birth: Impact on Practitioner Roles and Working Practices. <i>Birth-Issues in Perinatal Care</i> 2010, 37(3):227-236.	Focus on clinical care rather than integration
89.	Huxley P, Evans S, Munroe M, Cestari L: Integrating health and social care in community mental health teams in the UK: a study of assessments and eligibility criteria in England. <i>Health & social care in the community</i> 2008, 16(5):476-482.	Survey of levels of staff agreement on patient need
90.	Iacobucci G: Hospitals must take lead on new care models and work better with GPs, think tank says. <i>BMJ (Clinical research ed)</i> 2015, 350:h1512.	Commentary
91.	Iacobucci G: Integrated care scheme for older people and people with diabetes has not reduced emergency admissions in its first year. <i>BMJ (Clinical research ed)</i> 2013, 346:f3255.	Commentary
92.	Ingleton C, Payne S, Sargeant A, Seymour J: Barriers to achieving care at home at the end of life: transferring patients between care settings using patient transport services. <i>Palliative medicine</i> 2009, 23(8):723-730.	Not related to new model of care
93.	Ivbijaro GO, Enum Y, Khan AA, Lam SSK, Gabzdyl A. Collaborative Care: Models for Treatment of Patients with Complex Medical-Psychiatric Conditions. <i>Current Psychiatry Reports</i> 2014, 16 11	Discussion – no data
94.	Jack BA, Bray L, Kirby J, O'Brien M, Brown J, Swift J, Leigh R, Gavin-Daley A: Modernizing the school health workforce. Staff perceptions of a rapid roll-out redesign programme. <i>Journal of nursing management</i> 2008, 16(6):700-706	No data of relevance
95.	Jaganathan, G. Alam, F.Krishna, S. Walton, C. Impact of a new approach "Acute Care Model" on detained patients in adult psychiatry wards in England. <i>European Psychiatry. Conference: 18th European Congress of Psychiatry Munich Germany. Conference Start. 2010</i>	Conference abstract

96.	Jarvis A: Accessible and integrated care: Scotland's community nursing review. <i>British journal of community nursing</i> 2007, 12(4):155-157.	Describes a review of services in Scotland
97.	Johnston B, Buchanan D, Papadopoulou C, Sandeman G, Lord H: Integrating palliative care in lung cancer: an early feasibility study. <i>International journal of palliative nursing</i> 2013, 19(9):433-437.	Data relate to feasibility of carrying out the main study only, no data regarding implementation/applicability
98.	Jones DEJ, Sutcliffe K, Pairman J, Wilton K, Newton JL: An integrated care pathway improves quality of life in Primary Biliary Cirrhosis. <i>QJM : monthly journal of the Association of Physicians</i> 2008, 101(7):535-543.	Provides only clinical data
99.	Jones K: Integrated care pilot programme: ensuring people with dementia receive joined up care. <i>Nursing times</i> 2010, 106(10):12-14.	Commentary
100.	Karakusevic S: Designing an integrated health care system -- what are the key features? <i>Journal of Integrated Care</i> 2010, 18(4):36-42.	Provides a descriptive overview of the South Devon integrated network, highlighting the importance of a systems perspective. The only evaluative information reports that the Trust was shortlisted for awards and ranking in quality indicators.
101.	Kennedy C, Morioka S: The development of whole-system integrated care in England. <i>Journal of Integrated Care</i> 2014, 22(4):142-153.	Describes the development of a model to support the implementation of integrated care. No data other than limited survey results regarding views of what support is needed.
102.	Krishna S, Alam, F, Jaganathan, G. Effect of acute care model in provision of general adult psychiatric services. <i>European Psychiatry</i> . Conference: 18th European Congress of Psychiatry Munich Germany. Conference Start. 2010	Conference abstract
103.	Kümpers S, Mur I, Hardy B, van Raak A, Maarse H. Integrating dementia care in England and The Netherlands: Four comparative local case studies. <i>Health & Place</i> 2006: 12 (4) 404-420	Descriptive
104.	Lai K, Howes K, Butterworth C, Salter M: Lewisham integrated medicines optimisation service: Delivering a system-wide coordinated care model to support patients in the management of medicines to retain independence	Describes the model but provides no data

	in their own home. <i>European Journal of Hospital Pharmacy</i> 2015, 22(2):98-101.	
105.	Leigh JA, Wild J, Hynes C, Wells S, Kurien A, Rutherford J, Rosen L, Ashcroft T, Hartley V: Transforming community services through the use of a multidimensional model of clinical leadership. <i>Journal of Clinical Nursing</i> 2015, 24(5/6):749-760.	Describes the development of training for clinical leaders
106.	Lennox A, Anderson ES: Delivering quality improvements in patient care: the application of the Leicester Model of interprofessional education. <i>Quality in primary care</i> 2012, 20(3):219-226.	Discussion paper
107.	Lewis G, Vaithianathan R, Wright L, Brice MR, Lovell P, Rankin S, Bardsley M: Integrating care for high-risk patients in England using the virtual ward model: lessons in the process of care integration from three case sites. <i>International Journal of Integrated Care</i> 2013, 13.	Compares the intervention and processes across the three sites but provides only description rather than data.
108.	Liddle A, Wellburn D: Accountable care -- aligning incentives with outcomes. <i>Journal of Integrated Care</i> 2012, 20(3):138-145.	Useful overview of the concept of accountable care organisations, descriptive only
109.	Limb M: NHS will not improve while new models of care delivery remain "minority interest," conference hears. <i>BMJ (Clinical research ed)</i> 2015, 350:h981.	Commentary
110.	Lloyd A, Joseph-Williams N, Edwards A, Rix A, Elwyn G: Patchy 'coherence': using normalization process theory to evaluate a multi-faceted shared decision making implementation program (MAGIC). <i>Implementation Science</i> 2013, 8.	Focus is shared decision-making between professionals and patients rather than between practitioners or providers
111.	Lloyd, T. Steventon, A. Effect of Named, Accountable GPs on Continuity of Care: Protocol for a Regression Discontinuity Study of a National Policy Change. <i>International Journal of Integrated Care</i> 2016; 16(1)	Study protocol
112.	Lluch M, Abadie F: Exploring the role of ICT in the provision of integrated care-Evidence from eight countries. <i>Health Policy</i> 2013, 111(1):1-13.	Description and some narrative review of the literature. Provides useful background to describe moves towards integrate care across countries.
113.	Lluch M: Incentives for telehealthcare deployment that support integrated care: a comparative analysis across eight European countries. <i>International Journal of Integrated Care [Electronic Resource]</i> 2013, 13:e042.	Described as a case study using interviews and desk top analysis however, is a descriptive overview of literature in the area. Useful background to the situation and drivers in each country.

114.	Longwill S, Apea V, Davis P, Ellis S, Scott D, Ncube B, Ault N, Sarner L: Implementation of a nurse-led asymptomatic screening clinic within a London HIV service. <i>HIV Medicine</i> 2010, 11:101-102.	Conference abstract
115.	Macfarlane DP, Voigt D, Mackie A, Brennan G. Introduction of an integrated care pathway improves management of diabetic ketoacidosis. <i>Diabetic Medicine</i> . 2011;28:191.	Conference abstract
116.	Main J, Whittle C, Trembl J, Woolley J, Main A: The development of an Integrated Care Pathway for all patients with advanced life-limiting illness - the Supportive Care Pathway. <i>Journal of nursing management</i> 2006, 14(7):521-528.	Describes development, very little data relating to evaluation of this pilot
117.	Mallinson M, King P: Transformation of services and care pathway redesign in the NHS: Further reforms in health policy. <i>Value in Health</i> 2013, 16 (3):A8-A9.	Conference abstract
118.	Martin GP, Currie G, Finn R, McDonald R: The medium-term sustainability of organisational innovations in the national health service. <i>Implementation science : IS</i> 2011, 6:19.	Study protocol
119.	Martin GP, Hewitt GJ, Faulkner TA, Parker H: The organisation, form and function of intermediate care services and systems in England: results from a national survey. <i>Health & social care in the community</i> 2007, 15(2):146-154.	Describes characteristics of the current delivery of services
120.	Mathers N, Thomas M: Integration of care: a bridge too far? <i>The British journal of general practice : the journal of the Royal College of General Practitioners</i> 2012, 62(601):402-403.	Editorial
121.	McEvoy P, Barnes P: Using the chronic care model to tackle depression among older adults who have long-term physical conditions. <i>Journal of psychiatric and mental health nursing</i> 2007, 14(3):233-238.	Describes the chronic care model, and a case study of application of the model (no data)
122.	Miller R, Darcy C, Friel A, Scott M, Toner S: The introduction of a new consultant pharmacist case management service on the care of elderly patients in the intermediate care setting. <i>International Journal of Pharmacy Practice</i> 2014, 22:105-106.	Poster
123.	Mitchell E: Cross-organisational staff liabilities in integrated care settings: the first higher court decision. <i>Journal of Integrated Care</i> 2012, 20(6):367-370.	Description
124.	Mitchell E: Rising to the challenge: Implications for integrated care of the 'community right to challenge' provisions of the Localism Act 2011. <i>Journal of Integrated Care</i> 2012, 20(4):241-245.	Description
125.	Mooney H: Service redesign. How regional units take the crisis out of trauma. <i>The Health service journal</i> 2009, 119(6187):22-23.	Commentary
126.	Morton M, Paice E: Co-Production at the Strategic Level: Co-Designing an Integrated Care System with Lay	Describes the involvement of patients

	Partners in North West London, England. International Journal of Integrated Care 2016, 16(2):2.	in design of the new initiative. It provides learning points and recommendations rather than data.
127.	Murray J, Young J, Forster A, Herbert G, Ashworth R: Feasibility study of a primary care-based model for stroke aftercare. The British journal of general practice : the journal of the Royal College of General Practitioners 2006, 56(531):775-780.	Describes feasibility of proposed assessments and care delivery for proposed study
128.	Nelson P, Tabberer S, Chrisp T: Integrated working in children's centres: A user pathway analysis. Practice: Social Work in Action 2011, 23(5):293-310.	Description only with no data
129.	Nuffield Trust. Evaluation of the first year of the Inner North West London Integrated Care Pilot. London: Nuffield Trust, 2013.	Describes data from the work however, not in detail. The included paper from the same study provides full data.
130.	Nuno R, Coleman K, Bengoa R, Sauto R: Integrated care for chronic conditions: the contribution of the ICCF Framework. Health policy (Amsterdam, Netherlands) 2012, 105(1):55-64.	Describes a framework
131.	Parker H, Glasby J: The art of the possible: reforming community health services. British journal of community nursing 2008, 13(10):480-486.	Descriptive overview of the issues
132.	Parker H, Glasby J: Transforming community health services: English lessons on not relying on organisational reform. Health & social care in the community 2008, 16(5):449-450.	Editorial
133.	Parkes, Charles, Samuels, Sarah, Hassiotis, Angela, Lynggaard, Henrik, Hall, Ian. Incorporating the views of service users in the development of an integrated psychiatric service for people with learning disabilities. British Journal of Learning Disabilities 2007: 35 (1) 23-29	More about detailed patient experiences than integration.
134.	Partridge MR: Integrated care: delivering better outcomes for patients with respiratory disease. British Journal of Healthcare Management 2015, 21(1):7-9.	Describes discussion at a conference regarding integrated care. Provides 2 elements of data from a survey at the conference indicating that members felt that integrated/continuity of care was important for patients.
135.	Pearce S, Beech N: Challenges and successes in implementing a new Community Care Model. Palliative Medicine 2010, 24(2):247-248.	Conference poster

136.	Pensuk P: The effectiveness of the liverpool care pathway in end of life care: A systematic review protocol. JBI Library of Systematic Reviews 2013, 11(11):64-76.	Review protocol only
137.	Procter S, Wilson PM, Brooks F, Kendall, S. Success and failure in integrated models of nursing for long term conditions: Multiple case studies of whole systems. International Journal of Nursing Studies 2013; 50 (5) 632-643	Descriptive
138.	Quickfall J, Pollock L. Community nursing: redesign in Scotland. British journal of community nursing. 2008;13(8):373-7.	General redesign rather than integrated care
139.	Rachev BT: The economics of health service transformation: A business model for care coordination for chronic condition patients in the UK and US. Clinical Governance 2015, 20(3):113-122.	Interesting overview of US models and Trafford UK model but description only.
140.	Raju K, Siotia R. Acute care model in older peoples mental health services - A service evaluation. European Psychiatry Conference: 20th European Congress of Psychiatry,	Conference abstract
141.	Raza K, Empson B: Doing things differently: Managing RA in primary care. Rheumatology (United Kingdom) 2014, 53:i2-i3.	Conference abstract
142.	Renado A, Marston C. Developing patient-centred care: an ethnographic study of patient perceptions and influence on quality improvement. BMC Health Services Research. 2015;15.	Focus on quality improvement rather than new model of care
143.	Richards, David A. Lankshear, Annette J. Fletcher, Janine Rogers, Anne, Barkham, Michael et al. Developing a U.K. protocol for collaborative care: a qualitative study. General hospital psychiatry 2006; 28 (4) 296-305	Mainly clinical outcomes
144.	Richfield E, Adams D, Jones E, Campbell C, Johnson M: 28 Specialist palliative care for parkinson's disease: experiences of a novel integrative service. Age & Ageing 2014, 43(suppl_1):i7-i7.	Conference abstract
145.	Rickenbach MA, Wedderburn C: Follow the yellow brick road: integrated care--can we do better? The British journal of general practice : the journal of the Royal College of General Practitioners 2012, 62(601):e587-589.	Descriptive opinion article
146.	Ricote L: The value of modernised professional thinking and role re-design in meeting the challenge of future healthcare demand. Journal of Medical Imaging and Radiation Oncology 2009, 53:A161.	Conference abstract
147.	Roberts NJ, Ward M, Patel IS, Yorke J, Williams J. What skills, experience and training are need to work in integrated respiratory specialist roles and how can we roll these posts out in the UK? Thorax 2014 69 A127	Conference abstract
148.	Robinson S, Williams I, Dickinson H, Freeman T, Rumbold B. Priority-setting and rationing in healthcare: Evidence from the English experience. Social Science & Medicine 75 (2012) 2386e2393	Describes priority setting by PCTs

149.	Rollings C: Using nurse led clinical commissioning to improve services for patients with diabetes. Nursing times 2010, 106(33):13-14.	Commentary
150.	Ross C: Reduction in osteoporosis physiotherapy waiting times through service redesign. Osteoporosis International 2010, 21:S508.	Conference abstract
151.	Rowe, F, Walker, M, Rockliffe, J, Pollock, A. et al. Delivery of high quality stroke and vision care: experiences of UK services. Disability and Rehabilitation 2016; 38 (8): 813-817	Mainly clinical outcomes
152.	Samuels, Sarah, Hall, Ian, Parkes, Charles, Hassiotis, Angela. Professional staff and carers' views of an integrated mental health service for adults with learning disabilities. Psychiatric Bulletin 2007; 31 (1) 13-16	Very little data
153.	Sewak NPS, Devienne E, Karia R. The hybrid purchaser-provider split in England: Should Europe follow suit? Value in Health 2013 16 (7) A462	Conference abstract
154.	Shaw S LR. Towards integrated care in Trafford. London: Nuffield, 2011.	Details the process of setting up the initiative in Trafford. General description with no data.
155.	Singh I, Ramakrishna S, Williamson K: The Rapid Assessment Interface and Discharge service and its implications for patients with dementia. Clinical Interventions in Aging 2013, 8:1101-1108.	Describes the RAID model and provides a descriptive overview of studies investigating its use and outcomes
156.	Spence H, Cappleman J: Fostering teamwork in an intermediate care unit. Nursing management 2011, 18(3):20-24.	Describes the initiative however, provides no data
157.	Spicer J: Integrated care in the UK: variations on a theme? London Journal of Primary Care 2015, 7(3):41-43.	Discusses and compares reforms in Scotland and England
158.	Steeden A: The integrated care pilot in north west london. London Journal of Primary Care 2012, 5(1):8-11.	Background description of the pilot and some descriptive data only
159.	Stewart A, MacIntyre G, Care management in the twenty-first century. Journal of Integrated Care 2013, 21 (2): 91 – 104.	Describes carrying out interviews and focus groups but provides only general description of findings and no data.
160.	Sutcliffe C, Hughes J, Abendstern M, Clarkson P, Challis D: Developing multidisciplinary assessment--exploring the evidence from a social care perspective. International Journal of Geriatric Psychiatry 2008, 23(12):1297-1305.	Date relate to the impact of a single assessment process on clinical needs and outcomes
161.	Thomas K, Rowlands MS, Wilson JA: PA18 Heart of gold. integrating cross boundary care across different	Conference abstract

	sectors with patients at the heart of care - a population-based public health perspective. <i>BMJ supportive & palliative care</i> 2015, 5 Suppl 1:A25.	
162.	Thomas P, Meads G, Moustafa A, Nazareth I, Stange KC, Hess GD: Combined horizontal and vertical integration of care: A goal of practice-based commissioning. <i>Quality in Primary Care</i> 2008, 16(6):425-432.	Discusses different models, useful overview.
163.	Tomlinson J, Heazell A, Martindale E. An integrated care pathway improves care for families who experience a stillbirth. On behalf of Greater Manchester, Lancashire and South Cumbria special interest group into stillbirth. <i>BJOG: An International Journal of Obstetrics and Gynaecology</i> . 2016;123:44.	Conference abstract
164.	Torjesen I: Emergency admissions for diabetes fall by almost 7% in integrated care pilot scheme. <i>BMJ (Clinical research ed)</i> 2012, 344:e3562.	Editorial
165.	Tucker H: Integrating care in Norfolk - progress of a national pilot. <i>Journal of Integrated Care</i> 2010, 18(1):31-37.	Describes the pilot in Norfolk, focuses on the key principles underlying the design however, there are no data apart from a few quotes from patients regarding what change is required.
166.	Twigg MJ, Bhattacharya D, Desborough JA, Wright D: A drop-in clinic for patients with poorly-controlled diabetes: a community pharmacy feasibility study. <i>International Journal of Clinical Pharmacy</i> 2015, 37(2):395-402.	Reports a study to explore whether a drop in pharmacy clinic is feasible to implement. Data relate to acceptability and pharmacist views of potential benefits for patients.
167.	Turner, Simon, Allen, Pauline, Bartlett, Will, Perotin, Virginie. Innovation and the English National Health Service: A qualitative study of the independent sector treatment centre programme. <i>Social Science & Medicine</i> 2011; 73 (4) 522-529	Not new models of care in NHS
168.	Turner, S. Ramsay, A. Perry, C. Boaden, R. et al. Lessons for major system change: centralization of stroke services in two metropolitan areas of England. <i>Journal of Health Services & Research Policy</i> 2016 21 (3) 156-165	Not new models of care
169.	Urban R, Buchan R, Turner R: Implementation of a pharmacy urgent repeat medicines (PURM) service to reduce burden on out-of-hours provision. <i>International Journal of Pharmacy Practice</i> 2016, 24:8-9.	Conference abstract
170.	Vakil Z, Kong C: An audit of a multidisciplinary foot clinic effectiveness in West Hertfordshire. <i>Diabetic Medicine</i> 2015, 32:154-155.	Conference abstract

171.	Ward V, Pinkney L, Fry G. Developing a framework for gathering and using service user experiences to improve integrated health and social care: the SUFFICE framework. <i>BMC Res Notes</i> (2016) 9:437	Describes the development of survey tool.
172.	Wilding H: Integrating care: from horizontal to vertical integration. <i>Journal of Integrated Care</i> 2010, 18(3):15-20.	Describes the initiatives being introduced in Torbay, no data.
173.	Wilkinson DL, McCarthy M. Use of comparative data for integrated cancer services. <i>BMC Health Services Research</i> 2007; 7:204 doi:10.1186/1472-6963-7-204	Describes use of regional and national data for comparisons
174.	Wistow G, Callaghan G: Connected care in Hartlepool re-visited: can a holistic and community-centred approach survive implementation? <i>Journal of Integrated Care</i> 2008, 16(2):5-14.	Describes the process of developing the bid to become a pilot site. Provides no data apart from some quotes in the bid document.
175.	Wodchis WP, Dixon A, Anderson GM, Goodwin N. Integrating care for older people with complex needs: key insights and lessons from a seven-country cross-case analysis. <i>International Journal of Integrated Care</i> 2015, 15 e012	Discusses different models, useful overview.
176.	Woodman J, Lewis H, Cheung R, Gilbert R, Wijlaars LP: Integrating primary and secondary care for children and young people: sharing practice. <i>Archives of Disease in Childhood</i> 2016, 101(9):792-797.	A realist exploration of mechanisms underpinning initiatives in 5 case studies. Describes carrying out interviews to collect data and outlines initiatives and mechanisms but provides no data to support the conclusions.
177.	Woods L: Evaluating the clinical effectiveness of neonatal nurse practitioners: an exploratory study. <i>Journal of Clinical Nursing</i> 2006, 15(1):35-44.	Describes the clinical effectiveness of the role rather than service provision outcomes
178.	Woolrych R, Sixsmith J. Integrated services for dementia: The formal carer experience. <i>Alzheimer's and Dementia</i> 2013, Vol 1, P528	Conference abstract
179.	Zakaria S, Ranmal R: Building the evidence of new models of CVD care from the integrated care pilots. <i>Global Heart</i> 2016, 1):e105.	Conference abstract
180.	Zhang J, Burridge L, Baxter K, Donald M, Foster M, Hollingworth S, Ware R, Russell A, Jackson C: A new model of integrated primary-secondary care for complex diabetes in the community: study protocol for a randomised controlled trial. <i>Trials</i> 2013, 14:382.	Protocol only

181.	Currie G, Finn R, Martin G. Accounting for the 'dark side' of new organizational forms: the case of healthcare professionals. <i>Human Relations</i> . 2008;n61(4):539e - 64.	Not specifically relating to integrated care
182.	Doherty C. A qualitative study of health service reform on nurses' working lives: learning from the UK National Health Service (NHS). <i>International journal of nursing studies</i> . 2009;46(8):1134-42.	Not specifically relating to integrated care
183.	Kümpers S, Mur I, Hardy B, van Raak A, Maarse H. Integrating dementia care in England and The Netherlands: Four comparative local case studies. <i>Health & Place</i> . 2006;12(4):404-20.	Focus on clinical care rather than integration of services
184.	Procter S, Wilson PM, Brooks F, Kendall S. Success and failure in integrated models of nursing for long term conditions: Multiple case studies of whole systems. <i>International Journal of Nursing Studies</i> . 2013;50(5):632-43.	Focus on models of care rather than integration of services
185.	Richards DA, Lankshear AJ, Fletcher J, Rogers A, Barkham M, Bower P, et al. Developing a U.K. protocol for collaborative care: a qualitative study. <i>General hospital psychiatry</i> . 2006;28(4):296-305.	Focus on collaboration in clinical care rather than integration
186.	Rowe F, Walker M, Rockliffe J, Pollock A, Noonan C, Howard C, et al. Delivery of high quality stroke and vision care: experiences of UK services. <i>Disability and Rehabilitation</i> . 2016;38(8):813-7.	Focus on providing care for vision within stroke care rather than integrating services
187.	Samuels S, Hall I, Parkes C, Hassiotis A. Professional staff and carers' views of an integrated mental health service for adults with learning disabilities. <i>Psychiatric Bulletin</i> . 2007;31(1):13-6.	Relates to clinical care rather than integration
188.	Turner S, Allen P, Bartlett W, Perotin V. Innovation and the English National Health Service: A qualitative study of the independent sector treatment centre programme. <i>Social Science & Medicine</i> . 2011;73(4):522-9.	Evaluates independent treatment centres with no data relating to integration between these and NHS services
189.	Turner S, Ramsay A, Perry C, Boaden R, McKeivitt C, Morris S, et al. Lessons for major system change: centralization of stroke services in two metropolitan areas of England. <i>Journal of Health Services & Research Policy</i> . 2016;21(3):156-65.	Focus on service centralisation, with no data relating to integration
190.	Parkes C, Samuels S, Hassiotis A, Lynggaard H, Hall I. Incorporating the views of service users in the development of an integrated psychiatric service for people with learning disabilities. <i>British Journal of Learning Disabilities</i> . 2007;35(1):23-9.	Describes views of service users regarding the environment of a new ward rather than relating to integration
191.	Ellis A, Trappes-Lomax T, Fox M, Taylor R, Power M, Stead J, et al. Buying Time II: an economic evaluation of a joint NHS/Social Services residential rehabilitation unit for older people on discharge from hospital. <i>Health & Social Care in the Community</i> . 2006;14(2):95-106.	Not specifically integrated care

192.	Hendry A. Lanarkshire's managed care network: an integrated improvement collaborative. <i>Journal of Integrated Care</i> . 2010;18(3):45-51.	Not specifically integrated care
193.	McVean AJ, Shenkin SD, Coull AJ. Service redesign in acute medicine of the elderly wards. <i>Age and Ageing</i> . 2012;41:i20.	Service redesign generally rather than integrated care focus
194.	Nazar H, Nazar Z, Simpson J, Yeung A, Whittlesea C. Use of a service evaluation and lean thinking transformation to redesign an NHS 111 refer to community Pharmacy for Emergency Repeat Medication Supply Service (PERMSS). <i>BMJ Open</i> . 2016;6(8):e011269.	Not specifically integrated care
195.	Peel C, Thomas S, Worth P. Developing an integrated care pathway: the process and its application to neurological conditions. <i>British Journal of Neuroscience Nursing</i> . 2013;9(6):292-300.	No integration across services or professions
196.	Rigby L, Hannah J, Haworth K, Molloy L, Scutts K. An audit of an integrated care pathway for a crisis resolution/home treatment team. <i>British Journal of Occupational Therapy</i> . 2007;70(12):527-33.	Limited data regarding implementation
197.	Trappes-Lomax T, Ellis A, Fox M, Taylor R, Power M, Stead J, et al. Buying Time I: a prospective, controlled trial of a joint health/social care residential rehabilitation unit for older people on discharge from hospital. <i>Health & Social Care in the Community</i> . 2006;14(1):49-62.	Not specifically integrated care
198.	Nuffield Trust. Evaluation of the first year of the Inner North West London Integrated Care Pilot. London: Nuffield Trust, 2013.	Other, more detailed evaluations of this study included

Review papers excluded at full paper review

1.	Adinolfi P. Barriers to reforming healthcare: the Italian case. <i>Health care analysis : HCA : journal of health philosophy and policy</i> . 2014;22(1):36-58.	Descriptive overview
2.	Amiel JM, Pincus HA. The medical home model: new opportunities for psychiatric services in the United States. <i>Current opinion in psychiatry</i> 2011; 24 (6) 562-8	Not new model

3.	Anderson A, Chojnacka I. Benefits of using the Liverpool Care Pathway in end of life care. <i>Nursing Standard</i> . 2012;26(34):42-50.	General description
4.	Anderson, Kathryn J. A review of health care reform in the United States and in Alaska. <i>International journal of circumpolar health</i> 2010 69 (5) 424-36	Not systematic review
5.	Avery MD, Montgomery O, Brandl-Salutz E. Essential components of successful collaborative maternity care models: the ACOG-ACNM project. <i>Obstetrics and gynecology clinics of North America</i> . 2012; 39 (3) 423-34	Not systematic review
6.	Bakker, Franka C. Robben, Sarah H. M., Olde Rikkert, Marcel G. M. Effects of hospital-wide interventions to improve care for frail older inpatients: a systematic review. <i>BMJ quality & safety</i> 2011; 20 (8) 680-91	Interventions not service models
7.	Bambra, Clare, Garthwaite, Kayleigh, Hunter, David. All things being equal: does it matter for equity how you organize and pay for health care? A review of the international evidence. <i>International journal of health services : planning, administration, evaluation</i> 2014; 44 (3) 457-77	About financial equity not new service models
8.	Battista RN, Blancquaert I, Laberge AM, van Schendel N, Leduc N. Genetics in health care: an overview of current and emerging models. <i>Public health genomics</i> . 2012;15(1):34-45.	Relates to clinical models rather than service delivery
9.	Batty, C. Systematic review: interventions intended to reduce admission to hospital of older people. <i>International Journal of Therapy & Rehabilitation</i> . 2010; 17 (6) 310-322	More than 50% of included papers not within scope.
10.	Bauer, Amy M. Thielke, Stephen M. Katon, Wayne Unutzer, Jurgen Arean, Patricia. Aligning health information technologies with effective service delivery models to improve chronic disease care. <i>Preventive medicine</i> 2014, 66 167-72	Not systematic review
11.	Belgaied W, Urbinati D, Toumi M. Funding Integrated Health Care Services. <i>Value in Health</i> , 2014 A323-A686	Conference Abstract
12.	Block, Keith I. On models for integrative medical practice. <i>Integrative cancer therapies</i> 2007, 6 (4) 309-12	Editorial
13.	Boult C, Green AF, Boult LB, Pacala JT, Snyder C, Leff B. Successful models of comprehensive care for older adults with chronic conditions: evidence for the institute	Conference paper

	of medicine's 'Retooling for an aging America' report. Journal of the American Geriatrics Society. 2009;57(12):2	
14.	Bourbeau, Jean, Saad, Nathalie. Integrated care model with self-management in chronic obstructive pulmonary disease: from family physicians to specialists. Chronic respiratory disease 2010 10 (2) 99-105	Not systematic review
15.	Bradford, Daniel W., Cunningham, Natasha T., Slubicki, Monica N. et al. An evidence synthesis of care models to improve general medical outcomes for individuals with serious mental illness: a systematic review. The Journal of clinical psychiatry 2013; 74 (8) e754-64	Interventions not service models
16.	Brand C, Hunter D, Hinman R, March L, Osborne R, Bennell K. Improving care for people with osteoarthritis of the hip and knee: how has national policy for osteoarthritis been translated into service models in Australia? International journal of rheumatic diseases. 2011;14(2):181-90.	Descriptive
17.	Brand, Caroline A., Barker, Anna L., Morello, Renata T. et al. A review of hospital characteristics associated with improved performance. International journal for quality in health care : journal of the International Society for Quality in Health Care / ISQua 2012; 24 (5) 483-94	About hospital performance not service models
18.	Briggs, C. J. Garner, P. Strategies for integrating primary health services in middle- and low-income countries at the point of delivery. The Cochrane database of systematic reviews 2006, Issue 2.	Low-middle income countries
19.	Briggs, Philip D. Back to the future: the way forward in health care reform. Family practice management 2012, 19 (3) 5-6	Not systematic review
20.	Brink-Huis, Anita, van Achterberg, Theo, Schoonhoven, Lisette. Pain management: a review of organisation models with integrated processes for the management of pain in adult cancer patients. Journal of clinical nursing 2008; 17 (15) 1986-2000	Interventions not service models
21.	Bruera, Eduardo, Hui, David. Conceptual models for integrating palliative care at cancer centers. Journal of palliative medicine 2012, 15 (11) 1261-9	Not systematic review
22.	Burns, Lawton Robert, Muller, Ralph W. Hospital-physician collaboration: landscape of economic	Not systematic review

	integration and impact on clinical integration. The Milbank quarterly 2008, 86 (3) 375-434	
23.	Butler, Mary, Kane, Robert L., McAlpine, Donna et al., Does integrated care improve treatment for depression? A systematic review. The Journal of ambulatory care management 2011; 34 (2) 113-25	Interventions not service models
24.	Cameron A, Lart R. Revisiting joint working. Journal of Integrated Care. 2012;20(2):89-93.	Descriptive
25.	Carey TS, Crotty KA, Morrissey JP,et. al. Future research needs for evaluating the integration of mental health and substance abuse treatment with primary care. Journal of psychiatric practice 2013; 19 (5) 345-59	Not systematic review
26.	Carter, R., Riverin, B., Levesque, J. F. eta l. The impact of primary care reform on health system performance in Canada: a systematic review. BMC Health Services Research 2016; 16 p324	Interventions not service models
27.	Cerimele JM, Strain JJ. Integrating primary care services into psychiatric care settings: a review of the literature. Primary Care Companion to the Journal of Clinical Psychiatry. 2010;12(6).	Relates to integration of clinical care not services
28.	Chung, Vincent C. H., Ma, Polly H. X., Hong, Lau Chun, Griffiths, Sian M. Organizational determinants of interprofessional collaboration in integrative health care: systematic review of qualitative studies. PloS one 2012; 7 (11) e50022	Interventions not service models
29.	Clauser, Steven B. Wagner, Edward H. Aiello Bowles, Erin J. Tuzzio, Leah Greene, Sarah M. Improving modern cancer care through information technology. American Journal of preventive medicine 2011, 40, 5 suppl 2, S198-207	Not systematic review
30.	Coleman, Katie, Austin, Brian T., Brach, Cindy, Wagner, Edward H. Evidence on the Chronic Care Model in the new millennium. Health affairs (Project Hope) 2009; 28 (1) 75-85	Focus on CCM
31.	Cooper, K. Brailsford, S. C. Davies, R. Raftery, J. A review of health care models for coronary heart disease interventions. Health care management science 2006, 9 (4) 311-24	Not systematic review
32.	Coulter, I. D., Khorsan, R., Crawford, C., Hsiao, A. Integrative Health Care Under Review: An Emerging	No data

	Field. Journal of Manipulative & Physiological Therapeutics 2010; 33 (9) 690-710	
33.	Cresswell, Kathrin, Sheikh, Aziz. Organizational issues in the implementation and adoption of health information technology innovations: an interpretative review. International journal of medical informatics. 2013; 82 (5) e73-86	Innovation, not service model
34.	Damery S, Flanagan S, Combes G. The effectiveness of interventions to achieve co-ordinated multidisciplinary care and reduce hospital use for people with chronic diseases: Study protocol for a systematic review of reviews. Systematic Reviews. 2015;4 (1) (no pagination)(64).	Review protocol
35.	Deschodt M, Claes V, Van Grootven B, Van den Heede K, Flamaing J, Boland B, et al. Structure and processes of interdisciplinary geriatric consultation teams in acute care hospitals: A scoping review. International Journal of Nursing Studies. 2016;55:98-114.	Descriptive scoping review, no data
36.	Doebbeling BN, Flanagan ME. Emerging perspectives on transforming the healthcare system: redesign strategies and a call for needed research. Medical care. 2011;49 Suppl:S59-64.	Descriptive overview, not a systematic review
37.	Dudley L, Garner P. Strategies for integrating primary health services in low- and middle-income countries at the point of delivery. The Cochrane database of systematic reviews. 2011(7):CD003318.	Focus on LMICs
38.	Ehrlich C, Kendall E, Muenchberger H, Armstrong K. Coordinated care: what does that really mean? Health & social care in the community. 2009;17(6):619-27.	Commentary, not a systematic review
39.	Eldridge GN, Korda H. Value-based purchasing: the evidence. The American journal of managed care. 2011;17(8):e310-3.	Not a systematic review or models of care
40.	Evans JM, Baker GR, Berta W, Barnsley J. The evolution of integrated health care strategies. Advances in health care management. 2013;15:125-61.	Conceptual paper, not a systematic review
41.	Evans JM, Baker GR. Shared mental models of integrated care: aligning multiple stakeholder perspectives. Journal of health organization and management. 2012;26(6):713-36.	Conceptual paper, not a systematic review

42.	Farooq S. Collaborative care for depression: a literature review and a model for implementation in developing countries. <i>International health</i> . 2013;5(1):24-8.	Not a systematic review, focus on LMICs
43.	Filson CP, Hollingsworth JM, Skolarus TA, Clemens JQ, Hollenbeck BK. Health care reform in 2010: transforming the delivery system to improve quality of care. <i>World journal of urology</i> . 2011;29(1):85-90.	Descriptive overview, not a systematic review
44.	Fisher L, Dickinson WP. Psychology and primary care: New collaborations for providing effective care for adults with chronic health conditions. <i>The American psychologist</i> . 2014;69(4):355-63.	Descriptive overview, not a systematic review
45.	Fisher MP, Elnitsky C. Health and social services integration: a review of concepts and models. <i>Social work in public health</i> . 2012;27(5):441-68.	Conceptual paper, not a systematic review
46.	Fitzsimons M, Normand C, Varley J, Delanty N. Evidence-based models of care for people with epilepsy. <i>Epilepsy & behavior : E&B</i> . 2012;23(1):1-6.	Narrative review
47.	Flannery F, Adams D, O'Connor N. A community mental health service delivery model: integrating the evidence base within existing clinical models. <i>Australasian psychiatry : bulletin of Royal Australian and New Zealand College of Psychiatrists</i> . 2011;19(1):49-55.	Conceptual paper, not a systematic review
48.	Ford SR, Pearse RM. Do integrated care pathways have a place in critical care? <i>Current opinion in critical care</i> . 2012;18(6):683-7.	Narrative review
49.	Franx G, Dixon L, Wensing M, Pincus H. Implementation strategies for collaborative primary care-mental health models. <i>Current opinion in psychiatry</i> . 2013;26(5):502-10.	Review of implementation strategies rather than care models <i>per se</i>
50.	Franx G, Kroon H, Grimshaw J, Drake R, Grol R, Wensing M. Organizational change to transfer knowledge and improve quality and outcomes of care for patients with severe mental illness: a systematic overview of reviews. <i>Canadian journal of psychiatry Revue canadienne de psychiatrie</i> . 2008;53(5):294-305.	Review of reviews, most too old for inclusion
51.	French RS, Coope CM, Graham A, Gerressu M, Salisbury C, Stephenson JM. One stop shop versus collaborative integration: what is the best way of delivering sexual health services? <i>Sexually Transmitted Infections</i> . 2006;82(3):202-6.	Not systematic review (narrative review plus qualitative interviews)

52.	Fry MM. Barriers and facilitators for successful after hours care model implementation: reducing ED utilisation. <i>Australasian Emergency Nursing Journal</i> . 2009;12(4):137-44.	Narrative review of barriers/facilitators
53.	Gagliardi AR, Dobrow MJ, Wright FC. How can we improve cancer care? A review of interprofessional collaboration models and their use in clinical management. <i>Surgical oncology</i> . 2011;20(3):146-54.	Narrative/descriptive overview
54.	Gesundheit Österreich GmbH. Integrated mental health care of children and adolescents (Structured abstract). <i>Health Technology Assessment Database</i> . 2015(3).	Report in German
55.	Gilbody S, Bower P, Fletcher J, Richards D, AJ. S. Collaborative care for depression: a cumulative meta-analysis and review of longer-term outcomes. <i>Arch Intern Med</i> 2006;166(21):2314–21.	Only reports individual clinical outcomes
56.	Giorda CB. The role of the care model in modifying prognosis in diabetes. <i>Nutrition, metabolism, and cardiovascular diseases : NMCD</i> . 2013;23(1):11-6.	Narrative review not systematic review
57.	Glenton C, Colvin CJ, Carlsen B, Swartz A, Lewin S, Noyes J, et al. Barriers and facilitators to the implementation of lay health worker programmes to improve access to maternal and child health: qualitative evidence synthesis. <i>Cochrane Database of Systematic Reviews</i> . 2013(10).	Lay health workers not integrated service
58.	Goodman C, Dening T, Gordon AL, Davies SL, Meyer J, Martin FC, et al. Effective health care for older people living and dying in care homes: a realist review. <i>BMC Health Services Research</i> . 2016;16:269.	UK-focused review
59.	Grover A, Niecko-Najjum LM. Primary care teams: are we there yet? Implications for workforce planning. <i>Academic medicine : journal of the Association of American Medical Colleges</i> . 2013;88(12):1827-9.	Commentary
60.	Ham C. The ten characteristics of the high-performing chronic care system. <i>Health Economics, Policy and Law</i> . 2010;5(1):71-90.	Narrative review/commentary, not systematic review
61.	Harfield S, Davy C, Kite E, McArthur A, Munn Z, Brown N, et al. Characteristics of Indigenous primary health care models of service delivery: a scoping review protocol. <i>JBIC Database Of Systematic Reviews And Implementation Reports</i> . 2015;13(11):43-51.	Protocol for systematic review

62.	Helfgott AW. The patient-centered medical home and accountable care organizations: an overview. <i>Current opinion in obstetrics & gynecology</i> . 2012;24(6):458-64.	Narrative overview
63.	Hoepfer K, Amelung VE, Hartmann J, Hermanowski T, Krauth C. Integrated care programs in europe: Factors of success. <i>Value in Health</i> . 2013;16 (3):A197-A8	Conference abstract
64.	Horsfall J, Cleary M, Hunt GE. Acute inpatient units in a comprehensive (integrated) mental health system: a review of the literature. <i>Issues in mental health nursing</i> . 2010;31(4):273-8.	Narrative review
65.	Howarth M, Holland K, Grant MJ. Education needs for integrated care: a literature review. <i>Journal of advanced nursing</i> . 2006;56(2):144-56.	Not international review (UK focus)
66.	Huffman JC, Niazi SK, Rundell JR, Sharpe M, Katon WJ. Essential articles on collaborative care models for the treatment of psychiatric disorders in medical settings: a publication by the academy of psychosomatic medicine research and evidence-based practice committee. <i>Psychosomatics</i> . 2014;55(2):109-22.	Descriptive bibliography, no synthesis
67.	Hunter B, Segrott J. Are clinical pathways 'a good thing'? Reviewing the evidence. <i>MIDIRS Midwifery Digest</i> . 2009;19(4):515-7.	Summary of a review
68.	Hurlow AB, Godfrey M, Bennett MI. A conceptual framework for integrated palliative care interventions: Understanding when pathways work, don't work and why. <i>Palliative Medicine</i> . 2012;26 (4):531.	Conference abstract
69.	Jansen DEMC, Krol B, Groothoff JW, Post D. Integrated care for MS patients. <i>Disability and rehabilitation</i> . 2007;29(7):597-603.	Commentary
70.	Jenkinson J, Howard R. Provision of specialist continuing care services for older adults across the UK. <i>International Psychogeriatrics</i> . 2016;28(6):959-66.	Narrative review and UK survey
71.	Johnson C. Health care transitions: a review of integrated, integrative, and integration concepts. <i>Journal of manipulative and physiological therapeutics</i> . 2009;32(9):703-13.	Editorial
72.	Jortberg BT, Miller BF, Gabbay RA, Sparling K, Dickinson WP. Patient-centered medical home: how it affects psychosocial outcomes for diabetes. <i>Current diabetes reports</i> . 2012;12(6):721-8.	Narrative review

73.	Kash BA, Zhang Y, Cline KM, Menser T, Miller TR: The perioperative surgical home (PSH): a comprehensive review of US and non-US studies shows predominantly positive quality and cost outcomes. <i>The Milbank quarterly</i> 2014, 92(4):796-821.	Data predominantly relate to patient education pre-operatively and surgical processes rather than care integration
74.	Katon W, Unützer J. Collaborative Care Models for Depression Time to Move From Evidence to Practice. <i>Arch Intern Med.</i> 2006;166(21):2304-2306. doi:10.1001/archinte.166.21.2304	Editorial
75.	Kim JJ, Kim CM: Models for joint ophthalmology-optometry patient management. <i>Current opinion in ophthalmology</i> 2011, 22(4):256-260.	Descriptive overview
76.	Kim K, Choi JS, Choi E, Nieman CL, Joo JH, Lin FR, Gitlin LN, Han HR: Effects of Community-Based Health Worker Interventions to Improve Chronic Disease Management and Care Among Vulnerable Populations: A Systematic Review. <i>American Journal of Public Health</i> 2016, 106(4):E3-E28.	Evaluates the role of established community workers
77.	Kitsiou S, Pare G, Jaana M: Systematic Reviews and Meta-Analyses of Home Telemonitoring Interventions for Patients With Chronic Diseases: A Critical Assessment of Their Methodological Quality. <i>Journal of Medical Internet Research</i> 2013, 15(7):216-238.	Relates to use of technology and care outcomes
78.	Kodner DL: Whole-system approaches to health and social care partnerships for the frail elderly: an exploration of North American models and lessons. <i>Health & social care in the community</i> 2006, 14(5):384-390.	Descriptive overview of Program of All-Inclusive Care for Elderly People (PACE) programme in the United States, and the <i>Système de soins Intégrés pour Personnes Âgées (SIPA)</i> and the Programme of Research to Integrate Services for the Maintenance of Autonomy (PRISMA) in Canada.

79.	Koea JB, Srinivasa S, Hundal H: Provision of acute general surgery: a systematic review of models of care. The journal of trauma and acute care surgery 2014, 76(1):219-225.	Review of models of surgical care rather than integrated working or models
80.	Kuhlmann AS, Gavin L, Galavotti C: The Integration of Family Planning with Other Health Services: A Literature Review. International Perspectives on Sexual and Reproductive Health 2010, 36(4):189-196.	Primary studies from developing countries
81.	Lee SJ, Crowther E, Keating C, Kulkarni J: What is needed to deliver collaborative care to address comorbidity more effectively for adults with a severe mental illness? The Australian and New Zealand journal of psychiatry 2013, 47(4):333-346.	Describes searching databases but is not a systematic review
82.	Lee S-YD, Weiner BJ, Harrison MI, Belden CM: Organizational transformation: a systematic review of empirical research in health care and other industries. Medical care research and review : MCRR 2013, 70(2):115-142.	Only 13 of 56 included studies were in healthcare
83.	Loader BD, Hardey M, Keeble L: Health informatics for older people: A review of ICT facilitated integrated care for older people. International Journal of Social Welfare 2008, 17(1):46-53.	Descriptive overview of literature
84.	MacAdam M. Frameworks of Integrated Care for the Elderly: A Systematic Review. Ontario: Canadian Policy Research Networks, 2008	Described as a systematic review but processes for selection of studies unclear and does not meet criteria for a systematic review.
85.	MacLure K, Stewart D, Strath A: Mind the gap: Multidisciplinary team perceptions of ehealth in relation to integrated care. International Journal of Pharmacy Practice 2014, 22:16.	Conference presentation
86.	Makoul G, Clayman ML: An integrative model of shared decision making in medical encounters. Patient Education and Counseling 2006, 60(3):301-312.	Conference presentation
87.	Mannion R: General practitioner commissioning in the English National Health Service: continuity, change, and future challenges. International journal of health services : planning, administration, evaluation 2008, 38(4):717-730.	Descriptive overview

88.	McColl MA, Shortt S, Godwin M, Smith K, Rowe K, O'Brien P, Donnelly C: Models for integrating rehabilitation and primary care: a scoping study. Archives of Physical Medicine & Rehabilitation 2009, 90(9):1523-1531.	A scoping review which describes different models of care rather than an evaluation
89.	McDonald PS, Whittle CL, Dunn L, De Luc K: Shortfalls in integrated care pathways. Part 1: What don't they contain? Journal of Integrated Care Pathways 2006, 10(1):17-22.	Overview
90.	McDonald PS, Whittle CL, Dunn L, De Luc K: Shortfalls in integrated care pathways. Part 2: How well are we doing? Journal of Integrated Care Pathways 2006, 10(1):23-27.	Overview
91.	Mikocka-Walus AA, Andrews JM, von Kanel R, Moser G: What are the implications of changing treatment delivery models for patients with inflammatory bowel disease: a discussion paper. European journal of gastroenterology & hepatology 2013, 25(4):393-398.	Descriptive overview
92.	Miller BF, Mendenhall TJ, Malik AD: Integrated primary care: an inclusive three-world view through process metrics and empirical discrimination. Journal of clinical psychology in medical settings 2009, 16(1):21-30.	Describes a methodology
93.	Morrison RS: Models of palliative care delivery in the United States. Current opinion in supportive and palliative care 2013, 7(2):201-206.	Descriptive overview
94.	Motheral BR: Telephone-based disease management: why it does not save money. The American journal of managed care 2011, 17(1):e10-16.	Relates to health models rather than models of care
95.	Nuno R, Coleman K, Bengoa R, Sauto R. Integrated care for chronic conditions: the contribution of the ICC Framework. Health policy (Amsterdam, Netherlands). 2012;105(1):55-64.	Overview of studies
96.	O'Donnell S, Li LC, King J, Lauzon C, Finn H, Vliet Vlieland TPM: Development of a framework for reporting health service models for managing rheumatoid arthritis. Clinical rheumatology 2010, 29(2):151-165.	Relates to models of health rather than service delivery
97.	Ouwens M, Hulscher M, Hermens R, Faber M, Marres H, Wollersheim H, Grol R: Implementation of integrated care for patients with cancer: a systematic review of interventions and effects. International journal for quality	Focus on patient-centred care for example information leaflet provision, only one included study of

	in health care : journal of the International Society for Quality in Health Care / ISQua 2009, 21(2):137-144.	33 refers to multi-disciplinary care
98.	Pearson M, Hunt H, Cooper C, Shepperd S, Pawson R, Anderson R: Providing effective and preferred care closer to home: a realist review of intermediate care. Health & Social Care in the Community 2015, 23(6):577-593.	Refers to integrated care but focus is on how integrated care relates to and underpins the establishment of intermediate care. Main conclusions relate to service user understanding of intermediate care.
99.	Pensuk P. The effectiveness of the liverpool care pathway in end of life care: A systematic review protocol. JBI Library of Systematic Reviews. 2013;11(11):64-76.	Protocol for a review
100.	Perla RJ, Bradbury E, Gunther-Murphy C. Large-scale improvement initiatives in healthcare: a scan of the literature. Journal for healthcare quality : official publication of the National Association for Healthcare Quality. 2013;35(1):30-40.	Descriptive overview
101.	Perla RJ, Bradbury E, Gunther-Murphy C: Large-scale improvement initiatives in healthcare: a scan of the literature. Journal for healthcare quality : official publication of the National Association for Healthcare Quality 2013, 35(1):30-40.	Used a Delphi approach to identify literature
102.	Philp I: The contribution of geriatric medicine to integrated care for older people. Age and Ageing 2015, 44(1):11-15.	Descriptive overview of the role of geriatricians
103.	Ramsay A, Fulop N. The Evidence Base for Integrated Care. Summary of research evidence prepared for the Department of Health, 2008.	Summary overview
104.	Reed J, Childs S, Cook G, Hall A, McCormack B: Integrated care for older people: methodological issues in conducting a systematic literature review. Worldviews on evidence-based nursing / Sigma Theta Tau International, Honor Society of Nursing 2007, 4(2):78-85.	Describes the challenges of the methodology rather than review findings
105.	Retchin SM: A conceptual framework for interprofessional and co-managed care. Academic medicine : journal of the Association of American Medical Colleges 2008, 83(10):929-933.	Descriptive overview

106.	Reynolds HW, Sutherland EG: A systematic approach to the planning, implementation, monitoring, and evaluation of integrated health services. BMC health services research 2013, 13:168.	Describes how monitoring and evaluation methods may be used
107.	Richards DA: Stepped care: a method to deliver increased access to psychological therapies. Canadian journal of psychiatry Revue canadienne de psychiatrie 2012, 57(4):210-215.	Descriptive overview of the approach
108.	Rummery K: Healthy partnerships, healthy citizens? An international review of partnerships in health and social care and patient/user outcomes. Soc Sci Med 2009, 69(12):1797-1804.	Descriptive overview
109.	Schmied V, Mills A, Kruske S, Kemp L, Fowler C, Homer C: The nature and impact of collaboration and integrated service delivery for pregnant women, children and families. Journal of clinical nursing 2010, 19(23-24):3516-3526.	Descriptive overview
110.	Schottle D, Karow A, Schimmelmann BG, Lambert M: Integrated care in patients with schizophrenia: results of trials published between 2011 and 2013 focusing on effectiveness and efficiency. Current opinion in psychiatry 2013, 26(4):384-408.	Paper has a clinical rather than service delivery focus
111.	Shaw S, Rosen R, Rumbold B. What is Integrated Care? London: Nuffield Trust, 2011.	Overview of concepts and terminology
112.	Shortell MS, Gillies R, F. W. United States Innovations in Health Care Delivery. Public Health Reviews 2010;32:190–212.	Not a systematic review
113.	Smith E, Ross FM: Service user involvement and integrated care pathways. International journal of health care quality assurance 2007, 20(2-3):195-214.	Focus of the paper is on how service users have been involved in different areas of health services
114.	Smith G, Clarke D: Assessing the effectiveness of integrated interventions: terminology and approach. The Medical clinics of North America 2006, 90(4):533-548.	Discussion paper
115.	Stokes J, Checkland K, Kristensen SR: Integrated care: theory to practice. Journal of Health Services & Research Policy 2016, 29:29.	Descriptive overview
116.	Thaldorf C, Liberman A. Integration of health care organizations: using the power strategies of horizontal	Relates to clinical care only

	and vertical integration in public and private health systems. <i>The health care manager</i> . 2007;26(2):116-27.	
117.	Torrey WC, Tepper M, Greenwold J. Implementing Integrated Services for Adults With Co-occurring Substance Use Disorders and Psychiatric Illnesses: A Research Review. <i>Journal of Dual Diagnosis</i> . 2011;7(3):150-61.	Descriptive overview
118.	Tsiachristas A, Dijkers C, Boland MRS, Rutten-van Molken MPMH: Exploring payment schemes used to promote integrated chronic care in Europe. <i>Health policy</i> 2013, 113(3):296-304.	Described as a review and interview study. The review is descriptive and no data from the interviews is presented.
119.	Wilson P, Bunn F, Morgan J: A mapping of the evidence on integrated long term condition services. <i>British journal of community nursing</i> 2009, 14(5):202-206.	Provides an overview (map) of literature rather than a systematic review
120.	Wiltsey Stirman S, Kimberly J, Cook N, Calloway A, Castro F, Charns M: The sustainability of new programs and innovations: a review of the empirical literature and recommendations for future research. <i>Implementation science : IS</i> 2012, 7:17.	
121.	Wistow G: Integration and the NHS reforms. <i>Journal of Integrated Care</i> 2011, 19(4):5-13.	Focus on all literature reporting sustainability outcomes
122.	Wulsin LR, Sollner W, Pincus HA: Models of integrated care. <i>The Medical clinics of North America</i> 2006, 90(4):647-677.	Descriptive overview

Non-UK studies excluded at full paper review

	Reference	Reason for exclusion
1.	Abdul, A. A. Muhammad, N. A. Sulong, S. Aljunid, S. The integrated care pathway for managing post stroke (iCaPPS) patients in the community: A cost-effectiveness analysis. <i>Value in health</i> 2014 17 (7) A761	Conference abstract
2.	Auerbach, David I. Liu, Hangsheng, Hussey, Peter S. Lau, Christopher, Mehrotra, Ateev. Accountable care organization formation is associated with integrated	No intervention

	systems but not high medical spending. Health Affairs 2013 32 (10) 1781-8	
3.	Bayliss, Elizabeth A. Bhardwaja, Bharati, Ross, Colleen. Beck, Arne, Lanese, Diane M. Multidisciplinary team care may slow the rate of decline in renal function. Clinical journal of the American Society of Nephrology : CJASN 2011 6(4) 704-10	Clinical outcomes
4.	Bergmo, T., Berntsen, G. Dalbakk, M. Rumpsfeld, M. The effectiveness and cost effectiveness of the PATient-Centred Team (PACT) model: study protocol of a prospective matched control before-and-after study. BMC geriatrics 2015 15; 133	Study protocol
5.	Bissonnette, J. Woodend, K. Davies, B. Stacey, D. Knoll, G. A. Evaluation of a collaborative chronic care approach to improve outcomes in kidney transplant recipients. Clinical transplantation 2013 27 (2) 232-8	Clinical outcomes
6.	Bleijenberg, Nienke, Drubbel, Irene, Ten Dam, Valerie H. Numans, Mattijs E. Schuurmans, Marieke J.de Wit, Niek J. Proactive and integrated primary care for frail older people: design and methodological challenges of the Utrecht primary care PROactive frailty intervention trial (U-PROFIT). BMC geriatrics 2012 12 p16	Study protocol
7.	Blom, J. Elzen, W. Houwelingen, A. H. V. Heijmans, M. Stijnen, T. Hout, W. Gussekloo, J. Effectiveness and cost-effectiveness of a proactive, goal-oriented, integrated care model in general practice for older people. A cluster randomised controlled trial: Integrated systematic care for older people-the ISCOPE study. Age and ageing 2016 45 (1) 30-41	Health outcomes
8.	Boland, M. Kruis, A. Tsiachristas, A. Assendelft, W. Gussekloo, J. Blom, C. Chavannes, N. Rutten-Van, M. M. Cost-effectiveness of integrated COPD care: The RECODE cluster randomised trial. BMJ Open 2015 5 (pages not given)	Health outcomes
9.	Boumans, Nicolle P. G. Berkhout, Afke J. M. B. Vijgen, Sylvia M. C. Nijhuis, Frans J. N. Vasse, Rineke M. The effects of integrated care on quality of work in nursing homes: a quasi-experiment. International journal of nursing studies 2008 45 (8) 1122-36	Health worker outcomes
10.	Brannstrom, Margareta, Boman, Kurt. A new model for integrated heart failure and palliative advanced homecare-	Study protocol

	-rationale and design of a prospective randomized study. European journal of cardiovascular nursing. 2012 12 (3) 269-75	
11.	Casas A, Troosters T, Garcia-Aymerich J, Roca J, Hernandez C, Alonso A, et al. Integrated care prevents hospitalisations for exacerbations in COPD patients. The European respiratory journal. 2006;28(1):123-30.	Focus not on integrated care
12.	Chan, J. Jia, W. Li, W. Guo, X. Zhang, Y. Li, X. et al. The effects of a web-based integrated care program with or with out a nurse coordinator on cardiometabolic control in type 2 diabetes-the china jade (joint asia diabetes evaluation) program. Diabetes 2014 63 A301	Clinical outcomes
13.	Chaney, Edmund F. Rubenstein, Lisa V. Liu, Chuan-Fen, Yano, Elizabeth M. Bolkan, Cory et al. Implementing collaborative care for depression treatment in primary care: a cluster randomized evaluation of a quality improvement practice redesign. Implementation science : IS 2011 6 121	Health worker outcomes
14.	Coburn, K. Marcantonio, S. Lazansky, R. Keller, M. Davis, N. Effect of a community-based nursing intervention on mortality in chronically ill older adults: a randomized controlled trial. PLoS medicine 2012 9 (7) e1001265	Clinical outcomes
15.	Conrad, Douglas, Fishman, Paul, Grembowski, David Ralston, James, Reid, Robert et al. Access intervention in an integrated, prepaid group practice: effects on primary care physician productivity. Health services research 2008 43 5 Pt 21 888-905	Health worker outcomes
16.	Costa, F. Porcu, A. Balestracci, S. Mignani, D. Magnani, F. Cost and effectiveness of 2 years integrated care intervention in COPD. European Respiratory Journal 2015 46 (no page numbers)	Conference abstract
17.	Dobova, S. V. Infante-Castaneda, C. Espinosa-Alarcon, P. Flores-Hernandez, S. Martinez-Vega, I. Perez-Cuevas, R. Effectiveness of an integrative health-care model for climacteric-stage women. Climacteric 2013 16 (5) 590-600	Health outcomes
18.	Dubuc, Nicole, Dubois, Marie-France, Raiche, Michel	Patient need outcomes

	Gueye, N'Deye Rokhaya, Hebert, Rejean. Meeting the home-care needs of disabled older persons living in the community: does integrated services delivery make a difference? BMC geriatrics 2011 11 p67	
19.	Erickson, Steven, Hambleton, Jeffrey. A pharmacy's journey toward the patient-centered medical home. Journal of the American Pharmacists Association 2011 51(2) 156-60	No data
20.	Esselens, Greet, Westhovens, Rene, Verschueren, Patrick. Effectiveness of an integrated outpatient care programme compared with present-day standard care in early rheumatoid arthritis. Musculoskeletal care 2009 7 (1) 1-16	Health outcomes
21.	Fairbrother, G. Jones, A. Rivas, K. Changing model of nursing care from individual patient allocation to team nursing in the acute inpatient environment. Contemporary Nurse 2010 35 (2) 202-220	Health worker outcomes
22.	Fifield, Judith, Forrest, Deborah Dauser, Martin-Peele, Melanie, Burleson, Joseph A. Goyzueta, Jeanette, Fujimoto, Marco, Gillespie, William. A randomized, controlled trial of implementing the patient-centered medical home model in solo and small practices. Journal of general internal medicine. 2013 28 (6) 770-7	Quality assurance outcomes
23.	Garcia-Aymerich J, Hernandez C, Alonso A, Casas A, Rodriguez-Roisin R, Anto JM, et al. Effects of an integrated care intervention on risk factors of COPD readmission. Respiratory medicine. 2007;101(7):1462-9.	Focus not on integrated care
24.	Ho, S. Groessl, E. Brau, N. Cheung, R. Weingart, K. Ward, M. Prospective multisite randomized trial of Integrated Care (IC) vs. Usual Care (UC) for improving access to antiviral therapy for high risk patients with chronic HCV. Journal of hepatology 2012 56 S386	Conference abstract
25.	Kanter, Michael H. Lindsay, Gail, Bellows, Jim, Chase, Alide. Complete care at Kaiser Permanente: transforming chronic and preventive care. Joint Commission journal on quality and patient safety / Joint Commission Resources 2013 39 (11) 484-94	Health outcomes
26.	Katon W, Unutzer J, Fan MY, Williams JW, Jr., Schoenbaum M, Lin EH, et al. Cost-effectiveness and net benefit of enhanced treatment of depression for older	Intervention enhanced care rather than integration of services

	adults with diabetes and depression. Diabetes Care. 2006;29(2):265-70.	
27.	Kruis, Annemarije L. Boland, Melinde R. S. Assendelft, Willem J. J. Gussekloo, Jacobijn, Tsiachristas, Apostolos. et al. Effectiveness of integrated disease management for primary care chronic obstructive pulmonary disease patients: results of cluster randomised trial. BMJ 2014 349 g5392	Health outcomes
28.	Lambeek, L. Bosmans, J. Royen, B. Tuler, M. Mechelen, W. Anema, J. Effect of integrated care for sick listed patients with chronic low back pain: economic evaluation alongside a randomised controlled trial. BMJ 2010 341:c6414 2	Health worker outcomes
29.	Leeuwen, K. Bosmans, J. Jansen, A. Hoogendijk, E. Muntinga, M. et al. Cost-Effectiveness of a Chronic Care Model for Frail Older Adults in Primary Care: Economic Evaluation Alongside a Stepped-Wedge Cluster-Randomized Trial. Journal of the American Geriatrics Society 2015 63 (12) 2494-2504	Clinical outcomes
30.	Legido, P. Lanzeta, I. Begiristain, M. Iza, I. Rodriguez, J. et al. Results of the introduction of a comprehensive health care model for plurypathological patients. European journal of internal medicine 2013 24 e231	Conference abstract
31.	Makai, P. Looman, W. Adang, E. Melis, R. Stolk, E. Fabbricotti, I. Cost-effectiveness of integrated care in frail elderly using the ICECAP-O and EQ-5D: does choice of instrument matter? European Journal of Health Economics 2014 2 epub	Health outcomes
32.	Marcu, Mircea I. Knapp, Caprice A. Madden, Vanessa L. Wang, Hua Kaufmann, Meggen Sloyer, Phyllis. Effect of an integrated care system on utilization for CSHCN in Florida. Maternal and child health journal 2014 18 (1) 38-44	Medicaid utilisation outcomes

Non-UK non-comparator studies excluded at full paper review

1.	Andersson A-C. Managers' views and experiences of a large-scale county council improvement program:	Quality improvement rather than integration
----	---	---

	limitations and opportunities. Quality management in health care. 2013;22(2):152-60.	
2.	Baloh J, Zhu X, Vaughn T, MacKinney AC, Mueller KJ, Ullrich F, et al. Facilitating the formation of accountable care organizations in rural areas. Rural policy brief. 2014(2014 9):1-4.	Policy brief, no data
3.	Barracough F, Longman J, Barclay L. Integration in a nurse practitioner-led mental health service in rural Australia. Australian Journal of Rural Health. 2016;24(2):144-50.	Description of service
4.	Block R, Slomp M, Patterson S, Jacobs P, Ohinmaa AE, Yim R, Dewa CS: The impact of integrating mental and general health services on mental health's share of total health care spending in Alberta. Psychiatric services (Washington, DC) 2008, 59(8):860-863.	Focus on comparing share of spend between mental health and general services
5.	Bray P, Cummings DM, Thompson DK. Use of integrated care delivery to improve the quality of diabetes management among African Americans. North Carolina medical journal. 2011;72(5):390-2.	Relates to a reimbursement system
6.	Callahan, Christopher M, Boustani, Malaz A, Weiner, Michael, Beck, Robin A. Implementing dementia care models in primary care settings: The Aging Brain Care Medical Home. Aging & mental health 2011 15 (1) 5-12	Descriptive
7.	Carlford S, Lindberg M, Bendtsen P, Nilsen P, Andersson A. Key factors influencing adoption of an innovation in primary health care: a qualitative study based on implementation theory. BMC family practice. 2010;11:60.	Not integration intervention
8.	Ciccone MM, Aquilino A, Cortese F, Scicchitano P, Sassara M, Mola E, et al. Feasibility and effectiveness of a disease and care management model in the primary health care system for patients with heart failure and diabetes (Project Leonardo). Vascular health and risk management. 2010;6:297-305.	Description only
9.	Cohen E, Lacombe-Duncan A, Spalding K, MacInnis J, Nicholas D, Narayanan U, et al. Integrated complex care coordination for children with medical complexity: a mixed-methods evaluation of tertiary care-community collaboration (Provisional abstract). BMC Health Services Research. 2012;12(2):366.	Description only

10.	Colyer H. Accountability in integrated working: Meaning and implications for cancer care teams. <i>Radiography</i> . 2012;18(1):43-6.	Description only
11.	Cremieux P-Y, Fortin P, Meilleur M-C, Montague T, Royer J. The economic impact of a partnership-measurement model of disease management: Improving Cardiovascular Outcomes in Nova Scotia (ICONS). <i>Healthcare quarterly (Toronto, Ont)</i> . 2007;10(2):38-46.	Description only
12.	Dahrouge S, Hogg W, Ward N, Tuna M, Devlin RA, Kristjansson E, et al. Delivery of primary health care to persons who are socio-economically disadvantaged: does the organizational delivery model matter? <i>BMC health services research</i> . 2013 ;13:517.	Explores the association between social disadvantage and payment systems
13.	Dunt D, Elsworth G, Southern D, Harris C, Potiriadis M, Young D. Individual and area factors associated with general practitioner integration in Australia: a multilevel analysis. <i>Social science & medicine (1982)</i> . 2006;63(3):680-90.	Describes a measure of GP integraion
14.	Elg M, Stenberg J, Kammerlind P, Tullberg S, Olsson J. Swedish healthcare management practices and quality improvement work: development trends. <i>International journal of health care quality assurance</i> . 2011;24(2):101-23.	Reports trends in management practices
15.	Evans JM, Baker GR, Berta W, Barnsley J. A cognitive perspective on health systems integration: results of a Canadian Delphi study. <i>BMC health services research</i> . 2014;14:222.	Describes development of a framework
16.	Funderburk JS, Sugarman DE, Maisto SA, Ouimette P, Schohn M, Lantinga L, et al. The description and evaluation of the implementation of an integrated healthcare model. <i>Families, systems & health : the journal of collaborative family healthcare</i> . 2010;28(2):146-60.	Behavioural health providers only
17.	Gaboury I, Boon H, Verhoef M, Bujold M, Lapierre LM, Moher D. Practitioners' validation of framework of team-oriented practice models in integrative health care: a mixed methods study. <i>BMC health services research</i> . 2010;10:289.	Focus on integration of alternative medicine into mainstream
18.	Henry JKFF, Commonwealth F. Experiences and Attitudes of Primary Care Providers Under the First Year of ACA Coverage Expansion: Findings from the Kaiser Family Foundation/Commonwealth Fund 2015 National	Reports survey of views on legislation

	Survey of Primary Care Providers. Issue brief (Commonwealth Fund). 2015;17:1-21.	
19.	Hepworth J, Marley JE. Healthcare teams - a practical framework for integration. Australian family physician. 2010;39(12):969-71.	Development of a framework of team functioning
20.	Jensen TB. Design principles for achieving integrated healthcare information systems. Health informatics journal. 2013;19(1):29-45.	Description only
21.	Kirchner J, Edlund CN, Henderson K, Daily L, Parker LE, Fortney JC. Using a multi-level approach to implement a primary care mental health (PCMH) program. Families, systems & health : the journal of collaborative family healthcare. 2010;28(2):161-74.	Description only
22.	Lamothe L, Fortin J-P, Labbe F, Gagnon M-P, Messikh D. Impacts of telehomecare on patients, providers, and organizations. Telemedicine journal and e-health : the official journal of the American Telemedicine Association. 2006;12(3):363-9.	Implementation of telemedicine
23.	Landis SE, Barrett M, Galvin SL. Effects of different models of integrated collaborative care in a family medicine residency program. Families, systems & health : the journal of collaborative family healthcare. 2013;31(3):264-73.	Focus on type of service
24.	Latour CHM, Huyse FJ, de Vos R, Stalman WAB. A method to provide integrated care for complex medically ill patients: the INTERMED. Nursing & health sciences. 2007;9(2):150-7.	Description only of a tool for assessing health risk
25.	Leonard M, McGlone S, Boardman A. Taking integrated care management to the street: can we find the road to our triple aim? The Journal of ambulatory care management. 2011;34(2):192-202.	Description only
26.	Lettieri E, Bartoli L, Masella C. Coordinating intra-sector services in healthcare: Requirements and elements that managers should take into account. European Management Journal. 2013;31(6):591-601.	General health care management
27.	Lewis VA, McClurg AB, Smith J, Fisher ES, Bynum JPW. Attributing patients to accountable care organizations: performance year approach aligns stakeholders' interests. Health affairs (Project Hope). 2013;32(3):587-95.	Methods to assign patients to ACOs

28.	MacKay C, Veinot P, Badley EM. Characteristics of evolving models of care for arthritis: a key informant study. BMC health services research. 2008;8:147.	Describes a range of methods
29.	Mak VSL, Clark A, Poulsen JH, Udengaard KU, Gilbert AL. Pharmacists' awareness of Australia's health care reforms and their beliefs and attitudes about their current and future roles. The International journal of pharmacy practice. 2012;20(1):33-40.	Explores views of health reform in general
30.	Masso M, Owen A. Linkage, coordination and integration: Evidence from rural palliative care. Australian Journal of Rural Health. 2009;17(5):263-7.	Describes existing intervention
31.	Masso M, Robert G, McCarthy G, Eagar K. The Clinical Services Redesign Program in New South Wales: perceptions of senior health managers. Australian Health Review. 2010;34(3):352-9.	Service redesign which is not integration
32.	May SG, Cheng PH, Tietbohl CK, Trujillo L, Reilly K, Frosch DL, et al. Shared medical appointments to screen for geriatric syndromes: preliminary data from a quality improvement initiative. Journal of the American Geriatrics Society. 2014;62(12):2415-9.	Relates to a screening programme
33.	McGeehan SK, Applebaum R. The evolving role of care management in integrated models of care. Care management journals : Journal of case management ; The journal of long term home health care. 2007;8(2):64-70.	Discusses the role of care manager and care management in general
34.	Minkman M, Ahaus K, Fabbriotti I, Nabitz U, Huijsman R. A quality management model for integrated care: results of a Delphi and Concept Mapping study. International journal for quality in health care : journal of the International Society for Quality in Health Care / ISQua. 2009;21(1):66-75.	Development of a model
35.	Minkman MMN, Ahaus KTB, Huijsman R. A four phase development model for integrated care services in the Netherlands. BMC health services research. 2009;9:42.	Describes stages in a process for developing care management
36.	Minkman MMN, Vermeulen RP, Ahaus KTB, Huijsman R. The implementation of integrated care: the empirical validation of the Development Model for Integrated care. BMC health services research. 2011;11:177.	Evaluates model
37.	Muhlbacher AC, Bethge S, Eble S. Characteristics of integrated care programmes and their impact on patient benefit: a discrete-choice experiment for integrated care networks. Gesundheitswesen. 2015;77(5):340-50.	Describes general patient preferences for service delivery

38.	Neuhausen, Katherine, Grumbach, Kevin, Bazemore, Andrew, Phillips, Robert L. Integrating community health centers into organized delivery systems can improve access to subspecialty care. <i>Health affairs (Project Hope)</i> 2012; 31(8) 1708-16	Describes methods of accessing specialist care rather than integrating services
39.	Noble DJ, Greenhalgh T, Casalino LP. Improving population health one person at a time? Accountable care organisations: Perceptions of population health-a qualitative interview study. <i>BMJ Open.</i> 2014;4 (4) (no pagination)(e004665).	Perceptions of meaning of terms
40.	Nugus P, Carroll K, Hewett DG, Short A, Forero R, Braithwaite J. Integrated care in the emergency department: A complex adaptive systems perspective. <i>Social Science and Medicine.</i> 2010;71(11):1997-2004.	Evaluates a method
41.	Ouimet MJ, Pineault R, Prud'Homme A, Provost S, Fournier M, Levesque JF. The impact of primary healthcare reform on equity of utilization of services in the province of Quebec: A 2003-2010 follow-up Interventions in primary health care to improve outcome and equity in health. <i>International Journal for Equity in Health.</i> 2015;14 (1) (no pagination)(139).	Associations between service use and socio-economic status
42.	Ouwens MMTJ, Hermens RPPMG, Termeer RAR, Vonk-Okhuijsen SY, Tjan-Heijnen VCG, Verhagen AFTM, et al. Quality of integrated care for patients with nonsmall cell lung cancer: variations and determinants of care. <i>Cancer.</i> 2007;110(8):1782-90.	Describes the quality of services provided
43.	Pourat N, Hadler MW, Dixon B, Brindis C. One-stop shopping: efforts to integrate physical and behavioral health care in five California community health centers. Policy brief (UCLA Center for Health Policy Research). 2015(PB2015-1):1-11.	Description only
44.	Rea H, Kenealy T, Horwood F, Sheridan N, Parsons M, Wemekamp B, et al. Integrated systems to improve care for very high intensity users of hospital emergency department and for long-term conditions in the community. <i>The New Zealand medical journal.</i> 2010;123(1320):76-85.	Description only
45.	Silow-Carroll S, Lamphere J. State innovation models: early experiences and challenges of an initiative to advance broad health system reform. Issue brief (Commonwealth Fund). 2013;25:1-12.	Policy brief

46.	Silversmith J, Reform MMAWGtAHC. Five payment models: the pros, the cons, the potential. Minnesota medicine. 2011;94(2):45-8.	Recommendations rather than data
47.	Smith KA. An Evaluation of a Pilot Epilepsy Special Care Center: University of California, Los Angeles; 2011.	Dissertation
48.	Solberg LI, Asche SE, Shortell SM, Gillies RR, Taylor N, Pawlson LG, et al. Is integration in large medical groups associated with quality? The American journal of managed care. 2009;15(6):e34-41.	Focus on models of physician care
49.	Solberg LI, Crain AL, Sperl-Hillen JM, Hroschikoski MC, Engebretson KI, O'Connor PJ. Care quality and implementation of the chronic care model: a quantitative study. Annals of family medicine. 2006;4(4):310-6.	Focus on disease-specific outcomes
50.	Stewart B, Allan S, Keane B, Marshall B, Ayling J, Luxford T. Palliative Care Partnership: a successful model of primary/secondary integration. The New Zealand medical journal. 2006;119(1242):U2235.	Description only
51.	Stiefel FC, Huyse FJ, Sollner W, Slaets JPJ, Lyons JS, Latour CHM, et al. Operationalizing integrated care on a clinical level: the INTERMED project. The Medical clinics of North America. 2006;90(4):713-58.	Description only
52.	Suter E, Hyman M, Oelke N. Measuring key integration outcomes: a case study of a large urban health center. Health care management review. 2007;32(3):226-35.	Reports progress towards a model
53.	Tebest R, Mehnert T, Nordmann H, Stock S. "Pflegestützpunkte": Care Support Centers in Germany. Where are We Heading? Results of the Evaluation of all 48 Care Support Centers in Baden-Württemberg. Gesundheitswesen. 2015;9:9.	Non-English
54.	Thomassen J-P, Ahaus K, Van de Walle S. Developing and implementing a service charter for an integrated regional stroke service: an exploratory case study. BMC health services research. 2014;14:141.	Development of a service charter
55.	Tracy CS, Bell SH, Nickell LA, Charles J, Upshur REG. The IMPACT clinic: innovative model of interprofessional primary care for elderly patients with complex health care needs. Canadian family physician Medecin de famille canadien. 2013;59(3):e148-55.	Description only
56.	Tsiachristas A, Hipple-Walters B, Lemmens KMM, Nieboer AP, Rutten-van Molken MPMH. Towards integrated care for chronic conditions: Dutch policy	Description only

	developments to overcome the (financial) barriers. Health policy (Amsterdam, Netherlands). 2011;101(2):122-32.	
57.	van Gils RF, Groenewoud K, Boot CRL, Rustemeyer T, van Mechelen W, van der Valk PGM, et al. Process evaluation of an integrated, multidisciplinary intervention programme for hand eczema. Contact dermatitis. 2012;66(5):254-63.	Focus on clinical care
58.	Van Mierlo LD, Meiland FJM, Van Hout HPJ, Droes R-M. Towards personalized integrated dementia care: a qualitative study into the implementation of different models of case management. BMC geriatrics. 2014;14:84.	Clinical models
59.	Vickers KS, Ridgeway JL, Hathaway JC, Egginton JS, Kaderlik AB, Katzelnick DJ. Integration of mental health resources in a primary care setting leads to increased provider satisfaction and patient access. General hospital psychiatry. 2013;35(5):461-7.	Care expansion rather than integration
60.	Wagner EH, Sandhu N, Coleman K, Phillips KE, Sugarman JR. Improving care coordination in primary care. Medical care. 2014;52(11 Suppl 4):S33-8.	Use of a checklist for care co-ordination
61.	Weinreb L, Nicholson J, Williams V, Anthes F. Integrating behavioral health services for homeless mothers and children in primary care. The American journal of orthopsychiatry. 2007;77(1):142-52.	Little data of relevance
62.	Williams MV, Li J, Hansen LO, Forth V, Budnitz T, Greenwald JL, et al. Project BOOST implementation: lessons learned. Southern medical journal. 2014;107(7):455-65.	Patient safety focus