

Participant Study Number: - - Centre Participant No.	Participant initials
---	---

ALTernatives To prophylactic **ANT**ibiotics for the treatment of **REC**urrent urinary tract infection in women (the ALTAR Study)



Concomitant Medications

CONFIDENTIAL

The ALTAR Trial is funded by the National Institute for Health Research's HTA Programme.

Please update at each contact

If you make any errors while completing this form, please strikethrough through the incorrect data with a horizontal line and initial and date any changes.

Please contact the Trial Office if you have any uncertainty regarding completion

Participant Study Number: - - 	Participant initials
Centre Participant No.	

Concomitant Medications

Date of latest update: ____/____/____ (dd/mm/yyyy)

[illegible]

Participant Study Number: - - Centre Participant No.	Participant initials
---	---

Date of latest update: __ __ / __ __ / ____ (dd/mm/yyyy)

Drug Name (Generic)	Indication	Prophylaxis against infection	Start date __/__/____ (dd/mm/yyyy)	If continuing	Stop date __/__/____ (dd/mm/yyyy)	Dosage	Units	Frequency	Route
		Yes ☐ No ☐		☐					
		Yes ☐ No ☐		☐					
		Yes ☐ No ☐		☐					
		Yes ☐ No ☐		☐					
		Yes ☐ No ☐		☐					
		Yes ☐ No ☐		☐					
		Yes ☐ No ☐		☐					
		Yes ☐ No ☐		☐					

Participant Study Number: - -	Participant initials
Centre Participant No.	

KEY

	Units		Units contd		Route		Frequency
1	Grams (g)	24	Kilograms (kg)		Oral	1	One per day (op)
2	Miligrams (mg)	25	Lozenges (loz)		Subcutaneous	2	Twice per day (bd)
3	Micrograms (microg)	26	Milimetres (mm)		Intravenous	3	3 times per day (TPD)
4	Millilitres (ml)	27	Milimoles (mmol)		Intramuscular	4	4 times per day (QDS)
5	Ampules (amp)	28	Cubic Centimetres (cm ³)		Inhaled	5	As needed (PRN)
6	Capsules (cap)	29	Percentage (%)		Other	6	Every Hour (Q1H)
7	Grains (gm)	30	Not known (nk)			7	Every 2 hours (Q2H)
8	Drops (gt)	31	Pessaries (pes)			8	Every 3 hours (Q3H)
9	Other	32	Spray (spr)			9	Every 4 hours (Q4H)
10	International units (U)	33	Application (app)			10	Every 6 hours (Q6H)
11	Milequivalents (me)	34	Units			11	Every 8 hours (Q8H)
12	Microlitres (microl)					12	Every 12 hours (Q12H)
13	Tablets (tab)					13	With meals (WM)
14	Vials (v)					14	Every night / nocte (ON)
15	Sachets (sac)					15	Every other day (QOD)
16	Nanograms (ng)					16	Twice per week (BMK)
17	Inhalation (inh)					17	Once per week (QWK)
18	Suppositories (sup)					18	Every other week (Q14D)
19	Teaspoons (tsp)					19	Every 28 days (Q28DO)
20	Puffs (pff)					20	Monthly (MON)
21	Inches (in)					21	Once / single dose (W1)
22	Centimetres (cm)					22	Continuous (CONT)
23	Metres (m)					23	Not known (NK)

Participant Study Number: - - Centre Participant No.	Participant initials
---	---