

UCON Trial: Ulipristal versus Coil for the Management of Heavy Menstrual Bleeding

Follow-up Menstrual Blood Loss Diary

We would be most grateful if y treatment.	ou could complete the enclosed diary during the course of your											
Please remember to post this bac	k to Birmingham Clinical Trials Unit in the envelope provided.											
If you have any questions or need contact:	any help in answering the questions then please do not hesitate to											
Your local research nurse is XXXXXXXXX and her phone number is XXXXXXXXXX Or you can call the UCON Trial Office on 0121 414 6665												
All your answers will remain strict	y confidential. Thank you for your participation in this study.											
Completed by participant:	Date Completed: DD - MMM - YYYY											
Completed by UCON Trial Office:	UCON Trial No. Patient Initials											
	Date Sent:											
	Date Form Entered: D D - M M M - Y Y Y											
Follow-up Timepoint: 3 month	6 month 12 month											

UCON Follow-Up Menstrual Blood Loss Diary EudraCT Number: 2014-003408-65

Please would you record your preferred brand and absorbency of tampons and sanitary towels in the table below.

e.g. Tampax – Super Plus days 1 – 2 then Tampax – Regular days 3 – 4											
Brand	and Type	of towel you used on days									
Brand	and Type	of towel you used on days									
Brand	and Type	of tampon you used on days									
Brand	and Type	of tampon you used on days									

Table: Brand & Absorbency of Tampons and Sanitary Towels

Completing your Follow-Up Menstrual Loss Diary

On the next page you will find a Menstrual Blood Loss Diary. Please would you place a tick under the day and next to the box that represents how marked your sanitary materials are each time you change them. Please enter a tick each time you change your tampon or towel.

For example: on day 1 you use 6 tampons and 5 on day 2, you would mark the chart as follows:

Tampon	Day 1	Day 2	etc	etc
	V V V	V V V		
	√√	√ √		

Record clots by indicating whether they are approximately 2 centimetres or for larger clots – approximately 3 centimetres.

For example: under day 1 you may say that you had 1 clot of approximately 2 centimetres and 3 clots approximately 3 centimetres. You would write this as 1 x 2cm, 3 x 3cm. Record any incidences of flooding by placing a tick mark in the flooding row under the relevant day.

Please turn over for your daily blood loss diary

UCON Follow-Up Menstrual Blood Loss Diary EudraCT Number: 2014-003408-65

VERYBODY PLEASE COMPLETE ON TREATMENT Follow-Up Menstrual Blood Loss Diary As indicated in the enclosed letter As indicated in the enclosed letter														
Date Ulipristal	Acetate Sta	rted:	D - M	M M .	- Y Y	Y	<u>OR</u>		s indicated in the electric LNG-IUS (C		D D -	M M M	- Y Y	Y
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Towels	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding								
Tampons														
Small Clots / Flooding														
Large Clots / Flooding														
Small Clots / Flooding 2.0 cm Please continue diary with days 15 to 28 on the following page														

UCON Follow-Up Menstrual Blood Loss Diary EudraCT Number: 2014-003408-65

	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Towels	No bleeding													
Tampons														
Small Clots / Flooding														
Large Clots / Flooding														
Large Clots / Flooding 3.0 cm														

Higham JM, O'Brien PM, Shaw RW. Assessment of menstrual blood loss using a pictorial chart. *Br J Obstet Gynaecol.* 1990;97(8):734-9.

Donnez J, Hudecek R, Donnez O, Matule D, Arhendt HJ, Zatik J, Kasilovskiene Z, Dumitrascu MC, Fernandez H, Barlow DH, Bouchard P, Fauser BCJM, Bestel E, Terrill P, Osterloh I, Loumaye E. Efficacy and safety of repeated use of ulipristal acetate in uterine fibroids. *Fertility and Sterility.* 2015; 103, (2), 519-527.e3

PA GROUP ONLY PLEASE COMPLETE OFF TREATMENT Follow-up Menstrual Blood Loss Diary														
Date Ulipristal	Acetate Sto	pped:	D - N	1 M M	- Y Y	y Y PI	ease start o	n first day tl	nat you are	not taking t	reatment ar	d complete	every day fo	or 28 days.
	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Towels	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding	No bleeding
Tampons														
Small Clots / Flooding														
Large Clots / Flooding														
Large Clots /	Small Clots / Flooding 3.0 cm Please continue diary with days 15 to 28 on the following page													

UCON Follow-Up Menstrual Blood Loss Diary EudraCT Number: 2014-003408-65

	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Towels	No bleeding													
Tampons														
Small Clots / Flooding														
Large Clots / Flooding														
Large Clots / Flooding 3.0 cm 2.0 cm														

References

Higham JM, O'Brien PM, Shaw RW. Assessment of menstrual blood loss using a pictorial chart. Br J Obstet Gynaecol. 1990;97(8):734-9.

Donnez J, Hudecek R, Donnez O, Matule D, Arhendt HJ, Zatik J, Kasilovskiene Z, Dumitrascu MC, Fernandez H, Barlow DH, Bouchard P, Fauser BCJM, Bestel E, Terrill P, Osterloh I, Loumaye E. Efficacy and safety of repeated use of ulipristal acetate in uterine fibroids. Fertility and Sterility. 2015; 103, (2), 519-527.e3