## Studies excluded from the systematic review with reasons

## Wrong population

- 1. Bellicha A, Coupaye M, Lemoine V, Hocquaux L, Specter F, Oppert J, Poitou C. Effectiveness and transferability of at-home supervised physical activity program for adult obese patients with Prader-Willi syndrome. Obesity Facts 2018;11(Supplement 1):263. DOI: 10.1159/000489691
- 2. Bellicha A, Coupaye M, Hocquaux L, Speter F, Oppert JM, Poitou C. Increasing physical activity in adult women with Prader–Willi syndrome: A transferability study. Journal of Applied Research in Intellectual Disabilities. 2020 Mar;33(2):258-67.
- 3. Bistrian BR, Blackburn GL, Stanbury JB. Metabolic aspects of a protein-sparing modified fast in the dietary management of Prader-Willi obesity. New England Journal of Medicine. 1977 Apr 7;296(14):774-9.
- 4. Blauwet CA, lezzoni LI. From the paralympics to public health: Increasing physical activity through legislative and policy initiatives. PM and R 2014;6(8 SUPPL.):S4-S10. DOI: 10.1016/j.pmrj.2014.05.014
- 5. Caldwell ML, Taylor RL, Bloom SR. An investigation of the use of high-and low-preference food as a reinforcer for increased activity of individuals with Prader-Willi syndrome. Journal of mental deficiency research. 1986 Dec.
- 6. Dervisoglu E, Isgoren S, Kasgari D, Demir H, Yilmaz A. Obesity control and low protein diet preserve or even improve renal functions in Bardet-Biedl syndrome: a report of two cases. Medical Science Monitor: International Medical Journal of Experimental and Clinical Research. 2011;17(1):CS12.
- 7. Edwards M, Holder M, Baum N, Brown R. Targeting health improvement via a nutritional intervention program for adults with developmental disabilities and challenging behaviors. Journal of Policy and Practice in Intellectual Disabilities. 2014 Mar;11(1):62-7.
- 8. Eiholzer U, Whitman BY. A comprehensive team approach to the management of patients with Prader-Willi syndrome. Journal of Pediatric Endocrinology and Metabolism. 2004 Sep 1;17(9):1153-76.
- 9. Harper M, Reid AH. Use of a restricted protein diet in the treatment of behaviour disorderin a severely mentally retarded adult female phenylketonuric patient. Journal of Intellectual Disability Research. 1987 Jun;31(2):209-12.
- 10. Harvey EL, Kirk SF. The use of a low phenylalanine diet in response to the challenging behaviour of a man with untreated phenylketonuria and profound learning disabilities. Journal of Intellectual Disability Research. 1995 Dec;39(6):520-6.
- 11. Heiman MF. The management of obesity in the post-adolescent developmentally disabled client with Prader-Willi syndrome. Adolescence. 1978 Jul 1;13(50):291.
- 12. Hoskin RG, Sasitharan T, Howard R. The use of a low phenylalanine diet with amino acid supplement in the treatment of behavioural problems in a severely mentally retarded adult female with phenylketonuria. Journal of Intellectual Disability Research. 1992 Apr;36(2):183-91.
- 13. Hsu WL, Chiu VJ, Chang WH, Lin MC, Wei JT, Tzeng IS. Hand strength and dexterity in patients with Prader–Willi syndrome: a pilot intervention study. Journal of International Medical Research. 2018 Nov;46(11):4669-77.

- 14. Humphries K, Pepper A, Traci MA, Olson J, Seekins T. Nutritional intervention improves menu adequacy in group homes for adults with intellectual or developmental disabilities. Disability and Health Journal. 2009 Jul 1;2(3):136-44.
- 15. Hunt K, Stiller K. Dietetic and educational interventions improve clinical outcomes of diabetic and obese clients with mental impairment. Nutrition & Dietetics. 2017 Jul;74(3):236-42.
- 16. Ito S, Passone C, Rocha R, Dichtchekenian V, Kupperman H, Damiani D. Prader Willi Syndrome in Brazil: 6 months Follow-up in a Reference Center. ESPE Abstracts. 2016 Aug 19;86.
- 17. Jenkins CM, McKenzie K. The application of the Theory of Planned Behaviour to diet in carers of people with an intellectual disability. Journal of Applied Research in Intellectual Disabilities. 2011 May;24(3):237-46.
- 18. Johnson C, Hobson S, Garcia AC, Matthews J. Nutrition and food skills education: for adults with developmental disabilities. Canadian Journal of Dietetic Practice and Research. 2011 Mar;72(1):7-13.
- 19. Nastasi JA, Sheppard RD, Raiff BR. Token-economy-based contingency management increases daily steps in adults with developmental disabilities. Behavioral Interventions. 2020 Apr;35(2):315-24.
- 20. Page TJ, Stanley AE, Richman GS, Deal RM, Iwata BA. Reduction of food theft and long-term maintenance of weight loss in a Prader-Willi adult. Journal of Behavior Therapy and Experimental Psychiatry. 1983 Sep 1;14(3):261-8.
- 21. Ptomey LT, Gibson CA, Lee J, Sullivan DK, Washburn RA, Gorczyca AM, Donnelly JE. Caregivers' effect on weight management in adults with intellectual and developmental disabilities. Disability and health journal. 2017 Oct 1;10(4):542-7.
- 22. Schmidt H, Bechtold-Dalla Pozza S, Bonfig W, Schwarz HP, Dokoupil K. Successful early dietary intervention avoids obesity in patients with Prader-Willi syndrome: a ten-year follow-up. Journal of Pediatric Endocrinology and Metabolism. 2008 Jul 1;21(7):651-6.
- 23. Shields N, Bennell KL, Radcliffe J, Taylor NF. Is strength training feasible for young people with Prader-Willi syndrome? A phase I randomised controlled trial. Physiotherapy. 2020 Mar 1;106:136-44.
- 24. Shields N, Westle A, Bennell KL, Taylor NF. Physiotherapists perceived developing positive rapport facilitates participation in exercise among people with Prader-Willi Syndrome: a qualitative study. Disability and rehabilitation. 2020 Nov 19;42(24):3475-80.
- Silverthorn KH, Hornak JE. Beneficial effects of exercise on aerobic capacity and body composition in adults with Prader-Willi syndrome. American journal on mental retardation. 1993 May.
- 26. Singh NN, Lancioni GE, Singh AN, Winton AS, Singh AD, Singh J. A mindfulness-based health wellness program for individuals with Prader-Willi syndrome. Journal of Mental Health Research in Intellectual Disabilities. 2011 Jun 30;4(2):90-106.
- 27. Subach RM. Improving food choices and nutrient adequacy in adolescents/young adults with developmental disabilities. Disability and health journal. 2018 Jan 1;11(1):139-42.
- 28. van Hooren RH, Widdershoven GA, Candel MJ, van den Borne BW, Curfs LM. Between control and freedom in the care for persons with Prader-Willi syndrome: An analysis of preferred interventions by caregivers. Patient Education and Counseling. 2006 Oct 1;63(1-2):223-31.
- 29. Vismara L, Cimolin V, Grugni G, Galli M, Parisio C, Sibilia O, Capodaglio P. Effectiveness of a 6-month home-based training program in Prader-Willi patients. Research in Developmental Disabilities. 2010 Nov 1;31(6):1373-9.

### Not adults (<18 years old)

- 1. Bandini LG, Eliasziw M, Dittrich GA, Curtin C, Maslin M, Must A, Boutelle KN, Fleming RK. A family-based weight loss randomized controlled trial for youth with intellectual disabilities. Pediatric obesity. 2021 Nov;16(11):e12816.
- Brazendale K, Brazendale A, Garcia JM, Leahy N, McDonald AA, Kenney M, Weaver RG, Beets MW. Breaking tradition: Increasing physical activity and reducing sedentary time of children with developmental disabilities. Disability and Health Journal. 2020 Apr 1;13(2):100869.
- 3. Chang CJ, Chang ML, Shih CH. Encouraging overweight students with intellectual disability to actively perform walking activity using an air mouse combined with preferred stimulation. Research in Developmental Disabilities. 2016 Aug 1;55:37-43.
- Chang ML, Shih CH, Lin YC. Encouraging obese students with intellectual disabilities to engage in pedaling an exercise bike by using an air mouse combined with preferred environmental stimulation. Research in Developmental Disabilities. 2014 Dec 1;35(12):3292-8.
- 5. Cook BG, Li D, Heinrich KM. Obesity, physical activity, and sedentary behavior of youth with learning disabilities and ADHD. Journal of learning disabilities. 2015 Nov;48(6):563-76.
- 6. Elmahgoub SS, Calders P, Lambers S, Stegen SM, Van Laethem C, Cambier DC. The effect of combined exercise training in adolescents who are overweight or obese with intellectual disability: the role of training frequency. The Journal of Strength & Conditioning Research. 2011 Aug 1;25(8):2274-82.
- 7. Gobbi E, Greguol M, Carraro A. Brief report: Exploring the benefits of a peer-tutored physical education programme among high school students with intellectual disability. Journal of applied research in intellectual disabilities. 2018 Sep;31(5):937-41.
- 8. Hogan ES. Interdisciplinary Nutrition Intervention for Individuals with Developmental Disabilities. Topics in Clinical Nutrition. 2001 Jun 1;16(3):34-43.
- Mikolajczyk E, Jankowicz-Szymanska A. Does extending the dual-task functional exercises workout improve postural balance in individuals with ID?. Research in developmental disabilities. 2015 Mar 1;38:84-91.
- 10.Mitchell F, Stevens G, Jahoda A, Matthews L, Hankey C, Murray H, Melville C. The lifestyle behaviours of young adults with intellectual disabilities as they transition from school to adulthood: A pilot and feasibility study. Journal of Applied Research in Intellectual Disabilities. 2018 Nov;31(6):1154-63.
- 11.Ninot G, Bilard J, Delignières D. Effects of integrated or segregated sport participation on the physical self for adolescents with intellectual disabilities. Journal of intellectual disability research. 2005 Sep;49(9):682-9.
- 12. Ninot G, Bilard J, Sokolowski M. Athletic competition: A means of improving the self-image of the mentally retarded adolescent?. International Journal of Rehabilitation Research. 2000 Jun 1;23(2):111-7.
- 13. Ninot G, Maïano C. Long-term effects of athletics meet on the perceived competence of individuals with intellectual disabilities. Research in developmental disabilities. 2007 Mar 1;28(2):176-86.
- 14. Ptomey LT, Washburn RA, Goetz JR, Sullivan DK, Gibson CA, Mayo MS, Krebill R, Gorczyca AM, Montgomery RN, Honas JJ, Helsel BC. Weight loss interventions for adolescents with intellectual disabilities: an RCT. Pediatrics. 2021 Sep 1;148(3).
- 15. Ringenbach SD, Holzapfel SD, Mulvey GM, Jimenez A, Benson A, Richter M. The effects of assisted cycling therapy (ACT) and voluntary cycling on reaction time and measures of

- executive function in adolescents with Down syndrome. Journal of Intellectual Disability Research. 2016 Nov;60(11):1073-85.
- 16. Rotatori AF, Switzky H. A successful behavioral weight-loss program for moderately-retarded teenagers. International journal of obesity. 1979 Jan 1;3(3):223-8.
- 17. Schijven EP, Hulsmans DH, VanDerNagel JE, Lammers J, Otten R, Poelen EA. The effectiveness of an indicated prevention programme for substance use in individuals with mild intellectual disabilities and borderline intellectual functioning: results of a quasi-experimental study. Addiction. 2021 Feb;116(2):373-81.
- 18. Schijven EP, VanDerNagel JE, Otten R, Lammers J, Poelen EA. Take it personal! Development and modelling study of an indicated prevention programme for substance use in adolescents and young adults with mild intellectual disabilities and borderline intellectual functioning. Journal of applied research in intellectual disabilities. 2021 Jan;34(1):307-15.
- 19. Shih CH, Chiu YC. Assisting obese students with intellectual disabilities to actively perform the activity of walking in place using a dance pad to control their preferred environmental stimulation. Research in developmental disabilities. 2014 Oct 1;35(10):2394-402.
- 20.Shih CT, Shih CH, Luo CH. Assisting people with disabilities in actively performing physical activities by controlling the preferred environmental stimulation with a gyration air mouse. Research in developmental disabilities. 2013 Dec 1;34(12):4328-33.
- 21. Smail KM, Horvat M. Clinician's corner: resistance training for individuals with intellectual disabilities. Clinical Kinesiology: Journal of the American Kinesiotherapy Association Summer 2009;63(2):7-11
- 22. Stevens G, Jahoda A, Matthews L, Hankey C, Melville C, Murray H, Mitchell F. A theory-informed qualitative exploration of social and environmental determinants of physical activity and dietary choices in adolescents with intellectual disabilities in their final year of school. Journal of applied research in intellectual disabilities. 2018 Jan;31:52-67.
- 23. Suarez-Balcazar Y, Hoisington M, Orozco AA, Arias D, Garcia C, Smith K, Bonner B. Benefits of a culturally tailored health promotion program for Latino youth with disabilities and their families. The American Journal of Occupational Therapy. 2016 Sep;70(5):7005180080p1-8.
- 24. Talkington LW, Riley JB. Reduction diets and aggression in institutionalized mentally retarded patients. American journal of mental deficiency. 1971 Nov.
- 25. Tamin TZ, Idris FH, Mansyur M, Soegondo S. Model and effectiveness of endurance exercise to increase physical fitness in intellectual disability subjects with obesity: A randomized controlled trial. Acta Medica Indonesiana. 2015 Apr 1;47(2).
- 26.Wu WL, Yang YF, Chu IH, Hsu HT, Tsai FH, Liang JM. Effectiveness of a cross-circuit exercise training program in improving the fitness of overweight or obese adolescents with intellectual disability enrolled in special education schools. Research in Developmental Disabilities. 2017 Jan 1;60:83-95.
- 27.Yu S, Gao Y, Wang A, Sun Y, Wang J, Kwok HH, Wu S, Lam CK, Tao ED, Jiao JJ, Fong SS. Effectiveness of an adapted physical activity intervention for weight management in adolescents with intellectual disability: A randomized controlled trial. Pediatric obesity. 2022 May;17(5):e12882.

# Not related to lifestyle modification interventions for ALDs

 Adolfsson P, Fjellström C, Lewin B, Mattsson Sydner Y. Foodwork among people with intellectual disabilities and dietary implications depending on staff involvement. Scandinavian Journal of Disability Research. 2012 Mar 1;14(1):40-55.

- 2. Beange H, Gale L, Stewart L. Project renourish: a dietary intervention to improve nutritional status in people with multiple disabilities. Australia and New Zealand Journal of Developmental Disabilities. 1995 Jan 1;20(3):165-74.
- 3. Biswas AB, Vahabzadeh A, Hobbs T, Healy JM. Obesity in people with learning disabilities: possible causes and reduction interventions. Nursing times. 2010;106(31):16-8.
- 4. Capra SM, Hannan-Jones M. A controlled dietary trial for improving bowel function in a group of training centre residents with severe or profound intellectual disability. Australia and New Zealand Journal of Developmental Disabilities. 1992 Jan 1;18(2):111-21.
- Cartwright L, Reid M, Hammersley R, Walley RM. Barriers to increasing the physical activity of people with intellectual disabilities. British Journal of Learning Disabilities. 2017 Mar;45(1):47-55.
- 6. Caton S, Chadwick D, Chapman M, Turnbull S, Mitchell D, Stansfield J. Healthy lifestyles for adults with intellectual disability: knowledge, barriers, and facilitators. Journal of Intellectual and Developmental Disability. 2012 Sep 1;37(3):248-59.
- 7. Chadwick DD, Jolliffe J, Goldbart J. Adherence to eating and drinking guidelines for adults with intellectual disabilities and dysphagia. American Journal on Mental Retardation. 2003 May;108(3):202-11.
- 8. Chow BC, Huang WY, Choi PH, Pan CY. Design and methods of a multi-component physical activity program for adults with intellectual disabilities living in group homes. Journal of Exercise Science & Fitness. 2016 Jun 1;14(1):35-40.
- 9. Cocks E, Thomson A, Thoresen S, Parsons R, Rosenwax L. Factors that affect the perceived health of adults with intellectual disability: a Western Australian study. Journal of Intellectual & Developmental Disability. 2018 Jul 3;43(3):339-50.
- 10.Doody CM, Doody O. Health promotion for people with intellectual disability and obesity. British Journal of Nursing. 2012 Apr 26;21(8):460-5.
- 11. Emerson E. Cluster housing for adults with intellectual disabilities. Journal of Intellectual and Developmental disability. 2004 Sep 1;29(3):187-97.
- 12. Fernhall BO. Physical fitness and exercise training of individuals with mental retardation. Medicine & Science in Sports & Exercise. 1993 Apr.
- 13. Freeman T, Peck E. Evaluating partnerships: a case study of integrated specialist mental health services. Health & Social care in the Community. 2006 Sep;14(5):408-17.
- 14. Friedman C, Spassiani NA. Community-based dietician services for people with intellectual and developmental disabilities. Journal of Policy and Practice in Intellectual Disabilities. 2018 Dec;15(4):343-9.
- 15. Gawlik K, Zwierzchowska A, Celebańska D. Impact of physical activity on obesity and lipid profile of adults with intellectual disability. Journal of Applied Research in Intellectual Disabilities. 2018 Mar;31(2):308-11.
- 16. Gee G, Conder J, Adamson S. Alcohol use by people with an intellectual disability in Aotearoa/New Zealand: The protective influence of family and social and support networks. British Journal of Learning Disabilities. 2020 Sep;48(3):216-23.
- 17. Giaretta AG, da Rosa Ghiorzi A. Nutritional care: a sensitive and interdisciplinary regard to those facing Down Syndrome in the family. Revista Enfermagem UERJ Oct-Dec 2010;18(4):610-615
- 18. Hoey E, Staines A, Walsh D, Corby D, Bowers K, Belton S, Meegan S, McVeigh T, McKeon M, Trépel D, Griffin P. An examination of the nutritional intake and anthropometric status of individuals with intellectual disabilities: Results from the SOPHIE study. Journal of Intellectual Disabilities. 2017 Dec;21(4):346-65.

- 19. Iorizzo J, Evans K. Supporting service users to lose weight. Learning Disability Practice. 2015 May 5;18(4).
- 20.Lin JD, Wu TY, Lin LP, Hsu SW, Liu CT, Wu CL. An exploratory study of health behaviors and the risks for triple H (hypertension, hyperlipidemia, and hyperglycemia) in young adults with disabilities between 20 and 39 years of age. Research in developmental disabilities. 2013 Oct 1;34(10):3211-7.
- 21. Marks B, Sisirak J, Heller T, Wagner M. Evaluation of community-based health promotion programs for Special Olympics athletes. Journal of Policy and Practice in Intellectual Disabilities. 2010 Jun;7(2):119-29.
- 22. Martin E, McKenzie K, Newman E, Bowden K, Morris PG. Care staff intentions to support adults with an intellectual disability to engage in physical activity: An application of the Theory of Planned Behaviour. Research in developmental disabilities. 2011 Nov 1;32(6):2535-41.
- 23.McCUSKER CG, Clare IC, Cullen C, Reep J. Alcohol-related knowledge and attitudes in people with a mild learning disability—the effects of a 'sensible drinking' group. Journal of community & applied social psychology. 1993 Apr;3(1):29-40.
- 24.McGillivray JA, Gaskin CJ, Newton DC, Richardson BA. Substance use, offending, and participation in alcohol and drug treatment programmes: a comparison of prisoners with and without intellectual disabilities. Journal of Applied Research in Intellectual Disabilities. 2016 May;29(3):289-94.
- 25.McGillivray JA, Newton DC. Self-reported substance use and intervention experience of prisoners with intellectual disability. Journal of Intellectual and Developmental Disability. 2016 Apr 2;41(2):166-76.
- 26.Merati G, Ce E, Maggioni MA, Esposito F, La Torre A, Michielon G, Veicsteinas A. Cardio-pulmonary evaluation of mentally disabled soccer players. Medicina dello Sport. 2006 Sep 1;59(3):325.
- 27. Messent P, Cooke CB, Long J. Primary and secondary barriers to physically active healthy lifestyles for adults with learning disabilities. Disability and rehabilitation. 1999 Jan 1;21(9):409-19.
- 28.Messent PR, Cooke CB, Long J. Daily physical activity in adults with mild and moderate learning disabilities: is there enough?. Disability and rehabilitation. 1998 Jan 1;20(11):424-7.
- 29. Messent PR, Cooke CB, Long J. Secondary barriers to physical activity for adults with mild and moderate learning disabilities. Journal of Learning Disabilities. 2000 Sep;4(3):247-63.
- 30. Powers B, Patterson F, Palmiere K, Healy S. "I sit all of the time": Health-related time-use among adults with intellectual disabilities. Research in Developmental Disabilities 2021;108():103817. DOI: 10.1016/j.ridd.2020.103817
- 31.Ptomey LT, Willis EA, Lee J, Washburn RA, Gibson CA, Honas JJ, Donnelly JE. The feasibility of using pedometers for self-report of steps and accelerometers for measuring physical activity in adults with intellectual and developmental disabilities across an 18-month intervention. Journal of Intellectual Disability Research. 2017 Aug;61(8):792-801.
- 32.Rimmer JH, Braddock D, Marks B. Health characteristics and behaviors of adults with mental retardation residing in three living arrangements. Research in developmental disabilities. 1995 Nov 1;16(6):489-99.
- 33.Rimmer JH. Cardiovascular fitness programming for adults with mental retardation: Translating research into practice. Adapted Physical Activity Quarterly. 1992 Jul 1;9(3):237-48.
- 34. Rotatori AF, Fox R, Parish P. A weight reduction model for mildly retarded adults iiving in semi-independent care facilities. Journal of Advanced Nursing. 1980 Mar;5(2):179-86.

- 35. Ruud MP, Raanaas RK, Bjelland M. Caregivers' perception of factors associated with a healthy diet among people with intellectual disability living in community residences: a concept mapping method. Research in Developmental Disabilities. 2016 Dec 1;59:202-10.
- 36. Slayter E. Disparities in substance abuse treatment utilization among women with intellectual disability. Journal of social work in disability & rehabilitation. 2016 Apr 2;15(2):96-115.
- 37. Slayter E. Medicaid-covered alcohol and drug treatment use among people with intellectual disabilities: evidence of disparities. Intellectual and developmental disabilities. 2010 Oct;48(5):361-74.
- 38.Smith LJ. A behavioral approach to the treatment of nonretentive nocturnal encopresis in an adult with severe learning disabilities. Journal of behavior therapy and experimental psychiatry. 1994 Mar 1;25(1):81-6.
- 39.Smyth P, McDowell C, Leslie JC, Leader G, Donnelly M, Simpson E, Skelly L. Managing Weight: What do People with an Intellectual Disability want from Mobile Technology?. Harnessing the Power of Technology to Improve Lives. 2017 Sep 5;242:273.
- 40.Snow PC, Wallace SD, Munro GD. Drug education with special needs populations: Identifying and understanding the challenges. Drugs: Education, Prevention & Policy 08// 2001;8(3):261-273. DOI: 10.1080/09687630125682
- 41.Stancliffe RJ, Anderson LL. Factors associated with meeting physical activity guidelines by adults with intellectual and developmental disabilities. Research in Developmental Disabilities. 2017 Mar 1;62:1-4.
- 42. Temple VA, Walkley JW. Physical activity of adults with intellectual disability. Journal of Intellectual and Developmental Disability. 2003 Dec 1;28(4):342-53.
- 43. Thompson SB, Muir J. Monitoring behaviour, anthropometric changes and diet to explain low weight gain in clients with a severe learning disability. The British Journal of Development Disabilities. 1993 Jan 1;39(76):60-71.
- 44. Tohill C, Laverty A. Sunshine, diet and mobility for healthy bones—an intervention study designed to implement these standards into the daily routine in an at risk population of adults with intellectual disability. Journal of Intellectual and Developmental Disability. 2001 Jan 1;26(3):217-31.
- 45. Turner S. Promoting healthy lifestyles for people with learning disabilities: a survey of provider organisations. British Journal of Learning Disabilities. 1996 Dec;24(4):138-44.
- 46.van der Putten AA, Bossink LW, Frans N, Houwen S, Vlaskamp C. Motor activation in people with profound intellectual and multiple disabilities in daily practice. Journal of Intellectual & Developmental Disability. 2017 Jan 2;42(1):1-1.
- 47. Walsh D, Belton S, Meegan S, Bowers K, Corby D, Staines A, McVeigh T, McKeon M, Hoey E, Trépel D, Griffin P. A comparison of physical activity, physical fitness levels, BMI and blood pressure of adults with intellectual disability, who do and do not take part in Special Olympics Ireland programmes: Results from the SOPHIE study. Journal of Intellectual Disabilities. 2018 Jun;22(2):154-70.
- 48. Worsfold J, Kew J. Outcomes from a quality improvement initiative in an eating and drinking difficulties service for people with learning disabilities. Learning Disability Practice (2014+). 2017 Nov 1;20(6):24.
- 49. Young AF, Chesson RA, Wilson AJ. People with learning disabilities, carers and care workers awareness of health risks and implications for primary care. Family practice. 2007 Dec 1;24(6):576-84.

50.Zimbelman M, Paschal A, Hawley SR, Molgaard CA, Romain TS. Addressing physical inactivity among developmentally disabled students through visual schedules and social stories. Research in Developmental Disabilities. 2007 Jul 1;28(4):386-96.

### Wrong study design

- 1. Atkinson D. Inclusive mainstream approaches to weight management benefits some service users. Learning Disability Practice (2014+) 2018;21(6):10. DOI: 10.7748/ldp.21.6.10.s9
- 2. Antal M, Zajkas G, Rajhathy B, Nagy K, Szanto E, Thur M, Dworschák E, Gergely A, Bedö M, Bíró G. Longitudinal examinations in the course of dietotherapy of mentally retarded obese in-patients. Zeitschrift für Ernährungswissenschaft. 1988 Jun;27(2):101-8.
- 3. Beeken RJ, Spanos D, Hunter R, Hassiotis A, King M, Omar R, Wardle J, Fovargue S, Croker H.Shape Up-LD': A pilot randomised controlled trial of a manualised weight management programme for adults with mild-moderate learning disabilities. Conference Abstract. Obesity Facts 2013;6(SUPPL. 1):192.
- 4. Beeken RJ, Lally P, Wahlich C, Mar R, Marston L, Wilson R, Croker H. Piloting a manualised weight management programme for overweight and obese persons with mild-moderate learning disabilities: Results of the shape up-LD study. Obesity Facts. 2015;8(Suppl 1):197.
- 5. Bollard M. Health promotion and intellectual disability: listening to men. Health & social care in the community. 2017 Jan;25(1):185-93.
- Boylan P, O'Shea D, Woods C, McCormack B. Clinical findings on Body Mass Index in an Intellectual Disability Population and the effect of a healthy lifestyle intervention clinic. International Journal of Integrated Care. 2017 Oct 17;17(5).
- 7. Braun K, Schnell U, Kohler S, Omler M, Klement A.Voluntary sport-training in the rehabilitation of young adults with learning difficulties in vocational education: An observational survey. Pravention und Rehabilitation 2014;26(4):149-156. DOI: 10.5414/PRX00471
- 8. Brown G, Coldwell B. Developing a controlled drinking programme for people with learning disabilities living in conditions of medium security. Addiction Research & Theory. 2006 Jan 1;14(1):87-95.
- Burns J, Aspinall C, Matthews C. An evaluation of an alcohol awareness group for learning disabled offenders in a secure setting. Journal of Learning Disabilities and Offending Behaviour. 2011 Oct 10.
- 10. Cartwright L, Reid M, Hammersley R, Blackburn C, Glover L. Food choice by people with intellectual disabilities at day centres: a qualitative study. Journal of intellectual disabilities. 2015 Jun;19(2):103-15.
- 11.Chapman M, Donalds D, Mitchell D. Mindfulness sessions for people with intellectual disabilities. Journal of Intellectual Disability Research 2012;56(7-8):690. Blackwell Publishing Ltd 2012. DOI: 10.1111/j.1365-2788.2012.01583\_4.x
- 12.Croce R, Horvat M. Effects of reinforcement based exercise on fitness and work productivity in adults with mental retardation. Adapted Physical Activity Quarterly. 1992 Apr 1;9(2):148-78.
- 13.Croce RV. Effects of exercise and diet on body composition and cardiovascular fitness in adults with severe mental retardation. Education and Training in Mental Retardation. 1990 Jun 1:176-87.
- 14. Crocker H, Beeken R, Hassiotis A, Fovargue S, Omar R, Hunter R, King M., Wardle J. Shape Up-LD': Piloting a manualised weight management programme for persons with mild-

- moderate intellectual disabilities. Journal of Intellectual Disability Research 2012;56(7-8):671. DOI: 10.1111/j.1365-2788.2012.01583 3.x
- 15. Dixon-Ibarra A, Driver S, VanVolkenburg H, Humphries K. Formative evaluation on a physical activity health promotion program for the group home setting. Evaluation and Program Planning. 2017 Feb 1;60:81-90.
- 16. Doherty AJ, Chauhan U, Taggart L. Implementing obesity multi-component interventions for people with intellectual disabilities: using a logic model framework. Journal of Intellectual Disability Research 2019;63(7):807. DOI: 10.1111/jir.12660
- 17. Doherty AJ, Jones SP, Chauhan U, Gibson JM. Healthcare practitioners' views and experiences of barriers and facilitators to weight management interventions for adults with intellectual disabilities. Journal of Applied Research in Intellectual Disabilities. 2019 Sep;32(5):1067-77.
- 18. Donnelly JE, Ptomey LT, Goetz JR, Sullivan DK, Gibson CA, Greene JL, Lee RH, Mayo MS, Honas JJ, Washburn RA. Weight management for adolescents with intellectual and developmental disabilities: Rationale and design for an 18 month randomized trial. Contemporary clinical trials. 2016 Nov 1;51:88-95.
- 19. Dunkley AJ, Tyrer F, Doherty Y, Martin-Stacey L, Patel N, Spong R, Makepeace C, Bhaumik S, Gangadharan SK, Yates T, Davies MJ. Development of a multi-component lifestyle intervention for preventing type 2 diabetes and cardiovascular risk factors in adults with intellectual disabilities. Journal of Public Health. 2018 Jun 1;40(2):e141-50.
- 20. Elinder LS, Sundblom E, Zeebari Z, Bergström H. Effect and process evaluation of a structural health intervention in community residences for adults with intellectual disabilities. Journal of Policy and Practice in Intellectual Disabilities. 2018 Dec;15(4):319-28.
- 21. Elinder LS, Bergström H, Hagberg J, Wihlman U, Hagströmer M. Promoting a healthy diet and physical activity in adults with intellectual disabilities living in community residences: Design and evaluation of a cluster-randomized intervention. BMC Public Health. 2010 Dec;10:1-7.
- 22. Fisher K, Shulkusky E, Klatt K, Berkvam C, Feng A. A pilot intervention study addressing obesity in adults with intellectual disabilities using community-based participatory research strategies. InJOURNAL OF INTELLECTUAL DISABILITY RESEARCH 2016 Jul 1 (Vol. 60, No. 7-8, pp. 782-782). 111 RIVER ST, HOBOKEN 07030-5774, NJ USA: WILEY-BLACKWELL.
- 23. Fitzgerald B, Morgan J, Keene N, Rollinson R, Hodgson A, Dalrymple-Smith J. An investigation into diet treatment for adults with previously untreated phenylketonuria and severe intellectual disability. Journal of Intellectual Disability Research. 2000 Feb;44(1):53-9.
- 24. Flanagan C., Ryan M, Moore N. Motivate: A structured behavioural weight management program for obese adults with Learning Disabilities. Obesity Facts 2013;6(SUPPL. 1):117.
- 25. Fleming R, Must A, Curtin C, Gleason J, Scampini R, Maslin M, Lividini K, Stokes E, Bandini L. Does Parent Behavioral Intervention Improve Weight Reduction in Youth With Down Syndrome?. InOBESITY 2010 Oct 1 (Vol. 18, pp. S90-S90). 75 VARICK ST, 9TH FLR, NEW YORK, NY 10013-1917 USA: NATURE PUBLISHING GROUP.
- 26. Foreyt JP, Parks JT. Behavioral controls for achieving weight loss in the severely retarded. Journal of behavior therapy and experimental psychiatry. 1975 Apr 1;6(1):27-9.
- 27. Frey GC, Buchanan AM, Rosser Sandt DD. "I'd rather watch TV": An examination of physical activity in adults with mental retardation. Mental retardation. 2005 Aug;43(4):241-54.
- 28. Frielink N, Schuengel C, Kroon A, Embregts PJ. Pretreatment for substance-abusing people with intellectual disabilities: intervening on autonomous motivation for treatment entry. Journal of Intellectual Disability Research. 2015 Dec;59(12):1168-82.

- 29.Gee G, Conder, J, Adamson, S. The Experience of Alcohol Use amongst Individuals with an Intellectual Disability in Aotearoa/New Zealand (Doctoral dissertation, University of Otago). Journal of Intellectual Disability Research 2016;60(7-8):783
- 30. Godoy JF, Clos M, Godoy-Izquierdo D, Reyes GA. Un programa de ejercicio físico para deficientes mentales adultos: estudio experimental de un caso. Psicothema. 2001 Dec 31:73-8.
- 31. Harper L, Stanley R, Lakin M, Cheek L, Ooms A, Heaton-Shrestha C. Dietary approaches for Metabolic Syndrome, obesity and improved nutrition in people with a learning disability: The Damson Project.
- 32. Harris L, Hankey C, Jones N, Murray H, Pert C, Tobin J, Boyle S, Shearer R, Melville CA. Process evaluation of a cluster-randomised controlled trial of multi-component weight management programme in adults with intellectual disabilities and obesity. Journal of Intellectual Disability Research. 2019 Jan;63(1):49-63.
- 33.Hassan NM, Landorf KB, Shields N, Munteanu SE. Effectiveness of interventions to increase physical activity in individuals with intellectual disabilities: a systematic review of randomised controlled trials. Journal of Intellectual Disability Research. 2019 Feb;63(2):168-91.
- 34. Janson AL, Moen A, Aure CF. Introducing a nutritional app in supervised residences for independent living: Experiences of individuals with intellectual disabilities and their caregivers. Journal of Applied Research in Intellectual Disabilities. 2021 Jan;34(1):55-64.
- 35. Jolly C, Jamieson JM. The nutritional problems of adults with severe learning disabilities living in the community.
- 36. Jones N, Melville CA, Harris L, Bleazard L, Hankey CR. A qualitative study exploring why adults with intellectual disabilities and obesity want to lose weight and views of their carers. BMC obesity. 2015 Dec;2(1):1-7.
- 37. Jurkowski JM, Rivera Y, Hammel J. Health perceptions of Latinos with intellectual disabilities: The results of a qualitative pilot study. Health Promotion Practice. 2009 Jan;10(1):144-55.
- 38.Kelman LV, Lindsay WR, McPherson FM, Mathewson Z. Smoking education for people with learning disabilities. British Journal of Learning Disabilities. 1997 Sep;25(3):95-9.
- 39.Kerr S, Lawrence M, Middleton AR, Fitzsimmons L, Darbyshire C. Tobacco and alcohol use in people with mild/moderate intellectual disabilities: giving voice to their health promotion needs. Journal of Applied Research in Intellectual Disabilities. 2017 Jul;30(4):612-26.
- 40.King D, Mace FC. Acquisition and maintenance of exercise skills under normalized conditions by adults with moderate and severe mental retardation. Mental Retardation. 1990 Oct 1;28(5):311.
- 41. Kouimtsidis C, Scior K, Baio G, Hunter R, Pezzoni V, Hassiotis A. Development and evaluation of a manual for extended brief intervention for alcohol misuse for adults with mild to moderate intellectual disabilities living in the community: The EBI-LD study manual. Journal of Applied Research in Intellectual Disabilities. 2017 Dec;30:42-8.
- 42.Lante K, Davis G, Stancliffe R, Bauman A, Jan S, van der Ploeg H. Aerobic fitness, functional exercise capacity and muscle strength of adults with intellectual disability. Journal of Science and Medicine in Sport. 2012 Dec 1;15:S78-9.
- 43.Lante K, Stancliffe RJ, Bauman A, Van Der Ploeg HP, Jan S, Davis GM. Embedding sustainable physical activities into the everyday lives of adults with intellectual disabilities: a randomised controlled trial. BMC Public Health. 2014 Dec;14(1):1-6.
- 44.Lawrence M. What a challengep. The British Journal of Occupational Therapy. 1986 May.

- 45.Lindsay WR, Smith KJ, Tinsley S, Macer J, Miller S. A programme for alcohol related violence with offenders with intellectual disability. Journal of Intellectual Disabilities and Offending Behaviour. 2014 Jun 3.
- 46. Mahy J, Shields N, Taylor NF, Dodd KJ. Identifying facilitators and barriers to physical activity for adults with Down syndrome. Journal of Intellectual Disability Research. 2010 Sep;54(9):795-805.
- 47. Marshall D.Older carer's experience in supporting a weight loss programme for adults with intellectual disability (id) who are overweight or obese. Obesity Facts 2016;9(SUPPL. 1):243. DOI: 10.1159/000446744
- 48. Martin AM, Divane S, Twomey S, O'Neill L, McCarthy J, Egan C, Dalton C, Caples M. Don't Mention the Diet! A health promotion initiative to support healthy diet and lifestyle decision-making by people with intellectual disability. British Journal of Learning Disabilities. 2021 Dec;49(4):475-81.
- 49. Matthews L, Mitchell F, Stalker K, McConnachie A, Murray H, Melling C, Mutrie N, Melville C. Process evaluation of the Walk Well study: a cluster-randomised controlled trial of a community based walking programme for adults with intellectual disabilities. BMC public health. 2016 Dec;16(1):1-1.
- 50.McLaughlin DF, Taggart L, Quinn B, Milligan V. The experiences of professionals who care for people with intellectual disability who have substance-related problems. Journal of substance Use. 2007 Jan 1;12(2):133-43.
- 51.McMurran M, Lismore K. Using Video-tapes in Alcohol Interventions for People with Learning Disabilities: An Exploratory Study. Journal of the British Institute of Mental Handicap (APEX). 1993 Mar;21(1):29-31.
- 52.Melville CA, Hamilton S, Miller S, Boyle S, Robinson N, Pert C, Hankey CR. Carer knowledge and perceptions of healthy lifestyles for adults with intellectual disabilities. Journal of Applied Research in Intellectual Disabilities. 2009 May;22(3):298-306.
- 53. Meppelder M, Suijkerbuijk S. Smoking cessation in people with mild intellectual disabilities (mid): a motivational approach. Injournal of intellectual disability research 2021 Aug 1 (Vol. 65, No. 8, pp. 713-713). 111 River St, Hoboken 07030-5774, NJ USA: WILEY.
- 54.Minihan PM. Smoking policies and practices in a state-supported residential system for people with mental retardation. American journal on mental retardation. 1999 Apr;104(2):131-42.
- 55.Mitchell F, Melville C, Stalker K, Matthews L, McConnachie A, Murray H, Walker A, Mutrie N. Walk well: a randomised controlled trial of a walking intervention for adults with intellectual disabilities: study protocol. BMC public health. 2013 Dec;13(1):1-3.
- 56.Mitchell F, Stalker K, Matthews L, Mutrie N, Melling C, McConnachie A, Murray H, Melville CA. A qualitative exploration of participants' experiences of taking part in a walking programme: Perceived benefits, barriers, choices and use of intervention resources. Journal of applied research in intellectual disabilities. 2018 Jan;31:110-21.
- 57.Murray J, Furey J, Boylan P, Woods C, O'Shea D. Impact of a lifestyle modification intervention in adults with intellectual disability (ID) and obesity. Irish Journal of Medical Science 2019;188(Supplement 9):S241. DOI: 10.1007/s11845-019-02073-w
- 58. Neumeier WH, Guerra N, Thirumalai M, Geer B, Ervin D, Rimmer JH. POWERS forID: personalized online weight and exercise response system for individuals with intellectual disability: study protocol for a randomized controlled trial. Trials. 2017 Dec;18(1):1-1.
- 59.Ordonez FJ, Diaz-Ordonez A, Rosety I, Fornieles G, Rosety MA, Garcia N, Rosety-Rodriguez M, Camacho-Molina A. A short aerobic training program reduced Tumor Necrosis Factor-alpha in obese adults with Down syndrome. InEUROPEAN JOURNAL OF CLINICAL INVESTIGATION

- 2011 Apr 1 (Vol. 41, pp. 55-55). COMMERCE PLACE, 350 MAIN ST, MALDEN 02148, MA USA: WILEY-BLACKWELL.
- 60. Oviedo GR, Javierre C, Font-Farré M, Tamulevicius N, Carbó-Carreté M, Figueroa A, Pérez-Testor S, Cabedo-Sanromá J, Moss SJ, Massó-Ortigosa N, Guerra-Balic M. Intellectual disability, exercise and aging: the IDEA study: study protocol for a randomized controlled trial. BMC public health. 2020 Dec;20(1):1-6.
- 61. Peine HA, Darvish R, Blakelock H, Osborne JG, Jenson WR. Non-aversive reduction of cigarette smoking in two adult men in a residential setting. Journal of behavior therapy and experimental psychiatry. 1998 Mar 6;29(1):55-65.
- 62. Perez BM, Castellanos AC, Monroy AG, Corzo KN, Del Mar Talavera Ruiz M, Sicilia MR, Pons NA. Nutritional status and physical activity level in the population with down syndrome. design and application of a nutrition education program (NUTRIDOWN). REVISTA ESPANOLA DE NUTRICION COMUNITARIA. 2016;22(3):20-30.
- 63.Pett MA, Clark L, Edredge A, Jewitt J, Cardell B, Reese S, Hiatt B. Effecting healthy lifestyle change in young adults with intellectual disabilities. Communicating Nursing Research Spring 2011;44():162-162.
- 64. Poynor L. Steps to fitness: a health and well-being pilot project. Learning Disability Practice. 2008 Apr 1;11(3).
- 65. Praveen N, Sangeetha M, Minor Samidurai R, Pann Myint W, Amirthambigai V, Amelia CJ, Pinto Premnath A. Exploring the effectiveness of a structured physical exercise and nutritional education programme for weight loss management in obese adults with intellectual disability (ID). Journal of Intellectual Disability Research 2019;63(7):805. DOI: 10.1111/jir.12660
- 66. Ptomey LT, Washburn RA, Mayo MS, Greene JL, Lee RH, Szabo-Reed AN, Honas JJ, Sherman JR, Donnelly JE. Remote delivery of weight management for adults with intellectual and developmental disabilities: Rationale and design for a 24 month randomized trial. Contemporary clinical trials. 2018 Oct 1;73:16-26.
- 67.Redley M. Mealtime support for adults with intellectual disabilities: Understanding an everyday activity. Journal of Applied Research in Intellectual Disabilities. 2021 Jan;34(1):111-7.
- 68.Rodriguez-Jordan J, Applegate E, Zidenberg-Cherr S.Team Davis: A pilot study using a gardenenhanced nutrition education curriculum for individuals with developmental disabilities. FASEB Journal 2011;25(Meeting Astracts).
- 69. Rosety-Rodriguez M. Physical activity may promote health status individuals with down syndrome. Spain Fundacion Alimentacion Saludable (Guadiana, 7, Pozuelo, Madrid 28224, Spain). 2006;15(2):67-71.
- 70. Røstad-Tollefsen HK, Kolset SO, Retterstøl K, Hesselberg H, Nordstrøm M. Factors influencing the opportunities of supporting staff to promote a healthy diet in adults with intellectual disabilities. Journal of Applied Research in Intellectual Disabilities. 2021 May;34(3):733-41.
- 71.Rotatori AF, Fox R, Mauser A. Validation of the weight reduction treatment package for the retarded. Journal of Behavioral Medicine. 1981 Jun;4(2):231-8.
- 72. Rotatori AF, Rotatori L. Behavioral weight reduction for the mentally retarded. Journal of the American Dietetic Association 1979;75(1):46-48
- 73. Rubbert S, Bisnauth R, Offen L. Establishing a body awareness group for adults with learning disabilities. British Journal of Learning Disabilities. 2014 Mar;42(1):43-9.
- 74.Russell AM, Bryant L, Farrin A, Wright-Hughes A, Walwyn R, Graham L, House A. Supported self-management for adults with a mild or moderate learning disability and Type 2 diabetes: Is a consented, individually randomised controlled trial (RCT) possible? The OK Diabetes

- feasibility RCT. InDIABETIC MEDICINE 2019 Mar 1 (Vol. 36, pp. 10-10). 111 RIVER ST, HOBOKEN 07030-5774, NJ USA: WILEY.
- 75. Sailer AB, Miltenberger RG, Johnson B, Zetocha K, Egemo-Helm K, Hegstad H. Evaluation of a weight loss treatment program for individuals with mild mental retardation. Child & family behavior therapy. 2006 Apr 5;28(2):15-28.
- 76.Sakdalan JA, Kittner DM, Judd D. ASAP-ID: substance abuse programme for a forensic ID population. Journal of Intellectual Disabilities and Offending Behaviour. 2017 Dec 11.
- 77.Salomon C, Bellamy J, Evans E, Reid R, Hsu M, Teasdale S, Trollor J. 'Get Healthy!'A physical activity and nutrition program for older adults with intellectual disability: pilot study protocol. Pilot and Feasibility Studies. 2018 Dec;4(1):1-1.
- 78. Schijven EP, Engels RC, Kleinjan M, Poelen EA. Evaluating a selective prevention program for substance use and comorbid behavioral problems in adolescents with mild to borderline intellectual disabilities: Study protocol of a randomized controlled trial. BMC psychiatry. 2015 Dec;15(1):1-7.
- 79. Singh NN, Lancioni GE, Winton AS, Karazsia BT, Singh AD, Singh AN, Singh J. A mindfulness-based smoking cessation program for individuals with mild intellectual disability.

  Mindfulness. 2013 Jun;4(2):148-57.
- 80. Singh NN, Lancioni GE, Winton AS, Singh AN, Singh J, Singh AD. Effects of a mindfulness-based smoking cessation program for an adult with mild intellectual disability. Research in Developmental Disabilities. 2011 May 1;32(3):1180-5.
- 81. Skelly LJ, Smyth PP, Donnelly MP, Leslie JC, Leader G, Simpson L, McDowell C. Factors that potentially influence successful weight loss for adults with intellectual disabilities: A qualitative comparison. Journal of Intellectual Disabilities. 2021 Dec;25(4):458-75.
- 82. Spanos D, Hankey CR, Boyle S, Koshy P, Macmillan S, Matthews L, Miller S, Penpraze V, Pert C, Robinson N, Melville CA. Carers' perspectives of a weight loss intervention for adults with intellectual disabilities and obesity: a qualitative study. Journal of Intellectual Disability Research. 2013 Jan;57(1):90-102.
- 83. Spanos D, Melville C, Hankey C. Track 5: From lifestyle intervention to drugs and surgery. Abstracts. Obes Rev, 15: 129-176. https://doi.org/10.1111/obr.12151
- 84. Spratt EG, Flynn K, Newton J, Papa C, Harris K, Serpe A, O'Connor A, Blackmon L, Eckert M.
  1.35 PIECE IT TOGETHER: COMPREHENSIVE WELLNESS FOR TEENS AND YOUNG ADULTS
  WITH AUTISM AND NEURODEVELOPMENTAL DISORDERS. Journal of the American Academy of Child & Adolescent Psychiatry.
- 85.Stancliffe R, Davis G, Bauman A, Jan S, van der Ploeg H, Lante K. Randomised controlled trial protocol: Physical activity and exercise in adults with intellectual disability. Journal of Science and Medicine in Sport. 2012 Dec 1;15:S311-2.
- 86.Steel A, Ritchie G. Psycho-educational approach to addiction—a case study. Drugs and Alcohol Today. 2004 Dec 1.
- 87. Steele C, Capehorn M.Do patients with mental health conditions or learning difficulties that attend the Rotherham Institute for Obesity lose weight? Obesity Facts 2015;8(SUPPL. 1):190. DOI: 10.1159/000382140
- 88.Steenbergen HA, Van der Schans CP, Van Wijck R, De Jong J, Waninge A. Lifestyle approaches for people with intellectual disabilities: a systematic multiple case analysis. Journal of the American Medical Directors Association. 2017 Nov 1;18(11):980-7.
- 89. Sundblom E, Bergström H, Ellinder LS. Understanding the implementation process of a multi-component health promotion intervention for adults with intellectual disabilities in Sweden. Journal of Applied Research in Intellectual Disabilities. 2015 Jul;28(4):296-306.

- 90.Taggart L, McLaughlin D, Quinn B, McFarlane C. Listening to people with intellectual disabilities who misuse alcohol and drugs. Health & social Care in the Community. 2007 Jul;15(4):360-8.
- 91.Temple VA, Frey GC, Stanish HI. Interventions to promote physical activity for adults with intellectual disabilities. salud pública de méxico. 2017;59:446-53.
- 92. Thomas GR, Kerr MP. Longitudinal follow-up of weight change in the context of a community-based health promotion programme for adults with an intellectual disability. Journal of applied research in intellectual disabilities. 2011 Jul;24(4):381-7.
- 93.Tillmann V, Remark C, Stangier C, Abel T, Anneken V. The impact of low threshold activities of adults with intellectual disability on physical aspects, mobility and quality of life-results from a 3 year intervention study (moba 2016-2019). Injournal OF INTELLECTUAL DISABILITY RESEARCH 2019 Jul 1 (Vol. 63, No. 7, pp. 807-807). 111 RIVER ST, HOBOKEN 07030-5774, NJ USA: WILEY.
- 94. Valbuena D, Miltenberger R, Livingston C, Slattery L. Self-monitoring and monetary reinforcement increases rate of walking in adults with intellectual disabilities. Journal of Developmental and Physical Disabilities. 2019 Apr;31(2):189-203.
- 95. Valkova H. Physical activities of the elderly special olympians. Journal of Intellectual Disability Research 2019;63(7):647. DOI: 10.1111/jir.12651
- 96. Vitzthum K, Marly N, Föhse S, Mur MS, Mache S, Pankow W. Quasi-stationäre Tabakentwöhnung für drei COPD Patienten mit intellektuellen Einschränkungen. SUCHT. 2013 Jan;59(5):287-91.
- 97. Wagner I, Novelli C, Lassi S. Aquatic therapy for adults with intellectual and developmental disabilities. Journal of Intellectual Disability Research 2015;59(SUPPL. 1):36. DOI: 10.1111/jir.12214

#### No access

1. Bardugo E, Moses L, Shemmer M, Dubman I. Gain for pain: a model of a healthy lifestyle intervention in a population of mentally disabled adults. Harefuah. 2010 Oct 1;149(10):645-9.