



Research Article

Availability and type of stroke services across India: a survey study

Stephanie P Jones^{1*}, Kamran Baqai¹, Rachel Georgiou¹, Maree L Hackett^{1,2,3},
Catherine E Lightbody¹, Pallab K Maulik^{3,4}, MV Padma Srivastava⁵,
Jeyaraj D Pandian⁶, PN Sylaja⁷, Caroline L Watkins¹; on behalf of the NIHR
Global Health Research Group on IMPROVing Stroke carE in India (IMPROVISE)
Collaboration

¹Stroke Research Team, University of Central Lancashire, Preston, UK

²The George Institute for Global Health, New South Wales, Australia

³Faculty of Medicine, University of New South Wales, Sydney, New South Wales, Australia

⁴The George Institute for Global Health, New Delhi, Delhi, India

⁵Department of Neurology, All India Institute of Medical Sciences, New Delhi, India

⁶Department of Neurology, Christian Medical College, Ludhiana, India

⁷Department of Neurology, Sree Chitra Tirunal Institute for Medical Sciences and Technology, Thiruvananthapuram, India

*Corresponding author Sjones10@uclan.ac.uk

Published November 2024

DOI: 10.3310/JVNW9009

Abstract

Background: Stroke unit care is known to improve patient outcomes, but throughout India, there are few dedicated stroke units.

Aim: Our aim was to undertake a survey of stroke services, stroke workforce and engagement in stroke research across India.

Design and methods: A hospital-based survey tool, informed by the World Stroke Organization Roadmap to Delivering Quality Stroke Care and through discussions with local stakeholders, was developed. The tool explored the availability of stroke units, diagnostic services, telemedicine, thrombolysis, thrombectomy, stroke workforce, education and training opportunities, services to support stroke survivors and their families, and organisational involvement in research. Data were analysed descriptively and grouped by hospital status (private or public).

Setting: A convenience sample of healthcare professionals representing hospitals providing stroke care in India.

Participants: Respondents comprised physicians, nurses, physiotherapists, researchers and speech and language therapists. Where more than one representative from a hospital completed the survey tool, the responses from the most senior member of staff were selected and included in the analysis.

Results: Ninety-five hospitals participated (December 2017 and August 2019), resulting in data representing 15 states and 2 union territories. Fifty (53%) hospitals were private and 45 (47%) were public. Fifty-six (59%) hospitals reported treating a total of 20,661 stroke patients over a 12-month period (median 300; interquartile range 173–461). Only half of all hospitals had a dedicated stroke unit with a total of 596 stroke beds (median 9 beds per unit; interquartile range 6–11).

Limitations: The hospitals in this study were mainly recruited via two national conferences and an international conference (International Conference on the Essentials of Stroke Care); the Indian Stroke Clinical Trial Network, the Indian Stroke Association and the Indian Academy of Neurology. There was a high completion rate from representatives in Kerala; 14 states and 5 union territories were not represented. We did not seek to identify all hospitals caring for stroke patients and therefore do not know the number of non-identified/non-responding sites and, as such, the findings may not be representative. It was not possible to gain individual contact information for

hospital and regional government administrators who may have access to stroke data. It is likely that there have been major changes to stroke services as a result of the COVID-19 pandemic.

Conclusion: Dedicated stroke units, stroke-specific staff, education, training and research opportunities, diagnostic services and specialist treatments were mostly available within private hospitals; however, there is a paucity of available stroke services data. Further research is needed to map stroke service provision in a wider range of tertiary stroke care providers and stroke units.

Future work: Currently, there is variability in the levels and types of stroke unit resources available. The recent World Stroke Organization and National Accreditation Board of Hospitals and Healthcare providers joint Stroke Centre certification programme aims to create the standardised delivery of stroke care across India. Future work will involve working with the World Stroke Organization and National Accreditation Board of Hospitals and Healthcare to facilitate the inclusion criteria of evidence-based Care Bundles, as part of National Accreditation Board of Hospitals and Healthcare accreditation across India.

Funding: This article presents independent research funded by the National Institute for Health and Care Research (NIHR) Global Health Research programme as award number GHR 16/137/16.

A plain language summary of this research article is available on the NIHR Journals Library Website <https://doi.org/10.3310/JVNW9009>.

Introduction

Stroke is recognised as a global health challenge. Worldwide, there are approximately 13.7 million new cases of stroke every year. The incidence of stroke is increasing in developing nations including India,¹ where stroke is the fourth leading cause of death and the fifth leading cause of disability.²

In India, people typically experience a first stroke at 58 years of age,³ and there are higher rates of death than in higher income countries; case fatality has been reported to range from 18% to 42%.⁴ Of those surviving, many will have disabilities including hemiparesis, speech deficits, cognitive impairment, incontinence, dysphagia, visual impairment and psychological problems.⁵

Accurate, early recognition and diagnosis is vital for all stroke patients in order to maximise the benefits of treatment. Healthcare delivery in India has three levels: primary, secondary and tertiary. Primary consists of subcentres and primary health centres. Community Health Centres largely form the secondary tier, while government-funded medical colleges and hospitals, All India Institutes, specialised hospitals and private hospitals form the tertiary level. It is at the tertiary level that most patients seek medical help for stroke. It is well established that patient outcomes are improved when post-stroke care is delivered at the earliest opportunity on a specialist stroke unit and recovery from a disabling stroke greatly depends on early and easy access to tailored, comprehensive and specialist stroke care.⁶ However, most people in India live in areas with no access to stroke units or neurological expertise.⁷ There is a shortage of available data, but in 2013, it was estimated that there were only 35 hospitals with dedicated stroke units throughout India, and these

were mostly situated in private hospitals in urban areas.⁸ However, there is a shortage of data on the availability of stroke units and associated resources.

The aim of this study was to undertake a survey of stroke services, stroke workforce and engagement in stroke research across India.

Methods

Design

Structured survey.

Survey tool development

The survey tool was informed by the World Stroke Organization Roadmap to Delivering Quality Stroke Care⁹ and through discussion with local stakeholders (four neurologists, two nurses and two physiotherapists) around the survey content and format. The tool had 30 mostly closed questions including: information on the respondent's profession, site characteristics [location, hospital status (private, fee paying) or public], stroke unit availability and capacity, the number of people admitted with ischaemic stroke and primary intracerebral haemorrhage (PICH), available diagnostic services (basic or advanced as defined by the World Stroke Organization Roadmap to Delivering Quality Stroke Care), treatments (thrombolysis and endovascular thrombectomy) and telemedicine. The remaining questions asked about stroke workforce, staff training and education, services to support stroke survivors and their families, and organisational involvement in research.

Setting

Public and private hospitals in India.

Subjects

Respondents comprised physicians, nurses, physiotherapists, researchers and speech and language therapists. In some cases, where more than one representative from a hospital completed the survey tool, the responses from the most senior member of staff were selected and included in the analysis. Only one response was included per hospital.

The survey tool (see [Appendix 2](#)) was distributed between December 2017 and August 2019 in paper format to attendees at the Indian National Stroke Conference (New Delhi) and the International Conference on The Essentials of Stroke Care (Kerala). The survey tool was also sent electronically via e-mail to members of the Indian Stroke Clinical Trial (INSTRuCT) network, the Indian Academy of Neurology and Indian Stroke Association.

If the survey tool was not returned within 2 weeks, a maximum of two reminders were sent by e-mail. The survey tool was completed in English and was returned in person at the conferences or via e-mail. Respondents frequently missed out answers to some of the questions. Where possible, we contacted respondents by e-mail for missing information.

Analysis

Data from the survey tools were entered into Excel and imported into IBM SPSS Statistics for Windows, version 26 [IBM Corporation, Armonk, NY, USA (IBM SPSS Statistics from version 19 onwards)]. Analysis was grouped by hospital status (private or public). Descriptive data were summarised using percentages, medians and interquartile ranges (IQR). Where respondents did not answer a question, frequencies and percentages were calculated from the hospitals with complete data. Percentages were calculated from the total number of responding hospitals, unless otherwise stated.

Results

Completed surveys were received from 95 hospitals, representing 15 states and 2 union territories ([Table 1](#) and [Figure 1](#)). Nearly half of the survey tools returned (48%) represented hospitals in the state of Kerala.

Respondents were physicians (49, 52%), nurses (23, 24%), physiotherapists (5, 5%), researchers (3, 3%), speech and language therapists (2, 2%) and 13 (14%) respondents did not specify their profession. Overall,

TABLE 1 States and union territories represented

States and union territories	Completed survey tools, N = 95 (%)
Andhra Pradesh	3 (3)
Assam	2 (2)
Chandigarh	1 (1.5)
Delhi	2 (2)
Gujarat	7 (7)
Karnataka	10 (11)
Kerala	46 (48)
Madhya Pradesh	2 (2)
Maharashtra	5 (5)
Orissa	1 (1.5)
Pondicherry	1 (1.5)
Punjab	1 (1.5)
Rajasthan	3 (3)
Tamil Nadu	6 (6)
Telangana	2 (2)
Uttar Pradesh	1 (1.5)
West Bengal	2 (2)

data were provided for 50 (53%) private and 45 (47%) public hospitals.

Respondents from 58 (61%) hospitals reported that a total of 20,661 stroke patients were treated over a 12-month period (median 300 per hospital; IQR 173–461). Of these, 14,392 (70%) had an ischaemic stroke (median 210; IQR 109–350) and 6269 (30%) had a PICH (median 70; IQR 40–119). Private hospitals treated 12,338 (60%), and public hospitals treated 8323 (40%) stroke patients.

Stroke unit availability

Respondents at 48 (50%) hospitals reported having a dedicated stroke unit. Of these, 36 (75%) were in private hospitals compared to 12 (27%) in public hospitals. Forty-five (47%) hospitals had 596 stroke beds (median 9 beds per hospital; IQR 6–12). Private hospitals had a total of 502 (84%) stroke beds (median 8; IQR 6–13) compared to 94 (16%) (median 10; IQR 4–11) in public hospitals.

Stroke workforce

Eighty-six (91%) hospitals had access to a multidisciplinary team (MDT) defined as a minimum of two physicians/doctors trained in stroke care, four nurses and a




FIGURE 1 States and union territories represented.

physiotherapist¹⁰ (see [Appendix 3](#)), including all private hospitals who were more likely to have access to larger numbers of staff within the MDT (41, 82% vs. 21, 47%).

Education and training

Private hospitals had more staff with stroke-specific training across all professions ([Table 2](#)).

Neurology services

Of the 93 hospitals with data, 67 (72%) had a neurology service in their emergency department. Private hospitals were more likely to have a neurology service compared to public hospitals (45/50, 90% vs. 22/43, 51%) and these were frequently available 24 hours a day, 7 days a week, in private and public hospital settings (33/45, 73% vs. 15/22, 68%).

Diagnostic services

Of the 89 hospitals with data for diagnostic services, 49 (55%) had access to basic and advanced diagnostic services. Private hospitals were more likely to have basic and advanced diagnostic services (35, 72% vs. 14, 34%) whereas most public hospitals only had access to basic diagnostic services (25, 61%). A telemedicine service was provided by 24/92 (26%) hospitals, and these were more likely to be available in private hospitals (15/48, 31% vs. 9/44, 21%).

Thrombolysis and thrombectomy

Data on the availability of thrombolysis were provided for 91 (96%) hospitals; 64 (70%) delivered thrombolysis to 1525 ischaemic stroke patients over a 12-month period (median 25; IQR 11–35). Thrombolysis was more likely to

TABLE 2 Hospitals with stroke-specific training available for their staff

Staff members with stroke training available	Responses all sites, N = 90 (95%)	Responses private hospitals, N = 49 (98%)	Responses public hospitals, N = 41 (91%)
Physicians with stroke expertise	58 (64)	35 (71)	23 (56)
Stroke nurses	53 (59)	33 (67)	20 (49)
Physiotherapists	46 (51)	28 (57)	18 (44)
Speech and language therapists	31 (34)	21 (43)	10 (24)
Pharmacists	16 (18)	12 (25)	4 (10)
Nursing assistants/ward helpers	33 (37)	22 (45)	11 (27)
Occupational therapists	26 (29)	17 (35)	9 (22)
Palliative care team	13 (14)	10 (20)	3 (7)
Social workers/case managers	13 (14)	10 (20)	3 (7)

be available in private compared to public hospitals (42, 88% vs. 22, 51%). Of 89 hospitals that provided data, 38 (43%) had performed endovascular thrombectomy, treating 313 patients over 12 months (median 6; IQR 3–10) and was more likely to be available in private hospitals (31, 69% vs. 7, 16%).

Services to support stroke survivors and their families

Seventy-five (79%) hospitals had a structured healthcare review for patients following discharge. These varied in how often they were carried out: 37 hospitals (49%) reviewed patients every 3 months, 8 (11%) reviewed patients every month, 25 (33%) had variable time intervals ranging from 2 weeks to 12 months and 5 (7%) did not specify review the timeframe. A structured healthcare review was more likely to take place in private hospitals (46, 61% vs. 29, 39%).

Thirty (32%) hospitals reported having a stroke peer support group. A stroke peer support group was more likely in private compared to public hospitals (19/50, 38% vs. 11/44, 25%).

Sixty-four (67%) hospitals provided education and training for patients and their families; availability was more common in private hospitals (42, 66% vs. 22, 34%).

Organisational involvement in research

Data regarding research were provided by 93 hospitals; 38 (41%) hospitals had plans to, or had recently, participated in stroke research including: multicentre randomised

controlled trials, and studies based on stroke registries, community health and stroke prevention. Planned or ongoing research was more common in private versus public hospitals (23/48, 48% vs. 15/45, 33%).

Discussion

There are substantial differences between private and public hospitals in the availability of stroke units, diagnostic services and treatments for stroke, structured healthcare review and follow-up. Only half of the hospitals reported having a dedicated stroke unit with a total of 596 beds. This reflects similar findings in the recent 'State of stroke services across the globe: Report of World Stroke Organization–World Health Organization surveys', with 12 hospitals in India reporting that 56% of patients had access to a stroke unit.¹¹ Advanced diagnostic services and treatments were more likely to be provided in private hospitals with access to a more comprehensive range of staff within the MDT, and a greater range of stroke-specific education and training opportunities. A lack of organised stroke unit facilities, and an insufficiency of trained healthcare professionals, continue to be challenges for the provision of stroke care in India,¹² particularly in public hospitals.

Of the hospitals with data, almost three-quarters had a neurology service available; these were almost twice as likely to be available in private compared to public hospitals (90% vs. 49%). Previous reports have suggested that across India, on average, there is 1 neurologist per

1,250,000 people (over a third of which are located in metropolitan cities).¹³ Despite these challenges, there are many models of stroke care available in low/middle-income countries (LMICs), for example, MDT care led by a stroke neurologist, specialist-led care by neurologists, physician-led care, hub and spoke models incorporating stroke telemedicine, and task sharing involving community health workers.¹⁴ As the burden of stroke increases in LMICs, innovative service delivery models may need to be explored further to determine if these are effective solutions to limited resources and workforce expertise.

In addition to the provision of stroke specialist services, it is well established that stroke survivors whose care is provided by an MDT that specialise in stroke care are more likely to be alive and independent 1 year after stroke.⁶ While most hospitals (91%) had access to a MDT, there was wide variation in the type and numbers of team members. There is a recognised shortage of stroke-specialist staff in many countries globally and solutions are needed to train and retain health professionals with stroke-specific knowledge and skills.^{15,16} Stroke-specific education and training can provide staff development opportunities and improve outcomes for stroke patients.¹⁷

Accurate early recognition of stroke signs and symptoms as stroke is necessary to maximise the benefits of hyperacute treatment with thrombolysis and/or mechanical thrombectomy, where indicated, and early access to specialist MDT care.^{18,19} While the National Programme for Prevention and Control of Cancer, Diabetes and Stroke places emphasis on the importance of a timely stroke diagnosis,⁸ this survey suggests that diagnostic services were largely only available to patients with access to private health care.

Despite evidence supporting the effectiveness of thrombolysis and thrombectomy, access in India is often limited by availability and cost.¹⁴ In 2013, there were between 35 and 50 stroke units thrombolysing 2000 patients every year in India, a rate of between 1% and 5%.^{8,20} Recent research has identified that challenges in the delivery of time-dependent stroke treatments are largely due to pre-hospital delays, affordability, a lack of neurointerventionalists and thrombectomy-capable centres, and the need for improved access to acute stroke imaging modalities.^{14,21} While the availability of thrombolysis and thrombectomy is increasing, the lack of emergency medical service provision, delay in patient arrival and diagnosis, and high cost of treatment, remain challenges in the treatment of acute ischaemic stroke patients.¹³

Telemedicine is one service that can facilitate the provision of health care to underserved areas and its provision has been growing across India over the last decade.^{22,23} Yet, only 26% of hospitals reported the use of telemedicine, with little differences between private and public hospitals. Most telemedicine projects across India were conducted through government and private enterprises rather than within hospital settings.²³ While telemedicine is a growing component of India's healthcare system, it appears that this is happening largely outside of hospital centres; therefore, there is an important role for telemedicine in stroke in the future, although we acknowledge our survey was conducted pre COVID-19, and the availability of telemedicine may have increased as a result of the pandemic.²⁴

For stroke patients and their relatives, stroke peer support groups may contribute to positive adjustment by providing them with socialisation, new relationships, shared experiences and hope after disability.²⁵⁻²⁷ With most (66%) private hospitals providing stroke education and training for patients and their families (34% in public hospitals), there is room for improvement and opportunity to determine the effectiveness of implementation through research. This could be facilitated by increasing the number of research-active practitioners to enable healthcare organisations to provide better-quality care and improve patient outcomes, while also building research capacity and capability.²⁸⁻³²

Currently, there is variability in the levels of types of all aspects of stroke unit resources (staff, education, training, facilities and treatment available). The recent World Stroke Organization and National Accreditation Board of Hospitals and Healthcare providers joint Stroke Centre certification programme aims to create the standardised delivery of stroke care across the country, promoting quality and safety of care and improving long-term stroke patient outcomes.³³ Following roll-out of the certification programme, further research is needed to map stroke service provision, including over a wider geographic area and exploring the impact of the programme on key stroke service infrastructure, patient access and outcomes.

Limitations

Our study has several limitations. The hospitals that took part in this study were mainly recruited via two national conferences and the INSTRuCT network. There was a high completion rate from representatives in Kerala; 14 states and 5 union territories were not represented at all and for others we had very few responses. We did not seek to

identify all hospitals caring for stroke patients in India and, therefore, we do not know the number of non-identified or non-responding sites and, as such, the findings may not be representative of other hospitals in other regions of India. The survey was distributed at a national (Indian National Stroke Conference) and an International Conference (International Conference on the Essentials of Stroke Care), as well as through the INSTRuCT Network, Indian Stroke Association and Indian Academy of Neurology. It is possible that further responses would have been gained if we had also targeted other organisations such as the Neurological Society of India. In some cases, where more than one representative from a hospital completed the survey tool, the responses from the more senior member of staff were included in the analysis. However, we could not determine with certainty which of these multiple responses were the most accurate. Respondents frequently missed out answers to some of the questions, and although we contacted a number of hospitals for missing information, additional data were not always available. Since the study took place, it is likely that there have been major changes to the availability and delivery of stroke services as a result of the COVID-19 pandemic.

Equality, diversity and inclusion

We sought survey responses from a wide range of respondents who had an overview of stroke services at their respective hospitals in India. Respondents were mainly physicians (52%), followed by nurses (24%), physiotherapists (5%), researchers (3%), speech and language therapists (2%) and unspecified (14%), representing both private and public hospitals. The majority of respondents represented hospitals in the state of Kerala. We did not collect any further data about individual respondents as data collection was focused on hospital stroke services rather than individuals.

Conclusions

Dedicated stroke units, stroke-specific staff, education, training and research opportunities, diagnostic services and specialist treatments were most available within private hospitals; however, there is a paucity of available stroke services data. Further research is needed to map stroke service provision in a wider range of tertiary stroke care providers and stroke units following implementation of the World Stroke Organization and National Accreditation Board of Hospitals and Healthcare providers joint Stroke Centre certification programme and to explore the impact of key stroke service infrastructure and patient access on outcomes.

Additional information

CRedit contribution statement

Stephanie P Jones (<https://orcid.org/0000-0001-9149-8606>): Formal analysis (lead); Project administration (lead); Validation (lead); Visualisation (equal); Writing – original draft (lead); Writing – reviewing and editing (lead).

Kamran Baqai (<https://orcid.org/0000-0002-6190-3241>): Formal analysis (supporting); Validation (supporting); Visualisation (equal); Writing – original draft (supporting); Writing – reviewing and editing (supporting).

Rachel Georgiou (<https://orcid.org/0000-0002-0920-0602>): Conceptualisation (supporting); Data curation (supporting); Funding acquisition (equal); Methodology (equal); Project administration (equal); Writing – reviewing and editing (equal).

Maree L Hackett (<https://orcid.org/0000-0003-1211-9087>): Conceptualisation (equal); Funding acquisition (equal); Methodology (equal); Supervision (equal); Writing – reviewing and editing (equal).

Catherine E Lightbody (<https://orcid.org/0000-0001-5016-3471>): Conceptualisation (equal); Data curation (lead); Funding acquisition (equal); Methodology (equal); Project administration (equal); Supervision (equal); Writing – reviewing and editing (equal).

Pallab K Maulik (<https://orcid.org/0000-0001-6835-6175>): Conceptualisation (equal); Funding acquisition (equal); Methodology (equal); Writing – reviewing and editing (equal).

MV Padma Srivastava (<https://orcid.org/0000-0001-7615-9411>): Conceptualisation (equal); Funding acquisition (equal); Methodology (equal); Writing – reviewing and editing (equal).

Jeyaraj D Pandian (<https://orcid.org/0000-0003-0028-1968>): Conceptualisation (equal); Funding acquisition (equal); Methodology (equal); Writing – reviewing and editing (equal).

PN Sylaja (<https://orcid.org/0000-0003-4896-8275>): Conceptualisation (equal); Data curation (equal); Funding acquisition (equal); Methodology (equal); Writing – reviewing and editing (equal).

Caroline L Watkins (<https://orcid.org/0000-0002-9403-3772>): Conceptualisation (lead); Funding acquisition (lead); Methodology (lead); Supervision (lead); Writing – reviewing and editing (equal).

Data-sharing statement

All relevant data are provided in the article. Requests for additional data should be submitted to the corresponding author.

Ethics statement

As a survey of existing stroke services in India, this study did not require ethical approval and informed consent was assumed on completion and submission of the survey.

Information governance statement

The University of Central Lancashire is committed to handling all personal information in line with the UK Data Protection Act (2018) and the General Data Protection Regulation (EU GDPR) 2016/679. Under the Data Protection legislation, the University of Central Lancashire is the Data Controller, and you can find out more about how we handle personal data, including how to exercise your individual rights and the contact details for our Data Protection Officer here: (<https://www.uclan.ac.uk/legal/data-protection>).

Disclosure of interests

Full disclosure of interests: Completed ICMJE forms for all authors, including all related interests, are available in the toolkit on the NIHR Journals Library report publication page at <https://doi.org/10.3310/JVNW9009>.

Primary conflicts of interest: The authors declare that there are no conflicts of interest.

Department of Health and Social Care disclaimer

This publication presents independent research commissioned by the National Institute for Health and Care Research (NIHR). The views and opinions expressed by authors in this publication are those of the authors and do not necessarily reflect those of the NHS, the NIHR, MRC, NIHR Coordinating Centre, the Global Health Research programme or the Department of Health and Social Care.

This article was published based on current knowledge at the time and date of publication. NIHR is committed to being inclusive and will continually monitor best practice and guidance in relation to terminology and language to ensure that we remain relevant to our stakeholders.

Funding

This research was funded by the National Institute for Health and Care Research (NIHR) Global Health Research programme (NIHR award ref: 16/137/16) using UK aid from the UK Government to support global health research. The views expressed in this publication are those of the author(s) and not necessarily those of the NIHR or the UK government

This article reports on one component of the research award NIHR Global Health Research Group on Improving Stroke Care, University of Central Lancashire. Other articles published as part of this thread are: [[LINKS to other articles](#)]. For more information about this research please view the award page (<https://www.fundingawards.nihr.ac.uk/award/16/137/16>)

About this article

The contractual start date for this research was in August 2017. This article began editorial review in April 2023 and was accepted for publication in June 2024. The authors have been wholly responsible for all data collection, analysis and interpretation, and for writing up their work. The Global Health Research editors and publisher have tried to ensure the accuracy of the authors' article and would like to thank the reviewers for their constructive comments on the draft document. However, they do not accept liability for damages or losses arising from material published in this article.

Copyright

Copyright © 2024 Jones *et al.* This work was produced by Jones *et al.* under the terms of a commissioning contract issued by the Secretary of State for Health and Social Care. This is an Open Access publication distributed under the terms of the Creative Commons Attribution CC BY 4.0 licence, which permits unrestricted use, distribution, reproduction and adaptation in any medium and for any purpose provided that it is properly attributed. See: <https://creativecommons.org/licenses/by/4.0/>. For attribution the title, original author(s), the publication source – NIHR Journals Library, and the DOI of the publication must be cited.

List of abbreviations

INSTRUCT	Indian Stroke Clinical Trial Network
LMICs	low/middle-income countries
MDT	multidisciplinary team
PICH	primary intracerebral haemorrhage

References

1. Khurana D, Padma MV, Bhatia R, Kaul S, Pandian J, Sylaja PN, *et al.*; For ISA Executive Committee. Recommendations for the early management of acute ischemic stroke: a consensus statement for healthcare professionals from the Indian Stroke Association. *J Stroke Med* 2018;**1**:79–113.
2. Directorate General of Health Services: Ministry of Health and Family Welfare. National Programme for Prevention and Control of Cancer, Diabetes, Cardiovascular Diseases and Stroke. *Government of India*. 2019. URL: <https://main.mohfw.gov.in/Major-Programmes/non-communicable-diseases-injury-trauma/Non-Communicable-Disease-II/>

- [National-Programme-for-Prevention-and-Control-of-Cancer-Diabetes-Cardiovascular-diseases-and-Stroke-NPCDCS](#) (accessed 21 September 2020).
- Sylaja PN, Pandian JD, Kaul S, Padma Srivastava MV, Khurana D, Schwamm LH, et al. Ischemic stroke profile, risk factors, and outcomes in India: the Indo-US Collaborative Stroke Project. *Stroke* 2018;**49**:219–22.
 - Jones SP, Baqai K, Clegg A, Georgiou R, Harris C, Holland EJ, et al. Stroke in India: a systematic review of the incidence, prevalence and case fatality. *Int J Stroke* 2021;**17**:132–40.
 - Lloyd J, Pinto AM, Nair S, Tarey S. A qualitative study on palliative needs of stroke patients in an Indian tertiary care setting – doctors' perspective. *Ind J Palliat Care* 2019;**25**:84–91.
 - Langhorne P, Ramachandra S; Stroke Unit Trialists' Collaboration. Organised inpatient (stroke unit) care for stroke: network meta-analysis. *Cochrane Database Syst Rev* 2020;**4**:CD000197.
 - Ganapathy K. Distribution of neurologists and neurosurgeons in India and its relevance to the adoption of telemedicine. *Neurol India* 2015;**63**:142–54.
 - Pandian JD, Sudhan P. Stroke epidemiology and stroke care services in India. *J Stroke* 2013;**15**:128–34.
 - Lindsay MP, Norrving B, Furie KL, Donnan G, Langhorne P, Davis S. *Global Stroke Guidelines and Action Plan: A Road Map for Quality Stroke Care*. Geneva: World Stroke Organization; 2016. URL: www.world-stroke.org/publications-and-resources/resources/roadmap-to-delivering-quality-stroke-care-resource (accessed 21 September 2020).
 - National Programme for Prevention and Control of Cancer, Diabetes, Cardiovascular Diseases & Stroke (NPCDCS). *Guidelines for Prevention and Management of Stroke*. Directorate General of Health Services Ministry of Health and Family Welfare; 2019. URL: mohfw.gov.in (accessed 8 January 2024).
 - Owolabi MO, Thrift AG, Martins S, Johnson W, Pandian J, Abd-Allah F, et al.; Stroke Experts Collaboration Group. The state of stroke services across the globe: report of World Stroke Organization –World Health Organization surveys. *Int J Stroke* 2021;**16**:889–901. <https://doi.org/10.1177/17474930211019568>
 - Pandian JD, Sebastian IA. Integrated approach to stroke burden: are we doing enough? *Lancet Neurol* 2021;**20**:774–5. [https://doi.org/10.1016/S1474-4422\(21\)00287-8](https://doi.org/10.1016/S1474-4422(21)00287-8)
 - Khurana D, Das B, Kumar A, Kumar A, Khandelwal N, Lal V, Prabhakar S. Temporal trends in intravenous thrombolysis in acute ischemic stroke: experience from a Tertiary Care Centre in India. *J Stroke Cerebrovasc Dis* 2017;**26**:1266–73.
 - Pandian JD, Kalkonde Y, Sebastian IA, Felix C, Urimubenshi G, Bosch J. Stroke systems of care in low-income and middle-income countries: challenges and opportunities. *Lancet (London, England)* 2020;**396**:1443–51.
 - Mehndiratta MM, Singhal AB, Chaturvedi S, Sivakumar MR, Moonis M. Meeting the challenges of stroke in India. *Neurology* 2013;**80**:2246–7.
 - Kenton EJ, Culebras A, Fayad PB, Goldstein LB, Kaskie B, Leira EC, et al.; AAN Vascular Neurology Stroke Practice Resources Workgroup. Impact of stroke call on the stroke neurology workforce in the United States: possible challenges and opportunities. *J Stroke Cerebrovasc Dis* 2018;**27**:2019–25.
 - Jones SP, Miller C, Gibson JME, Cook J, Price C, Watkins CL. The impact of education and training interventions for nurses and other health care staff involved in the delivery of stroke care: an integrative review. *Nurse Educ Today* 2018;**61**:249–57.
 - Wardlaw JM, Murray V, Berge E, del Zoppo G, Sandercock P, Lindley RL, Cohen G. Recombinant tissue plasminogen activator for acute ischaemic stroke: an updated systematic review and meta-analysis. *Lancet (London, England)* 2012;**379**:2364–72.
 - Vidale S, Longoni M, Valvassori L, Agostoni E. Mechanical thrombectomy in strokes with large-vessel occlusion beyond 6 hours: a pooled analysis of randomized trials. *J Clin Neurol* 2018;**14**:407–12.
 - Wasay M, Khatri IA, Kaul S. Stroke in South Asian countries. *Nat Rev Neurol* 2014;**10**:135–43.
 - Sundar K, Panwar A, Yagaval DR, Huded V, Sylaja PN. Mission thrombectomy 2020 (MT2020): India's biggest healthcare challenge yet. *J Stroke Med* 2021;**3**:98427.
 - Devanbu VGC, Nirupama AY, Taneja N. Telemedicine: new technology, new promises? *Ind J Commun Health* 2019;**31**:437–41.
 - Mathur P, Srivastava S, Lalchandani A, Mehta JL. Evolving role of telemedicine in health care delivery in India. *Prim Health Care* 2017;**7**:2167–72.
 - Sylaja PN, Srivastava MVP, Shah S, Bhatia R, Khurana D, Sharma A, et al. The SARS-CoV-2/COVID-19 pandemic and challenges in stroke care in India. *Ann N Y Acad Sci* 2020;**1473**:3–10.
 - Ch'Ng AM, French D, Mclean N. Coping with the challenges of recovery from stroke: long term perspectives of Stroke Support Group members. *J Health Psychol* 2008;**13**:1136–46.
 - Davison KP, Pennebaker JW, Dickerson SS. Who talks? The social psychology of illness support groups. *Am Psychol* 2000;**55**:205–17.

27. Muller M, Toth-Cohen S, Mulcahey MJ. Development and evaluation of a hospital-based peer support group for younger individuals with stroke. *Occupat Therap Health Care* 2014;**28**:277–95.
28. Krzyzanowska MK, Kaplan R, Sullivan R. How may clinical research improve healthcare outcomes? *Ann Oncol* 2011;**22**:vii10–5.
29. Ozdemir BA, Karthikesalingam A, Sinha S, Poloniecki JD, Hinchliffe RJ, Thompson MM, *et al.* Research activity and the association with mortality. *PLOS ONE* 2015;**10**:e0118253.
30. van Oostveen CJ, Goedhart NS, Francke AL, Vermeulen H. Combining clinical practice and academic work in nursing: a qualitative study about perceived importance, facilitators and barriers regarding clinical academic careers for nurses in university hospitals. *J Clin Nurs* 2017;**26**:4973–84.
31. Windsor J, Searle J, Hanney R, Chapman A, Grigg M, Choong P, *et al.* Building a sustainable clinical academic workforce to meet the future healthcare needs of Australia and New Zealand: report from the first summit meeting. *Intern Med J* 2015;**45**:965–71.
32. Windsor J, Garrod T, Talley NJ, Tebbutt C, Churchill J, Farmer E, *et al.* The clinical academic workforce in Australia and New Zealand: report on the second binational summit to implement a sustainable training pathway. *Intern Med J* 2017;**47**:394–9.
33. National Accreditation Board for Hospitals and Healthcare Providers. *NABH Stroke Standards Accreditation Programme*. 2023. URL: <https://nabh.co/h-doc> (access ed September 2024).
- Dr. PN Sylaja
Sree Chitra Tirunal Institute of Medical Sciences and Technology
Department of Neurology Sree Chitra Tirunal Institute for Medical Sciences & Technology, Thiruvananthapuram 695011, Kerala, India
- Professor Dame Caroline Watkins
Professor of Stroke & Older People's Care/Faculty Director of Research and Innovation
School of Nursing and Midwifery, University of Central Lancashire
Preston, PR1 2HE, United Kingdom
- Dr Liz Boaden
Senior Research Fellow
Stroke Research Team
School of Nursing and Midwifery, University of Central Lancashire
Preston, PR1 2HE, United Kingdom
Associate Professor Dominique Cadilhac
Head of Translational Public Health Research Stroke and Ageing Research Group
Monash University, Level 3 Hudson Institute Building
27–31 Wright Street
Clayton, VIC 3168, Australia
- Professor Andy Clegg
Professor Health Services Research
School of Nursing and Midwifery, University of Central Lancashire
Preston, PR1 2HE, United Kingdom

Appendix 1

IMPROVing Stroke carE in India (IMPROVISE) Collaboration

Dr. Jeyaraj D Pandian
Principal and Professor
Department of Neurology
Christian Medical College and Hospital
Brown Road, Ludhiana
Punjab, 141008, India

Dr. MV Padma Srivastav
Professor
All India Institute of Medical Sciences
Department of Neurology, Room no 708,
7th floor
All India Institute of Medical Sciences Ansari Nagar, New Delhi 110029, India

Mrs Denise Forshaw
Principal Clinical Trials Manager and Deputy Director (Operations and Governance), Lancashire Clinical Trials Unit, University of Central Lancashire
Preston, PR1 2HE, United Kingdom

Professor Mark Gabbay
Director of NIHR NWC CLAHRC
Primary Care and Health inequalities
University of Liverpool, Institute of Psychology Health and Society
University of Liverpool
Liverpool, L69 3BX, United Kingdom

Ms Rachel Georgiou
Senior Research Fellow
Stroke Research Team
School of Nursing and Midwifery, University of Central Lancashire

Preston, PR1 2HE, United Kingdom

Dr Jo Gibson

Reader in Applied Health Research

Stroke Research Team

School of Nursing and Midwifery, University of Central
Lancashire

Preston, PR1 2HE, United Kingdom

Professor Maree Hackett

Program Head Mental Health, The George Institute for
Global Health, Neurological & Mental Health
Division

Level 10, King George V Building, 83–117 Missenden
Road, Camperdown, NSW 2050, Australia

Dr Steph Jones

Programme Manager

Stroke Research Team

School of Nursing and Midwifery, University of Central
Lancashire

Preston, PR1 2HE, United Kingdom

Dr Yogeshwar Kalkonde

Society for Education, Action and Research in Community
Health

Gadchiroli, India

Dr Liz Lightbody

Professor of Stroke Care and Improvement

Stroke Research Team

School of Nursing and Midwifery, University of Central
Lancashire

Preston, PR1 2HE, United Kingdom

Professor Richard Lindley

a. Professor of Geriatric Medicine, Westmead Clinical
School, The University of Sydney, Australia

b. Professorial Fellow, The George Institute for Global
Health, United Kingdom

c. Professor of Geriatric Medicine, Blacktown Hospital,
The University of Sydney, Australia

d. Principal Investigator, Westmead Applied Research
Centre, The University of Sydney, Australia

Professor Pallab K Maulik

a. Deputy Director and Director of Research, The
George Institute for Global Health, India

b. Professor, Faculty of Medicine, UNSW
Sydney

c. Professor, Prasanna School of Public Health, Manipal
Academy of Higher Education, India

d. Provost's visiting Professor of Mental Health,
Imperial College London, United Kingdom

Professor Sandy Middleton

Director, Nursing Research Institute

Australian Catholic University and St Vincent's Health

Australia Sydney Level 5, deLacy Building, St Vin-
cent's Hospital, Sydney

390 Victoria Street, Darlinghurst

NSW 2010, Australia

Dr Gordon Prescott

Reader in Medical Statistics and Deputy Director of the
Lancashire Clinical Trials Unit

Lancashire Clinical Trials Unit

University of Central Lancashire, Preston, PR1 2HE, Uni-
ted Kingdom

Professor Kate Radford

Professor of Rehabilitation Research, Faculty of Medicine
& Health Sciences

Room B102 Medical School, Queen's Medical Centre

Nottingham, United Kingdom

Professor Caroline Sanders

Professor of Medical Sociology

University of Manchester, School of Health & Sciences

The University of Manchester

Brunswick Street, Manchester, M139 PT, United Kingdom

Professor Doris Schroeder

Professor of Moral Philosophy and Director of the Centre
for Professional Ethics

School of Health, Social Work and Sport

University of Central Lancashire, Preston, PR1 2HE, Uni-
ted Kingdom

Dr Anil Sharma

Clinical Adviser to NIHR Global Health Research Group

University of Central Lancashire

Preston, PR1 2HE, United Kingdom

Dr Chris Sutton

Senior Lecturer in Clinical Trial Statistics

School of Health Sciences

Division of Population Health, Health Services Research
and Primary Care

The University of Manchester, United Kingdom

Professor Marion Walker

a. Professor of Stroke Rehabilitation; Associate Pro
Vice-Chancellor (Equality, Diversity and Inclusion),
Nottingham University, Queen's Medical Centre,
Nottingham NG7 2UH, United Kingdom

b. Department of Health through the National Institute
for Health Research, Room 132, Richmond House,
79 Whitehall, London, SW1A 2NS, United Kingdom

Appendix 2

Stocktake – Stroke Service Questionnaire

1	Name of Hospital:	
2	Public or Private Hospital:	<input type="checkbox"/> Public <input type="checkbox"/> Private
3	State:	
4	City/Town:	
5	Dedicated stroke unit (i.e. geographical location with organised stroke care).	<input type="checkbox"/> Yes <input type="checkbox"/> No
5.1	If YES , number of beds at your stroke unit?	Number: _____
6	Number of acute stroke patients admitted in the last year (answer 'not known' if applicable)?	Number: _____ <input type="checkbox"/> Not known
7	Number of Ischaemic stroke patients admitted in the last year (answer 'not known' if applicable)?	Number: _____ <input type="checkbox"/> Not known
8	Number of Intracranial Haemorrhage patients admitted in the last year (answer 'not known' if applicable)?	Number: _____ <input type="checkbox"/> Not known
9	Do you have an inpatient stroke registry?	<input type="checkbox"/> Yes <input type="checkbox"/> No
10	If required, is a neurology service (specialist, fellow or registrar) available for consultation in Emergency Department?	<input type="checkbox"/> Yes <input type="checkbox"/> No
10.1	If YES , please select one that applies	<input type="checkbox"/> Availability on site 24/7 <input type="checkbox"/> Working hours only (8-5), on call afterhours <input type="checkbox"/> Designated phone or tele-health support only
11	Do you use telemedicine for assessment of Acute stroke patients?	<input type="checkbox"/> Yes <input type="checkbox"/> No

12	How do patients generally access stroke services?	<input type="checkbox"/> Ambulance <input type="checkbox"/> Self referral <input type="checkbox"/> Other, please specify: <hr/> <hr/> <hr/> <hr/>
13	What is the general patient pathway for the first 24 hours?	<input type="checkbox"/> Admitted via Emergency Department <input type="checkbox"/> Admitted directly to the unit <input type="checkbox"/> Other, please specify: <hr/> <hr/> <hr/> <hr/>
14	Admission of ischemic stroke patients?	<input type="checkbox"/> To a Stroke unit <input type="checkbox"/> To the ICU <input type="checkbox"/> To the neurology ward <input type="checkbox"/> Other, please specify: <hr/> <hr/> <hr/> <hr/>
15	Admission of Intracranial Haemorrhage stroke patients?	<input type="checkbox"/> To a Stroke unit <input type="checkbox"/> To the ICU <input type="checkbox"/> To the neurology ward <input type="checkbox"/> Other, please specify: <hr/> <hr/> <hr/> <hr/>

16	Is CT available 24 hours a day at the hospital?	<input type="checkbox"/> Yes <input type="checkbox"/> No
16.1	If YES , on average, how long does it take from the time a stroke patient arrives to the hospital to get a CT scan (minutes)?	Number of minutes: _____
17	Do you use rtPA for treatment of acute ischaemic stroke?	<input type="checkbox"/> Yes <input type="checkbox"/> No
17.1	If YES , please specify the number of patients treated last year:	Number of patients: _____
18	Do you perform endovascular thrombectomy for treatment of acute ischaemic stroke?	<input type="checkbox"/> Yes <input type="checkbox"/> No
18.1	If YES , please specify the number of patients treated last year:	Number of patients: _____
19	Do you have access to diagnostic services?	<input type="checkbox"/> Yes <input type="checkbox"/> No
19.1	If YES : What level of access do you have? Tick <u>all</u> that apply:	<input type="checkbox"/> Basic <input type="checkbox"/> Advanced <u>Basic</u> <input type="checkbox"/> Laboratory blood test (CBC, electrolytes, urea, glucose, INR, PT) <input type="checkbox"/> Electrocardiogram (12 lead) <input type="checkbox"/> Computed Tomography (CT) scan brain and vasculature <input type="checkbox"/> Echocardiography <input type="checkbox"/> Doppler ultrasound <input type="checkbox"/> Holter monitors <u>Advanced</u> <input type="checkbox"/> Magnetic Resonance Imaging (MRI) <input type="checkbox"/> Capability to do CT Angiography (CTA) <input type="checkbox"/> Capability to do MR Angiography (MRA) <input type="checkbox"/> CT Perfusion scans <input type="checkbox"/> Prolonged ECG monitoring devices

20	Do you have access to someone who is trained in undertaking a swallow screen?	<input type="checkbox"/> Yes <input type="checkbox"/> No
20.1	If YES: What level of access do you have?	<input type="checkbox"/> Very limited <input type="checkbox"/> Variable <input type="checkbox"/> Constantly available
20.2	Who is responsible for undertaking the swallow screen?	<input type="checkbox"/> Physicians <input type="checkbox"/> Nurses <input type="checkbox"/> Both <input type="checkbox"/> Other, please specify: _____ _____ _____ _____
21	Are there recommended guidelines or protocols for the management of stroke patients?	<input type="checkbox"/> Yes <input type="checkbox"/> No
21.1	If YES, tick all that apply	<input type="checkbox"/> Thrombolytic therapy <input type="checkbox"/> Dysphagia management <input type="checkbox"/> Temperature <input type="checkbox"/> Blood pressure control <input type="checkbox"/> Blood glucose control <input type="checkbox"/> Positioning <input type="checkbox"/> Oral care <input type="checkbox"/> Other, please specify: _____ _____ _____

22 22.1	Do patients have a structured health care review following discharge? If YES , how often. Tick all that apply:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Three months <input type="checkbox"/> Six months <input type="checkbox"/> Twelve months <input type="checkbox"/> Other, please specify: _____ _____ _____
23 23.1	Are there on-going or planned stroke trials or research (including post graduate projects) at your hospital? If YES , please specify any ongoing research:	<input type="checkbox"/> Yes <input type="checkbox"/> No
24 24.1	Do you have a stroke peer support group? If YES , please give details.	<input type="checkbox"/> Yes <input type="checkbox"/> No
25 25.1 25.2	Do you have access to education/training for patient and families? If YES : What level of access do you have? Who is responsible for the training?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Very limited <input type="checkbox"/> Variable <input type="checkbox"/> Constantly available <input type="checkbox"/> Physicians <input type="checkbox"/> Nurses <input type="checkbox"/> Both <input type="checkbox"/> Other, please specify: _____ _____

26	Do you have access to the following multi-disciplinary team members? Tick all that apply.	<input type="checkbox"/> Physicians/neurologists with stroke expertise <input type="checkbox"/> Stroke Nurses <input type="checkbox"/> Nursing assistants/ward helpers <input type="checkbox"/> Physicians assistants <input type="checkbox"/> Pharmacist <input type="checkbox"/> Social worker/case manager <input type="checkbox"/> Palliative Care team <input type="checkbox"/> Physiotherapist <input type="checkbox"/> Occupational Therapist <input type="checkbox"/> Speech-Language Pathologist
27	How many of the following staff do you have in your stroke team?	<input type="checkbox"/> Physicians/neurologists with stroke expertise <input type="checkbox"/> Stroke Nurses <input type="checkbox"/> Nursing assistants/ward helpers <input type="checkbox"/> Physicians assistants <input type="checkbox"/> Physiotherapist <input type="checkbox"/> Occupational Therapist <input type="checkbox"/> Speech-Language Pathologist
28	Do you have stroke training programs for any of the following staff?	<input type="checkbox"/> Yes <input type="checkbox"/> No
28.1	Which members of the team have stroke specific training? Tick all that apply	<input type="checkbox"/> Physicians with stroke expertise <input type="checkbox"/> Stroke Nurses <input type="checkbox"/> Nursing assistants/ ward helpers <input type="checkbox"/> Pharmacist <input type="checkbox"/> Social worker/case manager <input type="checkbox"/> Palliative Care team <input type="checkbox"/> Physiotherapist <input type="checkbox"/> Occupational Therapist <input type="checkbox"/> Speech-Language Pathologist

29	Do you know of any other stroke units, not part of the Indian Stroke Association? If so, please could you provide their contact information?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
30	As part of this programme, it may be useful for us to make further contact with organisations in order to strengthen our knowledge capacity and inform delivery. Are you happy to be contacted again?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

Appendix 3 Hospitals with multidisciplinary team members

Access to number of MDT members	All sites 95 (100%)	Private hospitals 50 (100%)	Public hospitals 45 (100%)
0 MDT members	9 (10)	0 (0)	9 (20)
1-5 MDT members	24 (25)	9 (18)	15 (33)
6-10 MDT members	62 (65)	41 (82)	21 (47)